
### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.67

RECEIVED

SEP 3 0 1948

# PRICE TO S. De Letter State La l'ure


FALL, 1948 - SPRING, 1949



ROSES EVERGREENS
TREES SHRUBS
HERBACEOUS PERENNIALS

# HENRY KOHANKIE & SON

PAINESVILLE, OHIO
30 Miles East of Cleveland on Route 20
TELEPHONE 4380



#### PRICE LIST

WE OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

#### HENRY KOHANKIE & SON

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

## Please Read Carefully

#### CONDITIONS OF SALE

**Prices** do not include packing. A charge for the cost of the boxes and material used in baling will be made.

**Stock** specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, decription, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting beyond the nominal loss above referred to, is in the hands of the planter. method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery— We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

#### CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines	5-161
Herbaceous Material (including Rock and Alpine Plants	162-200
Fruit Garden Material	201
Large Specimen Material	211
Plants for Special Purposes	211-212
Schedule of B&B Charges	213
PLANT CLASSIFICATIONS	
PLANT CLASSIFICATIONS  Coniferous Evergreens	202-203
Coniferous Evergreens	203
Coniferous Evergreens  Broad-leaved Evergreens	203-204
Coniferous Evergreens  Broad-leaved Evergreens  Deciduous Shade Trees	203-204 205-206

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

#### DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

Abelia chinensis. Chinese Abelia. 5'	1-4 Each		25 & up Each
15 to 18 in., 4 in. pots	1.75	1.50	1,25
grandiflora. Glossy Abelia. 3'			
12 to 15 in., 4 in. pots	1.00	.85	.75
15 to 18 in., 4 in. pots	1.25	1.10	1.00
18 to 24 inB&B	2.00	1.85	1.75
2 to 3 ftB&B	2.50	2.25	2.00
schumanni. Schumann Abelia. 5'			
12 to 18 in., 4 in. pots	1.75	1.50	
Abies alba. Silver Fir. 50'			
2 ft	7.50	6.00	
3 ft	10.00	7.50	
alba pyramidalis. Sentinel Fir. 5	0'		
18 in			
2 ftB&B	7.50		
3 ft	10.00		
balsamea. Balsam Fir. 50'			
5 ftB&B	12.50		
6 ft			
7 ft			
For larger sizes to 15 ft., add \$5		er foot	t
cephalonica. Greek Fir. 60' 2 ft	7.50		

		1-4 Each	5-24 Each	25 & up
Abies		Eden	Lucii	Eden
concolor. White Fir.	70'			
2 ft	B&B	6.50	5.50	
3 ft	B&B	8.50	7.50	
4 ft	B&B	12.50	10.00	
5 ft	B&B	17.50	15.00	
6 ft	B&B	22.50	18.00	
7 ft	B&B	25.00	20.00	
8 ft	B&B	30.00	25.00	
9 ft	B&B	35.00	30.00	
10 ft	B&B	40.00	35.00	
concolor violacea. Pur	rplecone Wh	nite Fi	r. 70'	
3 ft	B&B	10.00		
4 ft	B&B	15.00		
5 ft	B&B	20.00		
6 ft	B&B	25.00	ye.	
firma. Momi Fir. 50	,			
3 ft	B&B	7.50		
fraseri. Fraser Fir.	50'			
4 ft	В&В	7.50		
5 ft				
6 ft	B&B	12.50		
homolepis. Nikko Fir.	60 <b>'</b>			
3 ft	B&B	10.00	7.50	
4 ft	B&B	12.50	10.00	
5 ft	B&B	15.00	12.50	
6 ft	B&B	18.00	15.00	
7 ft	B&B	22.50	18.00	
lasiocarpa arizonica. (	Cork-bark F	ir. 50	) <b>'</b>	
2 ft	B&B	10.00		
nordmanniana. Nordm				
3 ft	B&B	10.00		
pinsapo. Spanish Fir.				
2 ft	В&В	7.50		
procera glauca. Bluelec	of Noble F	ir. 50	,	
18 in				
2 ft	B&B	10.00		

	1-4 Each	5-24 Each	25 & up
Abies	Eden	Edell	Lucii
veitchi. Veitch Fir. 80'			
2 ftB&B	7.50		
3 ftB&B	10.00		
4 ftB&B	12.50		
Acanthopanax henryi. Henry Acanth	opanas	c. 10'	
3 to 4 ft	_	1.50	
4 to 5 ft	2.00		
ricinifolium (see Kalopanax pictus	).		
sieboldianus (pentaphyllum). $Five$	-leaved	Arali	a. 10'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	
Acer buergerianum. Trident Maple.	40'		
2 to 3 ft		2.50	
3 to 4 ft			
campestre. Hedge Maple. 25'			
3 to 4 ft	2.25	2.00	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	2.75	
cappadocicum. Coliseum Maple.	40°		
2 to 3 ft			
dasycarpum, (see saccharinum)			
ginnala. Amur Maple. 12'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1,75	1.35	1.10
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.00	2.50	2.25
8 to 10 ft	4.00	3.00	2.75
griseum. Paperbark Maple. 25'			
2 to 3 ft,	2.50		

N man	1-4 Each	5-2 <b>4</b> Each	25 & up Each
Acer	_		
japonicum aureum. $Goldenmoon\ M$	laple.	15'	
2 to 3 ftB&B	6.00		
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ft,B&B	15.00		
negundo. Box Elder. 60'	0.50	9.00	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1½ in	3.50	3.00	
1½ to 1¾ in	5.00	4.00	
13/4 to 2 in	6.00	5.00	
nigrum. Black Maple. 80'			
8 to 10 ft	5.00		
nikoense. Nikko Maple. 40'			
	7.50		
	10.00		
	10.00		
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B	3.50	2.50	
3 to 4 ftB&B	4.50	3.50	
4 to 5 ftB&B	6.00	4.50	
5 to 6 ftB&B	7.50	6.00	
palmatum atropurpureum.			
Bloodleaf Japanese Maple. 10	O.F		
2 to 3 ftB&B		9.50	
3 to 4 ftB&B			
4 to 5 ftB&B		15.00	
5 to 6 ft., heavyB&B			
6 to 8 ft., heavyB&B			
8 to 10 ft., heavyB&B	35.00		
palmatum dissectum atropurpureu	m.		
Purple Threadleaf Japanese	Maple	e. 6'	
18 to 24 inB&B	_		
2 to 3 ftB&B			
3 to 4 ft			
	10.00		
palmatum elegans.	10.00		
18 to 24 inB&B	10,00		
palmatum filicifolium. Fernleaf M	Iaple.	10'	
5 to 6 ftB&B 2	_		
6 to 8 ft B&B			

Acer					1-4 Each	5-24 Each	25 & up Each
	annevl	van	icum	. Striped Maple.	051		
4				. Stripea mapie.	4.00		
		•			5.00		
	5 10	5 0	10		0.00		
ŗ	olatano	ides	. <i>No</i>	rway Maple. 75'			
	6	to	8	ft	3.00	2.50	2.00
	8	to	10	ft	4.00	3.50	3.00
	11/4	to	11/2	in	5.50	5.00	4.50
	11/2	to	13/4	in	7.50	6.50	6.00
	13/4	to	2	in	10.00	8.00	7.50
	2	to	2½	in	15.00	12.50	10.00
	21/2	to	3	in	18.00	15.00	
	3	to	31/2	in	25.00	20.00	
	31/2	to	4	in	30.00	<b>2</b> 5.00	
F			_	bosum. Globe Nor		Maple.	
F	olatano	ides	sch	wedleri. Schwedle	r Mapl	le. 60'	
	8	to	10	ft	6.00		
	11/4	to	11/2	in	7.50		
	11/2	to	13/4	in	10.00		
	13/4	to	2	in	12.50		
	2	to	$2\frac{1}{2}$	in	15.00		
	$2\frac{1}{2}$	to	3	in	20.00		
	3	to	$3\frac{1}{2}$	in	25.00		
	31/2	to	4	in	30.00		
F	_			Planetree Maple.			
	8		10				
	11/4			in	5.50		
				in	7.50		
	· -	to			10.00		
	2			in.			
		to		in			
	3	to	$3\frac{1}{2}$	in	25.00		

Acer	1-4	5-24	25 & up
rubrum. Red Maple. 75'	Each	Each	Each
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	3.75	
1½ to 1½ in.	6.00	5.00	
1½ to 1¾ in	7.50	6.50	
134 to 2 in	10.00	8.50	
2 to 2½ in		12.50	
2½ to 3 in	20.00	15.00	
3 to 3½ in	25.00	20.00	
3½ to 4 in	35.00		
4 to 5 in			
rubrum columnare. Column Red		e. 75'	
6 to 8 ft	7.50	No. 1	
8 to 10 ft	10.00		
1½ to 1½ in	12.50		
saccharinum. Silver Maple. 75'			
8 to 10 ft	2.50	2.00	1.50
1½ to 1½ in	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	9.00	7.50	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00		
saccharinum pyramidale.			
Pyramidal Silver Maple. 75'			
6 to 8 ft	3.00		
8 to 10 ft	3.50		
1½ to 1½ in	4.00		
1½ to 1¾ in	5.00		
13/4 to 2 in	7.50		
2 to 2½ in	10.00		
saccharinum wieri. Wier Maple.	75'		
8 to 10 ft	3.50		
1½ to 1½ in	4.00		
1½ to 1¾ in	5.00		
saccharum. Sugar Maple. 75'			
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	4.50	3.75	3.50
1¼ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	7.50	6.50	6.00
1 <sup>3</sup> / <sub>4</sub> to 2 in	10.00	8.50	
2 to 2½ in			11.50
$2\frac{1}{2}$ to 3 in	20.00	15.00	

	1-4 Each	5-24 Each	25 & up Each
Acer	Eden	Lacii	Eddii
saccharum continued.			
3 to 3½ in	25.00	20.00	
3½ to 4 in	35.00	30.00	
4 to 4½ in	45.00	40.00	
4½ to 5 in	60.00		
saccharum monumentale.			
Pyramidal Sugar Maple. 75'			
1¼ to 1½ in	12.50		
1½ to 1¾ in	15.00		
sieboldianum. Siebold Maple. 25	,		
4 to 5 ft	6.00		
5 to 6 ft	7.50		
spicatum. Mountain Maple. 20'			
3 to 4 ft	2.50		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
tataricum. Tatarian Maple. 20'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.50	3.00
Autimidia amenta Domon Actividia (	201		
Actinidia arguta. Bower Actinidia.		60	50
2 year	.75	.60	.50
Aesculus carnea. Red Horsechestnut.	40'		
6 to 8 ft	12.50		
8 to 10 ft	15.00		
1½ to 1½ in	20.00		
glabra. Ohio Buckeye. 25'			
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
1¼ to 1½ in	6.00	2.00	
1½ to 2 in	7.50		
2 to 2½ in			
2½ to 3 in	12.50		
3 to 3½ in			
3½ to 4 in			

Aesculus.	<b>1-4</b> Each	5-24 Each	25 & up Each
	Horsechestnut. 70'		
6 to 8	ft 3.50		
8 to 10	ft 4.50		
11/4 to 11/4		-	
1½ to 1¾		* * *	
13/4 to 2	in		
	ź in		
2½ to 3	in		
	in		
3½ to 4	in		
4 to 5	in 30.00	)	
hippocastanum	baumanni.		
Baum	ann Horsechestnut. 50'		
5 to 6	ft	)	
6 to 8	ft		
8 to 10	ft 12.50		
2½ to 3	in 30.00		
3 to 31/2	in 40.00	,	
3½ to 4	in 50.00		
octandra Vello	w Buckeye. 60'		
6 to 8	ft	3.00	2.50
8 to 10	ft 4.50		3.75
1½ to 1½			4.50
	in 6.00		5.00
13/4 to 2	in 7.50		6.00
	in 10.00		
2½ to 3			
	in 15.00		
3½ to 4	in		11.00
	in 35.00		
let D			
-	elebrush Buckeye 12'		
	B&B 3.50		
18 to 24 in	B&B 4.50		
turbinata. Jane	nese Horsechestnut. 3	0'	
0 to 0 m.			

	1-4 Each	5-24 Each	25 & up Each
Ailanthus altissima (glandulosa).	Lucii	Lucii	Eden
Tree of Heaven. 50'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.25	4.00	3.75
10 to 12 ft	5.00	4.50	
1½ to 1¾ in	6.50	5.50	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
vilmoriniana. Vilmorin Ailanthus	s. 50'		
1½ to 1¾ in	7.50		
1¾ to 2 in			
2 to 2½ in			
	e mil		
Akebia trifoliata. Threeleaf Akebia.			
· · · · · · · · · · · · · · · · · · ·	.75	.65	
3 year from pots	1.00	.85	.75
quinata. Fiveleaf Akebia. 15'			
2 year	.75	.60	.50
3 year	1.00	.75	.65
Albizzia julibrissin rosea. Silktree. 3	0"		
3 to 4 ft			
3 10 4 11	7.50		
Alnus cordata. Italian Alder. 40'			
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	3.75	
1½ to 1¾ in	7.50	6.50	
13/4 to 2 in	10.00	8.50	
glutinosa. European Alder. 60'			
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	4.50	3.75	3.50
1¼ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	7.50	6.50	6.00
	10.00	8.50	7.50
	15.00	12.50	
2½ to 3 in	18.00	15.00	

	1-4 Each	5-24 Each	25 & up Each
Alnus			
glutinosa laciniata. Cutleaf Alder.	40'		
8 to 10 ft	15.00		
hirsuta. Manchurian Alder. 60'			
2 to 2½ in	15.00		
incana. Speckled Alder. 50'			
6 to 8 ft	3.50	3.00	
	4.50	4.00	
	6.00	5.00	
	7.50	6.50	
	10.00	8.50	
	15.00		
2½ to 3 in	18.00		
rugosa. Hazel Alder. 10'			
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	7.50		
viridis. European Green Alder. 6			
3 to 4 ft	2.50		
Amelonation plaifelin Contestan Com	h		,
Amelanchier alnifolia. Saskatoon Serv		ry. 7	
4 to 5 ft	2.00		
5 to 6 ft	2.50		
asiatica. Asian Serviceberry. 40'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.75	2.25	•
6 to 8 ft	3.50	3.00	
canadensis. Shadblow Serviceberry	y30'	,	
2 to 3 ft	.80	.70	.65
3 to 4 ft	1.25	.95	.85
4 to 5 ft	1.50	1.35	1.10
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	4.50	3.50	
8 to 10 ft	7.50	6.00	
10 to 12 ft	12.50		
6 to 8 ft. standards	6.00	5.00	
8 to 10 ft, standards	7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Amelanchier.			
grandiflora rubescens.			
Ruddy Allegheny Service	berry.	35'	
6 to 8 ft. standards	6.00	5.00	
8 to 10 ft. standards	7.50	6.50	
10 to 12 ft. standards	12.50		
laevis. Allegheny Serviceberry.	35'		
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.00	
	6.00	5.00	
8 to 10 ft. standards	7.50	6.00	
10 to 12 ft. standards	12.50		
oblongifolia. Thicket Serviceberry	. 25'		
2 to 3 ft	.80	.70	.65
3 to 4 ft	1.25	.95	.85
4 to 5 ft	1.50	1.35	1.10
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	4.00	3.75
•	15.00		
8 to 10 ft. clumpsB&B			
10 to 12 ft. clumps B&B	25.00		
ovalis (vulgaris). Garden Serviceb	erry.	25'	
2 to 3 ft	.80	.70	.65
3 to 4 ft	1.25	.95	.85
4 to 5 ft	1.50	1.35	1.10
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	4.00	3.75
6 to 8 ft. standards	6.00	5.00	
8 to 10 ft. standards	7.50	6.00	
8 to 10 ft. clumps B&B	20.00		
10 to 12 ft. clumps B&B			
200			

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Amelanchier	1-4 Each	5-24 Each	25 & up Each
sanguinea. Roundleaf Serviceber	ry. 1	0'	
4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	2.50 3.00 3.50 6.00	2.00 2.75 3.25 5.00	
stolonifera. Running Serviceberry	1. 4'		
18 to 24 in	.75 1.00 1.25	.65 .80 1.00	.60 .75
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	. •••
canescens. Leadplant Amorpha.	4'		
15 to 18 in	.75	.60	.50
18 to 24 in	$1.00 \\ 1.25$	.75	.60 .75
2 to 3 ft	1.20	.90	.10
fruticosa. Indigobush Amorpha.	20'		
2 to 3 ft	.65	.55	.50
3 to 4 ft		.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.50	1.25
Ampelopsis aconitifolia. Monkshood	Vine.	15'	
2 year	.75	.60	.50
3 year	1.00	.75	.60
4 year	1.25	1.00	
brevipedunculata. Amur Ampelop	sis. 2	25'	
2 year	1.00	.75	.60
3 year		1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis			
brevipedunculata elegans. Basket	Amp	elopsis	. 15'
2 year	1.00		
brevipedunculata maximowiczi.			
Porcelain Ampelopsis. 25	,		
2 year	.75	.60	.50
3 year	1.00	.75	.60
4 year	1.25	1.00	.75
quinquefolia. (see Parthenocissus)			
Amygdalus (see Prunus)			
Aralia pentaphyllum (see Acanthopanas	c).		
spinosa. Devil's Walkingstick. 25'	-,,		
-	1.25	.85	.75
	1.50	1.25	1.00
5 to 6 ft		1.50	1.25
6 to 8 ft		2.00	1.50
	0.00	7.50	
	2.50	10.00	
		_0,00	
Arctostaphylos uva-ursi. Bearberry.	1.0=	0.0	
3½ in. pots	1.25	.90	
Aristolochia durior. Dutchman's Pipe.	30'		
2 year	1.75	1.50	
tomentosa. 30'			
·2 year	1.25	1.00	.75
Aronia arbutifolia. Red Chokeberry.	8*		
	.75	.65	.60
	1.00	.80	.75
	1.25	1.00	.90
	1.50	1.25	1.00
melanocarpa. Black Chokeberry.	6 <b>'</b>		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
melanocarpa elata. Glossy Chokebe	erry.	10'	
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
prunifolia. Purplefruit Chokeberry	y. 10	)*	
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00

Artemesia abrotanum. Oldman Wormwood. 5'  3 to 4 ft. 1.00 80 .75  4 to 5 ft. 1.25 1.10 1.00  5 to 6 ft. 1.75 1.50 1.25  Asimina triloba. Papaw. 30'  2 to 3 ft. 1.50  Azalea calendulacea. Flame Azalea. 6'  2 to 3 ft. 88B 6.00 5.75 5.50  canescens. Piedmont Azalea. 6'  2 to 3 ft. 88B 6.00 5.75 5.50  ledifolia (see rosmarinifolia).  lutea. 10'  18 to 24 in. 88B 6.00 5.50 5.00  3 to 4 ft. 88B 6.00 5.50 5.00  mollis. Chinese Azalea. 6'  15 to 18 in. 88B 5.50 4.00  18 to 24 in. 88B 5.50 5.00  mucronulata. Korean Azalea. 6'  2 to 3 ft. 88B 7.50 6.50  muliflora. Pinxterbloom. 4'  2 to 3 ft. 88B 6.00 5.75  3 to 4 ft. 88B 7.50 7.00  obtusa amoena. Amoena Azalea. 4'  10 to 12 in. 88B 2.25  12 to 15 in. 88B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 8'  15 to 18 in. 88B 5.00  18 to 24 in. 88B 5.00  24 to 30 in. 88B 5.00  500  24 to 30 in. 88B 5.00  26 to 500	Antomoria abrotomore Oldovo IV	1-4 Each	Each	25 & up Each
## 4 to 5 ft.				75
Asimina triloba. Papaw. 30' 2 to 3 ft. 1.50  Azalea calendulacea. Flame Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  canescens. Piedmont Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  ledifolia (see rosmarinifolia).  lutea. 10' 18 to 24 in. B&B 5.00 4.50 4.00 24 to 30 in. B&B 6.00 5.50 5.00 3 to 4 ft. B&B 7.50 6.50 6.00  mollis. Chinese Azalea. 6' 15 to 18 in. B&B 5.50 5.00 mucronulata. Korean Azalea. 6' 2 to 3 ft. B&B 7.50 6.50 3 to 4 ft. B&B 7.50 6.50  mudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 6.00 rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00 18 to 24 in. B&B 6.00 18 to 24 in. B&B 6.00 18 to 24 in. B&B 5.00 4.00 18 to 24 in. B&B 6.00 5.00				
Asimina triloba. Papaw. 30' 2 to 3 ft. 1.50  Azalea calendulacea. Flame Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  canescens. Piedmont Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  ledifolia (see rosmarinifolia).  lutea. 10' 18 to 24 in. B&B 5.00 4.50 4.00 24 to 30 in. B&B 6.00 5.50 5.00 3 to 4 ft. B&B 7.50 6.50 6.00  mollis. Chinese Azalea. 6' 15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.00 7.50  mucronulata. Korean Azalea. 6' 2 to 3 ft. B&B 7.50 6.50 3 to 4 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 5.00 4.00 18 to 24 in. B&B 5.00 5.00				
Azalea calendulacea. Flame Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  canescens. Piedmont Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  ledifolia (see rosmarinifolia).  lutea. 10' 18 to 24 in. B&B 5.00 4.50 4.00 24 to 30 in. B&B 6.00 5.50 5.00 3 to 4 ft. B&B 7.50 6.50 6.00  mollis. Chinese Azalea. 6' 15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.00 7.50  mucronulata. Korean Azalea. 6' 2 to 3 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 6.00 5.75 3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 6.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 6.00 18 to 24 in. B&B 5.00 18 to 24 in. B&B 5.00 18 to 24 in. B&B 6.00 5.00	o to 6 It	1.75	1.50	1.25
Azalea calendulacea. Flame Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  canescens. Piedmont Azalea. 6' 2 to 3 ft. B&B 6.00 5.75 5.50  ledifolia (see rosmarinifolia).  lutea. 10' 18 to 24 in. B&B 5.00 4.50 4.00 24 to 30 in. B&B 6.00 5.50 5.00 3 to 4 ft. B&B 7.50 6.50 6.00  mollis. Chinese Azalea. 6' 15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.00 7.50  mucronulata. Korean Azalea. 6' 2 to 3 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 6.00 5.75 3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 6.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 6.00 18 to 24 in. B&B 5.00 18 to 24 in. B&B 5.00 18 to 24 in. B&B 6.00 5.00	Asimina triloba. Panaw 30'			
2 to 3 ft		1.50		
canescens. Piedmont Azalea. 6'         2 to 3 ft.       B&B 6.00       5.75       5.50         ledifolia (see rosmarinifolia).         lutea. 10'       18 to 24 in.       B&B 5.00       4.50       4.00         24 to 30 in.       B&B 6.00       5.50       5.00         3 to 4 ft.       B&B 7.50       6.50       6.00         mollis. Chinese Azalea. 6'         15 to 18 in.       B&B 4.50       4.00         18 to 24 in.       B&B 5.50       5.00         mucronulata. Korean Azalea. 6'         2 to 3 ft.       B&B 7.50       6.50         3 to 4 ft.       B&B 12.50         nudiflora. Pinxterbloom. 4'         2 to 3 ft.       B&B 6.00       5.75         3 to 4 ft.       B&B 7.50       7.00         obtusa amoena. Amoena Azalea. 4'         10 to 12 in.       B&B 2.25         12 to 15 in.       B&B 2.50         c. japonica hinodegiri.       Hinodegiri Kurume Azalea. 3'         10 to 12 in.       B&B 5.00         18 to 24 in.       B&B 6.00	Azalea calendulacea. Flame Azalea.	.6'		
2 to 3 ft.	2 to 3 ftB&B	6.00	5.75	5.50
2 to 3 ft.	canescens. Piedmont Acales 6'	ŧ		
ledifolia (see rosmarinifolia).  lutea. 10'  18 to 24 in		6.00	5.75	5.50
lutea. 10'  18 to 24 in		0.00	0.10	0.00
18 to 24 in. B&B 5.00 4.50 4,00 24 to 30 in. B&B 6.00 5.50 5,00 3 to 4 ft. B&B 7.50 6.50 6.00  mollis. Chinese Azalea. 6' 15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.50 5.00  mucronulata. Korean Azalea. 6' 2 to 3 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 6.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00 5.00	ledifolia (see rosmarinifolia),			
24 to 30 in. B&B 6.00 5.50 5.00 3 to 4 ft. B&B 7.50 6.50 6.00  mollis. Chinese Azalea. 6' 15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.50 5.00  mucronulata. Korean Azalea. 6' 2 to 3 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  c. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 6.00 18 to 24 in. B&B 5.00 18 to 24 in. B&B 6.00 5.00	lutea. 10'			
3 to 4 ft. B&B 7.50 6.50 6.00  mollis. Chinese Azalea. 6' 15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.50 5.00  mucronulata. Korean Azalea. 6' 2 to 3 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 6.00 5.75 3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.50  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  Tosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  18 to 24 in. B&B 6.00  Tosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  Tosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  Tosmarinifolia. Snow Azalea. 6'	18 to 24 inB&B	5.00	4.50	4.00
mollis. Chinese Azalea. 6'  15 to 18 in. B&B 4.50 4.00  18 to 24 in. B&B 5.50 5.00  mucronulata. Korean Azalea. 6'  2 to 3 ft. B&B 7.50 6.50  3 to 4 ft. B&B 10.00 7.50  4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4'  2 to 3 ft. B&B 6.00 5.75  3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4'  10 to 12 in. B&B 2.25  12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3'  10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5'  15 to 18 in. B&B 5.00  18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6'  15 to 18 in. B&B 5.00  18 to 24 in. B&B 5.00  18 to 24 in. B&B 6.00  19 \$\frac{1}{2}\$\$ \$\frac{1}{2}\$\$\$ \$\frac{1}{2}\$\$\$ \$\fr	24 to 30 inB&B	6.00	5.50	5.00
15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.50 5.00  mucronulata. Korean Azalea. 6'  2 to 3 ft. B&B 7.50 6.50 3 to 4 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 6.00 5.75 3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  c. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 5.00 18 to 24 in. B&B 6.00 5.00	3 to 4 ftB&B	7.50	6.50	6.00
15 to 18 in. B&B 4.50 4.00 18 to 24 in. B&B 5.50 5.00  mucronulata. Korean Azalea. 6'  2 to 3 ft. B&B 7.50 6.50 3 to 4 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 6.00 5.75 3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  c. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 5.00 18 to 24 in. B&B 6.00 5.00				
18 to 24 in.       B&B 5.50       5.00         mucronulata. Korean Azalea. 6'         2 to 3 ft.       B&B 7.50       6.50         3 to 4 ft.       B&B 10.00       7.50         4 to 5 ft.       B&B 12.50         nudiflora. Pinxterbloom. 4'         2 to 3 ft.       B&B 6.00       5.75         3 to 4 ft.       B&B 7.50       7.00         obtusa amoena. Amoena Azalea. 4'         10 to 12 in.       B&B 2.25         12 to 15 in.       B&B 2.75         c. japonica hinodegiri.         Hinodegiri Kurume Azalea. 3'         10 to 12 in.       B&B 2.50         c. kaempferi. Torch Azalea. 5'       15 to 18 in.       B&B 5.00         18 to 24 in.       B&B 5.00       4.00         18 to 24 in.       B&B 5.00       5.00		4.50	4.00	
mucronulata. Korean Azalea. 6'         2 to 3 ft.       B&B 7.50 6.50         3 to 4 ft.       B&B 10.00 7.50         4 to 5 ft.       B&B 12.50         nudiflora. Pinxterbloom. 4'         2 to 3 ft.       B&B 6.00 5.75         3 to 4 ft.       B&B 7.50 7.00         obtusa amoena. Amoena Azalea. 4'         10 to 12 in.       B&B 2.25         12 to 15 in.       B&B 2.75         c. japonica hinodegiri.         Hinodegiri Kurume Azalea.       3'         10 to 12 in.       B&B 2.50         o. kaempferi. Torch Azalea.       5'         15 to 18 in.       B&B 6.00         rosmarinifolia. Snow Azalea.       6'         15 to 18 in.       B&B 5.00 4.00         18 to 24 in.       B&B 6.00 5.00				
2 to 3 ft.	18 to 24 ln	5.50	5.00	
3 to 4 ft. B&B 10.00 7.50 4 to 5 ft. B&B 12.50  nudiflora. Pinxterbloom. 4' 2 to 3 ft. B&B 6.00 5.75 3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 5.00	mucronulata. Korean Azalea. 6'			
4 to 5 ft.       B&B 12.50         nudiflora. Pinxterbloom. 4'       2 to 3 ft.       B&B 6.00 5.75         3 to 4 ft.       B&B 7.50 7.00         obtusa amoena. Amoena Azalea. 4'       10 to 12 in.       B&B 2.25         12 to 15 in.       B&B 2.75         o. japonica hinodegiri.       Hinodegiri Kurume Azalea. 3'         10 to 12 in.       B&B 2.50         o. kaempferi. Torch Azalea. 5'       15 to 18 in.       B&B 5.00         18 to 24 in.       B&B 6.00         rosmarinifolia. Snow Azalea. 6'         15 to 18 in.       B&B 5.00 4.00         18 to 24 in.       B&B 6.00 5.00			6.50	
nudiflora.       Pinxterbloom.       4'         2 to 3 ft.       B&B 6.00       5.75         3 to 4 ft.       B&B 7.50       7.00         obtusa amoena.       Amoena Azalea.       4'         10 to 12 in.       B&B 2.25         12 to 15 in.       B&B 2.75         o. japonica hinodegiri.         Hinodegiri Kurume Azalea.       3'         10 to 12 in.       B&B 2.50         o. kaempferi.       Torch Azalea.       5'         15 to 18 in.       B&B 5.00         18 to 24 in.       B&B 5.00       4.00         18 to 24 in.       B&B 6.00       5.00			7.50	
2 to 3 ft. B&B 6.00 5.75 3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4' 10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  solution of the state o	4 to 5 ftB&B	12.50		
3 to 4 ft. B&B 7.50 7.00  obtusa amoena. Amoena Azalea. 4'  10 to 12 in. B&B 2.25  12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3'  10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5'  15 to 18 in. B&B 5.00  18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6'  15 to 18 in. B&B 5.00  18 to 24 in. B&B 6.00  18 to 24 in. B&B 6.00  18 to 24 in. B&B 5.00	nudiflora. Pinxterbloom. 4'			
obtusa amoena. Amoena Azalea. 4'         10 to 12 in. B&B 2.25         12 to 15 in. B&B 2.75         c. japonica hinodegiri.         Hinodegiri Kurume Azalea. 3'         10 to 12 in. B&B 2.50         c. kaempferi. Torch Azalea. 5'         15 to 18 in. B&B 5.00         18 to 24 in. B&B 6.00         rosmarinifolia. Snow Azalea. 6'         15 to 18 in. B&B 5.00         18 to 24 in. B&B 6.00	2 to 3 ftB&B	6.00	5.75	
obtusa amoena. Amoena Azalea. 4'         10 to 12 in. B&B 2.25         12 to 15 in. B&B 2.75         c. japonica hinodegiri.         Hinodegiri Kurume Azalea. 3'         10 to 12 in. B&B 2.50         c. kaempferi. Torch Azalea. 5'         15 to 18 in. B&B 5.00         18 to 24 in. B&B 6.00         rosmarinifolia. Snow Azalea. 6'         15 to 18 in. B&B 5.00         18 to 24 in. B&B 6.00	3 to 4 ftB&B	7.50	7.00	
10 to 12 in. B&B 2.25 12 to 15 in. B&B 2.75  o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 4.00 18 to 24 in. B&B 6.00 5.00				
12 to 15 in				
o. japonica hinodegiri.  Hinodegiri Kurume Azalea. 3'  10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5'  15 to 18 in. B&B 5.00  18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6'  15 to 18 in. B&B 5.00 4.00  18 to 24 in. B&B 6.00 5.00				
Hinodegiri Kurume Azalea. 3' 10 to 12 in. B&B 2.50  o. kaempferi. Torch Azalea. 5' 15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 4.00 18 to 24 in. B&B 6.00 5.00		4.15		
10 to 12 in B&B 2.50  o. kaempferi. Torch Azalea. 5'  15 to 18 in B&B 5.00  18 to 24 in B&B 6.00  rosmarinifolia. Snow Azalea. 6'  15 to 18 in B&B 5.00 4.00  18 to 24 in B&B 6.00 5.00				
o. kaempferi. Torch Azalea. 5'         15 to 18 in       B&B 5.00         18 to 24 in       B&B 6.00         rosmarinifolia. Snow Azalea. 6'         15 to 18 in       B&B 5.00 4.00         18 to 24 in       B&B 6.00 5.00	•			
15 to 18 in. B&B 5.00 18 to 24 in. B&B 6.00  rosmarinifolia. Snow Azalea. 6' 15 to 18 in. B&B 5.00 4.00 18 to 24 in. B&B 6.00 5.00	10 to 12 inB&B	2.50		
18 to 24 in	o. kaempferi. Torch Azalea. 5'			
rosmarinifolia. Snow Azalea. 6'         15 to 18 in.       B&B 5.00 4.00         18 to 24 in.       B&B 6.00 5.00	15 to 18 inB&B	5.00		
15 to 18 in	18 to 24 inB&B	6.00		
15 to 18 in	rosmarinifolia. Snow Agalea 6'			
18 to 24 inB&B 6.00 5.00		5.00	4.00	
	24 to 30 in	7.50	6.50	

	1-4	5-24	25 & up
Azalea	Each	Each	Each
r. sekidera. Sekidera Snow Azale	a. 16'		
15 to 18 inB&B	5.00	4.00	
18 to 24 inB&B	6.00	5.00	
24 to 30 inB&B	7.50		
viscosa. Swamp Azalea. 6'	5.00	4.50	
18 to 24 in			
24 to 30 inB&B	6.00	5.75	
yedoensis. Yodogawa Azalea. 4'			
18 to 24 inB&B	6.00		
24 to 30 inB&B	7.50		
y. poukhanensis. Korean Yodoga	ma: A z	alea	.4"
18 to 24 in			149
24 to 30 in			
21 (6 60 1111		0.00	
Baccharis halimifolia. Eastern Baccha		101	
2 to 3 ft	.7575	.60	.50
			.60
	1.00		
4 to 5 ft	1.25		.85
		1.25	
6 to 8 ft	2.00	1.75	1.50
Benzoin aestivale. (see Lindera)			
Desharis harrison D. D. I.	~!		
Berberis beaniana. Beans Barberry.		0.05	
15 to 18 inB&B	2.50	2.25	
candidula. Paleleaf Barberry. 5'			
15 to 18 inB&B		2.25	
10 to 10 m	2.00	2.20	
circumserrata. Cutleaf Barberry.	<i>5</i> ′		
18 to 24 inB&B	3.00		
karana Vanaga Panhanna 6'			
koreana. Korean Barberry. 6'	1.05	0.5	P.C
2 to 3 ft		.85	
3 to 4 ft	1.50		
4 to 5 ft	1.75	1.50	1.25
sargentiana. Sargent Barberry. 5	i'		
15 to 18 inB&B	3.00	2.75	
18 to 24 inB&B			
24 to 30 inB&B			

		1-4 Each	5-24 Each	25 & up Each
Berberis.				
thunbergi. Japanes				
	<b>.</b>	.50	.35	.30
18 to 24 in	l <b>.</b>	.60	.45	.35
24 to 30 in	L	.70	.55	.50
30 to 36 in	L	1.00	.75	.65
2 to 2½ ft	spec	2.50	2.00	
2½ to 3 ft	. spec	3.00	2.50	
3 to 3½ ft	spec	3.50	3.00	
thunbergi atropurp	ourea.			
Redled	af Japanese Bar	berry.	5'	
18 to 24 in		.65	.55	.45
24 to 30 in		1.00	.75	.65
30 to 36 in		1.25	.90	.80
36 to 42 in		1.50	1.25	1.00
thunbergi minor.	Box Barberry.	2'		
12 to 15 in		.60	.50	.45
15 to 18 in		.65	.55	.50
18 to 24 in		.80	.65	.60
24 to 30 in		1.00	.80	.75
thunbergi pluriflor				
18 to 24 in	•	.60	.50	.40
24 to 30 in		.75	.60	.50
30 to 36 in		1.00	.75	.65
thunbergi erecta.			_	.00
12 to 15 in		.60	.50	.45
		.75	.60	.55
		1.00	.75	.65
			.90	.75
triacanthophora.	•	_		
	B&B			
	B&B		3.75	
verruculosa. Wan				
	B&B			
	B&B		2.50	
18 to 24 in	B&B	3.50	3.00	
Berchemia racemosa.	Japanese Supple	ejack.	3'	
18 to 24 in		1.00	.75	
2 to 3 ft		1.25	1.00	
Betula alba, (see pend	ula)			
fontinalis. Water				
		7.50		
		10.00		
		,		

Betula	1-4 Each	5-24 Each	25 & up Each
*lenta. Sweet Birch. 40'	20011	20011	24011
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
1½ to 1½ in,	5.00	4.50	
1½ to 1¾ in	7.50	6.00	
13/4 to 2 in,	10.00	7.50	
2 to 2½ in,	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	25.00	18.00	
*lutea. Yellow Birch. 50'			
	3.50	3.00	
8 to 10 ft	4.00	3.50	
1½ to 1½ in	5.00	4.50	
1½ to 1¾ in	7.50	6.00	
13/4 to 2 in	10.00	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
*maximowicziana. Monarch Birch	h. 60'		
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
1½ to 1¾ in	8.50	7.50	
13/4 to 2 in	12.50	10.00	
*nigra. River Birch. 50'			
8 to 10 ft	5.00		
2 to 2½ in	12.50		
*papyrifera. Paper Birch. 40'			
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
1¼ to 1½ in,	6.00		
1½ to 1¾ in	7.50		
13/4 to 2 in	10.00		
2 to 2½ in	12.50		
2½ to 3 in	15.00		
3 to 3½ in,	25.00		
*papyrifera cordifolia. 40'			
2 to 2½ in	12.50		
2½ to 3 in,	15.00		
*pendula (alba). European White		50 <b>'</b>	
6 to 8 ft			
8 to 10 ft	4.00	3.50	
1½ to 1½ in		4.00	
1½ to 1¾ in		5.00	
13/4 to 2 in	7.50	6.50	

	1-4 Each	5-24 Each	25 & up Each
Betula.			
*pendula (alba). continued			
2 to 2½ in 1	0.00		
2½ to 3 in 1	5.00		
3 to 3½ in 2	5.00		
6 to 8 ft. clumps B&B 1	5.00		
8 to 10 ft. clumps B&B 2	0.00		
*p. fastigiata.			
Pyramidal European Whit	e Bir	ch. 5	o <b>'</b>
8 to 10 ft 1	0.00		
10 to 12 ft 1	2.50		
*populifolia. Gray Birch. 40'			
	3.50		
	4.00		
	5.00	4.00	
	6.00		
	7.50		
	0.00		
2½ to 3 in	5.00	12.50	
Bignonia. (see Campsis)			
Bischofia javanica. Java Bishopwood.	12'		
3 to 4 ft	5.00		
Broussonetia papyrifera. Paper Mulber	rry.	40'	
4 to 5 ft	5.00	4.00	
5 to 6 ft	7.50		
Bruckenthalia spiculifolia. Spikeheath.	1'		
6 in., 3 inch pots	2.00	1.75	
Buddleia alternifolia. Fountain Butterf	ly Bu	sh. 1	o <b>'</b>
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Charming. Pink Butterfly Bush.	5 <b>'</b>		
2 to 3 ft	.60	.50	.40
davidi. Orange-eye Butterfly Bush	h. 5'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
davidi Ile de France. 4'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
0 00 2 201			

	1-4 Each	5-24 Each	25 & up
Buddleia	Lacii	Lucii	Eden
davidi superba. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
davidi veitchi. Veitch Butterfly B	ush.	5'	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
Dubonnet. 5'			
2 to 3 ft	.75	.60	
farquhari. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
intermedia. Wisteria Butterfly Br	ısh.	5 <b>'</b>	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
lindleyana. Lindley Butterfly Bus.	h. 5'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
Orchid Beauty. 5'			
2 to 3 ft	1.00	.75	
paniculata. Panicle Butterfly Bush	h. 15	,	
3 to 4 ft		.60	
Royal Purple, 5'			
2 to 3 ft	1.00	.75	
White Cloud. White Butterfly Bus			
2 to 3 ft	1.50		
Buxus microphylla. Littleleaf Box. 3	,		
12 to 15 in B&B		2,50	
15 to 18 inB&B		3.00	
18 to 24 inB&B	4.50	4.00	
24 to 30 inB&B	5.50	5.00	
microphylla koreana. Korean Litt	leleuf	Box.	2'
6 to 8 in B&B		2.00	
12 to 15 inB&B	3.00	2.50	
15 to 18 in B&B	3.50	3.00	
18 to 24 in B&B	4.50	4.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Buxus.	Lucii	Eden	Lucii
sempervirens handsworthi. Hands	worth	Box.	8'
8 to 10 inB&B	2.00	1.75	
10 to 12 inB&B	2.50	2.00	
12 to 15 inB&B	3.00	2.50	
sempervirens suffruticosa. $Truedu$	varf B	ox. 4'	,
12 to 15 inB&B	3.00	2.50	
15 to 18 inB&B	3.50	3.00	
18 to 24 inB&B	4.50	4.00	
Callicarpa bodinieri giraldiana.			
Girald Beautyberry. 6'			
2 to 3 ft	1.00	.75	
b. giraldiana subincanescens. $6'$			
2 to 3 ft	1.25		
dichotoma (purpurea). Purple Bea	utube	rru. 6	,
18 to 24 in		.60	
	1.00		<b>.6</b> 0
japonica. Japanese Beautyberry.			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00		
Calluna vulgaris. Scotch Heather. 2'			
6 to 8 in., 4 inch pots	1.50	1.25	1.00
12 to 15 in., F. GB&B			
vulgaris alba. White Scotch Heat		2'	
6 to 8 in., 4 inch pots			1.00
12 to 15 in., F. G B&B			
vulgaris alporti. Alport Scotch He			
4 inch pots		1.25	
vulgaris aurea. Goldleaf Scotch H			
6 to 8 in., 4 inch pots			1.00
12 to 15 in., F. G B&B			1.00
·			
vulgaris carnea. Flesh Scotch Hea 6 to 8 in., 4 inch pots			
•	1.00	1.20	
vulgaris compacta. 2'	1.50	1.05	
6 to 8 in., 4 inch pots	1.50	1.25	
vulgaris rubra. 2'	4 50	4.05	4 00
6 to 8 in., 4 inch pots	1.50	1.25	1.00
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots			1.00
12 to 15 in., F. GB&B	2.50	2.00	

	1-4 Each	5-24 Each	25 & up Each
Calycanthus floridus. Sweet Shrub. 5'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
occidentalis. California Sweetshru	$\iota b$ . 1.	2'	
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00	1.75	
<b>.</b>			
Campsis grandiflora. Chinese Trumpeto	_		
2 year	.85	.70	.60
3 year	1.00	.85	.75
4 year	1.50	1.10	1.00
radicans. Common Trumpetcreeper	r. 30	,	
2 year	.60	.50	.40
3 year	.75	.60	.50
radicans speciosa.			
Showy Common Trumpetc	reeper	. 30'	
2 year	1.00	.75	
3 year	1.25	1.00	
tagliabuana Mme. Galen.			
Mme. Galen Trumpetcreep	er. 2	20'	
2 year	1.50	1.25	
Caragana arborescens. Siberian Peash	rub.	20'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
A 4 = 01	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft		1.50	1.25
a. lorbergi. Lorberg Siberian Peash	nruh.	10'	
0 1 0 0	1.50	1.25	
0.4.4.4.	1.75	1.50	
4 to 5 ft		2.00	
boisi. Bois Peashrub. 10'		2.00	
0 4 0 01	1.25		
0 4- 4 04			
4 4 = 4	1.50		
	1.75		
decorticans Afghanistan Peashrub.		4.00	
2 to 3 ft		1.25	
3 to 4 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Caragana			
frutex. Russian Peashrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
sophoraefolia. Sophoraleaf Peashr	ub. 1	0'	
3 to 4 ft	1.75		
4 to 5 ft	2.50		
Carpinus betulus. European Hornbean			
3 to 4 ftB&B		8.00	7.50
	12.50	11.00	10.00
5 to 6 ftB&B		13.50	12.50
6 to 8 ftB&B		16.00	15.00
8 to 10 ft		20.00	
10 to 12 ftB&B	39,00	30.00	
Sheared plants, 4 to 10 ft. quoted	on red	quest.	
betulus fastigiata.			
Pyramid European Hornb	beam.	40'	
5 to 6 ftB&B	20.00	18.00	
6 to 8 ftB&B	25.00	20.00	
8 to 10 ftB&B	30.00	25.00	
caroliniana. American Hornbeam.	40'		
3 to 4 ftB&B	10.00	8.00	7.50
4 to 5 ftB&B	12.50	11.00	10.00
5 to 6 ftB&B	15.00	13.50	12.50
6 to 8 ftB&B	18.00	16.00	15.00
8 to 10 ftB&B	25.00	20.00	18.00
tschonoski. Yeddo Hornbeam. 25	,		
3 to 4 ftB&B	10.00	8.00	7.50
4 to 5 ftB&B	12.50	11.00	10.00
5 to 6 ftB&B	15.00	13.50	12.50
6 to 8 ftB&zB	20.00	18.00	
8 to 10 ftB&B	25.00	20.00	

	1-4 Each	5-24 Each	25 & up Each
Carya ovata. Shagbark Hickory. 75'			
3 to 4 ft			
4 to 5 ft	<b>3</b> .50		
Caryopteris incana. Bluebeard. 4'			
15 to 18 in			.50
18 to 24 in	1.00	.75	.60
Castanea mollissima. Chinese Chestnu			
2 to 3 ft	3.50		
sativa. European Chestnut. 75'			
4 to 5 ft	4.50		
Catalpa speciosa. Northern Catalpa.			
8 to 10 ft			
1½ to 1¾ in	3.50		
Ceanothus americanus. Jerseytea Cean			
18 to 24 in			.60
2 to 3 ft	1.00	.85	.75
Cedrela sinensis. Chinese Cedrela. 50	,		
5 to 6 ft			
· ·	7.50		
8 to 10 ft			
10 to 12 1t	15.00		
Cedrus deodara. Deodar Cedar. 50'			
2 ftB&B	6.00		
3 ftB&B	7.50		
libani. Cedar of Lebanon. 50'			
	6.00		
3 ftB&B			
Celastrus gemmata. Chinese Bitterswee	t. 20'		
2 year	1.25	1.00	
orbiculatus. Oriental Bittersweet.	20'		
2 year	.60	.50	.45
3 year	.75	.60	.50
4 year	1.00	.75	.60
scandens. American Bittersweet.	25'		
2 year	.60	.50	.45
3 year	.75	.60	.50
4 year	1.00		

	1-4 Each	<b>5-24</b> Each	25 & 1m						
Celtis occidentalis. Hackberry. 50'									
5 to 6 ft	3.00	2.50	2.00						
6 to 8 ft	3.50	3.00	2.50						
8 to 10 ft	4.50	4.00							
1½ to 1½ in	5.50	5.00							
1½ to 1¾ in	7.50	6.00	ε						
13/4 to 2 in	10.00	7.50							
2½ to 3 in	15.00	12.50							
Cephalanthus occidentalis. Button Bus	sh. 6	,							
2 to 3 ft	.65	.55	.50						
3 to 4 ft	.85	.65	.60						
4 to 5 ft	1.25	1.00	.85						
Cercidiphyllum japonicum. Katsura	Tree.	<i>30</i> ′							
4 to 5 ftB&B	9.00	8.00	7.50						
5 to 6 ftB&B	12.50	11.00	10.00						
6 to 8 ftB&B	15.00	13.50	12.50						
8 to 10 ftB&B	20.00	18.00	15.00						
10 to 12 ftB&B	30.00	25.00							
8 to 10 ft. spec	25.00								
10 to 12 ft. spec	30.00								
12 to 14 ft. spec	40.00								
14 to 16 ft. spec	50.00								
japonicum sinense. Chinese Katsur	ra Tre	ee. 50'							
5 to 6 ft B&B	15.00								
6 to 8 ftB&B	20.00								
Cercis canadensis. Eastern Redbud.	40'								
3 to 4 ft	2.00	1.50	1.25						
4 to 5 ft		2.00	1.75						
5 to 6 ft		3.00							
6 to 8 ft									
8 to 10 ft		6.00							
canadensis alba. White Eastern Redbud. 40'									
3 to 4 ftB&B		6.00							
4 to 5 ft,									
		7.50							
5 to 6 ftB&B 12.50									
*chinensis. Chinese Redbud. 30'									
2 to 3 ft	2.50	2.00							
3 to 4 ft	3.00	2.50							

	1-4 Each	<b>5-24</b> Each	25 & up Each						
Cercocarpus montanus.									
True Mountainmahogany	. 6'								
2 to 3 ftB&B									
2 00 0 10	1.00								
Chaenomeles japonica (maulei).  Japanese Flowering Quin	00 5'								
18 to 24 in	.60	.50	.45						
	.75		.55						
3 to 4 ft			.65						
	2,00	***	***						
japonica alpina.  Alpine Japanese Flowering Quince. 4'									
18 to 24 in	-		1.25						
2 to 3 ft.		1.75	1.50						
lagenaria (japonica). Common Flo	_	.50							
2 to 3 ft		.60							
3 to 4 ft									
		.10	.00						
1. alba. White Flowering Quince. 15 to 18 in	$\frac{5}{1.50}$								
18 to 24 in	1.75								
1. Baltzi. Rosy Pink Flowering Q									
2 to 3 ft	2.50	2.25							
1. cathayensis. 8'	1.50								
3 to 4 ft									
4 to 5 ft									
1. Columbia. Deep Rose Flowerin									
18 to 24 in									
2 to 3 ft		1.75							
3 to 4 ft		2.25							
1. Falconet Charlot. White Flower	45	•	. 6'						
2 to 3 ft									
3 to 4 ft		2.25							
4 to 5 ft	3.50								
1. Kermesina Semiplena. 4'									
2 to 3 ft		1.75							
l. moerloosi. White and Red Flow		_	<b>5'</b>						
2 to 3 ft	2.50	2.25							
1. Nivalis. White Flowering Quine	ce. 8'								
2 to 3 ft	2.50	2.25							

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each				
Chaenomeles							
1. Pygmaea. Dwarf Common Flow	ering	Quince	2. 3'				
18 to 24 in	.75	.60	.50				
2 to 3 ft	1.00	.75	.60				
1. Rosea Grandiflora. 6'							
18 to 24 in	1.75	1.50					
2 to 3 ft	2.00	1.75					
1. Roseaplena. 5'							
2 to 3 ft	2.00	1.75	1.50				
3 to 4 ft	2.50	2.00	1.75				
1. Rubra. 6'							
18 to 24 in	2.00	1.75					
2 to 3 ft	2.50	2.25	2.00				
3 to 4 ft	3.00	2.50	2.25				
1. Semperflorens. Soft Rose Flower	ering	Quince	e. 6'				
2 to 3 ft	2.50	2.25	2.00				
3 to 4 ft	3.00	2.50	2.25				
1. superba. Coral Pink Flowering	Quinc	e. 5'					
18 to 24 in	2.00						
1. Umbilicata. 8'							
2 to 3 ft	1.00	.75	.65				
3 to 4 ft	1.25	1.00	.90				
4 to 5 ft	1.50	1.35	1.25				
4 to 5 ft. heavyB&B 1	10.00						
1. Vermilion. Red Flowering Quin	ce. (	9'					
18 to 24 in	1.75	1.50					
2 to 3 ft	2.00	1.75					
1. Versicolor. White, striped red Fl.	oweri	ng Quin	ce. 6'				
2 to 3 ft		2.25					
sinensis. Chinese Flowering Quin	ice.	20 <b>'</b>					
2 to 3 ft			2.00				
3 to 4 ft	3.00	2.50					
Chamaecyparis lawsoniana. $Lawson  Fe$	alsecy	press.	100'				
5 ftB&B 1	0.00						
6 ft							
For larger sizes to 12 ft., add \$5.0	00 pe	r foot.					
lawsoniana alumni.							
Scarab Lawson Falsecypre	000	<i>l.</i> 0'					
	6.00	40					
3 ftB&B							
lawsoniana Triomphe de Boskoop.							
2 ftB&B	-						
2 10	0.00						

Chamaecy	paris.	1-4 Each	5-24 Each	25 & up Each						
nootkatensis. Nootka Falsecypress. 75'										
2	=41			4.00						
3	ftB&B	6.50	5.50							
nootk	atensis pendula.									
	Weeping Nootka Fa	lsecypn	ress. 2	0'						
3	ftB&B	10.00	7.50							
4	ftB&B	12.50	10.00							
5	ftB&B	15.00								
6	ftB&B	20.00								
obtus	a compacta. Compact Hinoki	Falsa	<b>6</b> 212221000	10						
2	ftB&B			. 10'						
3	ftB&B									
4										
5	ft									
6										
7			12.50							
•	ftB&B	20.00	15.00							
obtusa	nana. Dwarf Hinoki Fals	secupre	ss. 10'	,						
	in		5.50	4.50						
	inB&B		7.50	6.50						
	in			8.00						
	inB&B		0.00	0.00						
	nana compacta. 3'									
15	inB&B		6.00							
18	inB&B		7.50							
24	inB&B	12.50	10.00							
pisifera. Sawara Falsecypress. 30'										
2	ftB&B	4.50	4.00							
3	ftB&B		5.50							
4	ftB&B		7.50							
5	ftB&B		10.00							
6 7	ft. spec		12.50							
1	ft. spec	20.00	15.0C							

										1-4 Each	5-24 Each	25 & up Each
Cha	ma	ecy	par	is					,			
	n.	aur	•ea	$G_{\ell}$	lder	2. So	unas	ra. F	alsecy	inress	30'	
	ρ.	2							.B&B	_		1
		3							.B&B		2.00	
		8							.B&B			
		9		_					B&B			
		10		-					B&B			
				-								
	p.	fili	fera	a. T	hreading	ad S	Saw	ara	False	cupres	s. 15'	
		2							B&B	-	6.00	5.50
		3							.B&B			
		4							.B&B			
		4							B&B			
		5		_					в&в			
	n	6115	fors	au	ran							
	Ρ.	****				hrea	d S	awa	ıra Fe	alsecy	oress.	10'
		18							.B&B			
		24	in.	spd					B&B	7.50		
		30	in.	spd					.B&B	10.00		
	p.	fili	fera	a au	rea-	var	iega	ta.				
				Var	iega	ted	Thr	ead	Sawar	ra Fal	secypre	ess. 10'
		18	to	<b>24</b> i	in. s	spd.			.B&B	5.00		
	p.	plu	mo	sa.	Plu	me	Sau	ara	False	ecypre	ss. 30	,
		2	ft.	shea	ared				.B&B	5.00	4.50	4.00
		3	ft.	shea	ared				.B&B	7.50	6.00	5.50
		4	ft.	shea	ared				В&В	10.00	8.50	
		5	ft.	shea	ared				B&B	12.50	10.00	1
		6	ft.	shea	ared				в&в	15.00	12.50	
		7	ft.	she	ared				B&B	20.00	15.00	)
		8	ft.	she	ared				.B&B	25.00	20.00	
		9	ft.	shea	ared				B&B	30.00	25.00	
		10	ft.	shea	ared				В&В	37.50	30.00	

1-4	5-24	25 & up
Each	Fach	Fach

## Chamaecyparis

p.	plumosa aurea.	
	Goldplume Sawara Falsecypress	30°
	2 ft. sheared	4.50 4.00
	3 ft. sheared	6.00 5.50
	4 ft. sheared	7.50
	5 ft. sheared	10.00
	6 ft. sheared	12.50
	7 ft. sheared	18.00
	8 ft. sheared	
	9 ft. shearedB&B 32.50	
	10 ft. sheared B&B 37.50	
p.	plumosa argentea. Globe Form. 5'	
	18 inB&B 6.00	4.50 4.00
	24 inB&B 7.50	5.50 5.00
p.	plumosa sulphurea.  Sulphurplume Falsecypress. 25'	
	3 ftB&B 7.50	
	4 ft	
	1 1000	
p.	squarrosa. Moss Sawara Falsecypress	. 30'
	2 ft. sheared	4.50 4.00
	3 ft. sheared	6.00 5.50
	4 ft. sheared	7.50
p.	squarrosa glauca. 10'	
	2 ft	6.00

1-4 Each Chamaedaphne calyculata. Leatherleaf. 3'	5-24 Each	25 & up Each
36 to 42 inB&B 10.00	7.50	
Chionanthus retusus. Chinese Fringetree.	20'	
2 to 3 ftB&B 7.50		
virginicus.         White Fringetree.         30'           2 to 3 ft	1.10	1.00
3 to 4 ft 1.75	1.60	1.50
4 to 5 ft 2.50	2.25	2.00
5 to 6 ft	2.75	2.50
6 to 8 ft 4.00 8 to 10 ft 6.00	3.50 5.00	3.00 4.50
5 to 6 ft. spec	5.00	1.00
6 to 8 ft. specB&B 15.00		
8 to 10 ft. specB&B 20,00		
Cladrastis lutea. American Yellowwood. 5	0'	
5 to 6 ftB&B 12.50		
2½ to 3 inB&B 45.00		
Clematis apiifolia. October Clematis. 25'		
2 year 1.00	.75	
chrysocoma sericea. Silky Goldwool Cle	ematis.	20'
2 year 1.00		
coccinea. (See texensis)		
crispa. Curly Clematis.		
2 year 1.00		
hybrids. Large Flowering Clematis.		
2 years	1.00	
ligusticifolia. Western Virgins-bower.	15'	
2 year 1.00	.75	
montana rubens. Pink Anemone Clema 3 inch pots	tis. 15	5'
•		

Clematis	1-4 Each	5-24 Each	25 & up Each
montana undulata. 3½ inch pots	1 25		
montana wilsoni. Wilson Anemon		natis.	15'
paniculata. Sweet Autumn Clema			
2 year			
3 year		.70	.60
serratifolia. Hermitgold Clematis.			
2 year		.90	
texensis syn. coccinea. Scarlet C		s. 10'	
2 year	1.00	.75	
viorna. Leatherflower.			
2 year	1.00	.75	
virginiana. Virgins-bower. 25'			
2 year			.40
3 year	.75	.60	.50
vitalba. Travelers-joy. 25'			
2 year	1.50		
viticella. Italian Clematis. 10'			
2 year	1.25	1.00	
Clared and you trick at a	~:		
Clerodendron trichotomum. Harlequin 3 to 4 ft	Glory 2.50	bower.	6'
4 to 5 ft	3.00		
	0.00		
Clethra alnifolia. Summersweet Clethra	ra. 10	) <b>*</b>	
	.65	.55	.50
01/ / 0 0	.85		.65
	1.00	.85	.75
	1.25	• • •	1.00
2 00 0 10	1.50	1.35	1.25
a. paniculata. 5'			
	1.00	.85	.75
	1.25	1.10	1.00
barbinervis. Tree Clethra. 5'			
0.4- 0.04	1.25	1.00	
2 to 3 ft	1.50		

3 to 4 ft. 1.00 .85 .75 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75  cilicica. Cilician Bladder Senna. 10' 2 to 3 ft. 1.50 1.25 3 to 4 ft. 2.00 1.50  media. Hybrid Bladder ,Senna. 10' 2 to 3 ft. 1.50 1.25 4 to 5 ft. 1.50 1.25 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.50 1.25 1.00 .75 2 to 3 ft. 1.25 1.00  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 65 .55 .50 3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.50 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba argenteo-marginata. Creamedge Dogwood. 10' 2 to 3 ft. 1.50 1.25 1.00 4 to 5 ft. 1.50 1.25 1.00 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft. 65 .55 .50 3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.50 1.25 1.00 10 2 to 3 ft. 1.50 1.25 1.00 11 2 to 3 ft. 1.50 1.25 1.00 12 to 3 ft. 1.50 1.25 1.00 13 to 4 ft. 1.50 1.25 1.00 14 to 5 ft. 1.50 1.25 1.00 15 to 6 ft. 1.50 1.25 1.00 16 to 8 ft. 1.75 1.50 1.25  alba spaethi. Yellowedge Dogwood. 8' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.50 1.25  alternifolia. Pagoda Dogwood. 20' 2 to 3 ft. 85 .70 .60 3 to 4 ft. 1.00 .85 4 to 5 ft. 1.00 .85 4 to 5 ft. 1.00 .85	Colutea arborescens. Bladder Senna.	1-4 Each 10'	5-24 Each	25 & up Each
4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75  cilicica. Cilician Bladder Senna. 10' 2 to 3 ft. 1.50 1.25 3 to 4 ft. 2.00 1.50  media. Hybrid Bladder Senna. 10' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.50 1.25  2 to 3 ft. 1.50 1.25  4 to 5 ft. 1.50 1.50  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 65 .55 .60 4 to 5 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft. 85 .65 .60 4 to 5 ft. 1.50 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft. 1.50 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft. 1.50 1.25 1.00 6 to 8 ft. 1.50 1.25 1.00 90 3 to 4 ft. 1.50 1.25 1.00 90 3 to 5 ft. 1.50 1.25 1.00 90 3 to 6 ft. 1.50 1.25 1.00 90 3 to 6 ft. 1.50 1.25 1.00 90 3 to 7 ft. 1.50 1.25 1.00			25	75
5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75  cilicica. Cilician Bladder Senna. 10' 2 to 3 ft. 1.50 1.25 3 to 4 ft. 2.00 1.50  media. Hybrid Bladder Senna. 10' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.25 1.00  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 6.5 .55 .50 3 to 4 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft. 6.5 .55 .50 .50 3 to 4 ft. 1.50 1.25 1.00 85 5 to 6 ft. 1.50 1.25 1.00 90 3 to 4 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 1.00 90 3 to 4 ft. 1.50 1.25 1.00 95 3 to 4 ft. 1.50 1				
cilicica. Cilician Bladder Senna. 10' 2 to 3 ft. 1.50 1.25 3 to 4 ft. 2.00 1.50  media. Hybrid Bladder Senna. 10' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.00 .75 2 to 3 ft. 1.25 1.00  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft85 .65 .60 4 to 5 ft. 1.50 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba argenteo-marginata. Creamedge Dogwood. 10' 2 to 3 ft. 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 4 to 5 ft. 1.75 1.50 1.25  to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft65 .55 .50 3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.50 1.25 1.00 85 5 to 6 ft. 1.50 1.25 1.00 86 87 2 to 3 ft. 1.50 1.25 1.00 87 2 to 3 ft. 1.50 1.25 81 81 81 81 81 81 81 81 81 81 81 81 81				
cilicica. Cilician Bladder Senna. 10'  2 to 3 ft. 1.50 1.25 3 to 4 ft. 2.00 1.50  media. Hybrid Bladder Senna. 10'  2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft85 .65 .60 4 to 5 ft. 1.50 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft85 .65 .60 4 to 5 ft. 1.50 1.25 1.00 6 to 8 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba argenteo-marginata. Creamedge Dogwood. 10' 2 to 3 ft. 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft85 .65 .60 4 to 5 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 5 to 6 ft. 1.50 1.25 1.00 10' 2 to 3 ft. 1.50 1.25 1.00 11 to 5 ft. 1.75 1.50 125 125 125 125 125 125 125 125 125 125				1,20
2 to 3 ft. 1.50 1.25 3 to 4 ft. 2.00 1.50  media. Hybrid Bladder Senna. 10' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft65 .55 .50 3 to 4 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft65 .65 .60 4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba argenteo-marginata. Creamedge Dogwood. 10' 2 to 3 ft. 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft. 65 .55 .50 3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.75 1.50 5 to 6 ft. 1.50 1.25 1.00 85 5 to 6 ft. 1.50 1.25 1.00 86 to 8 ft. 1.75 1.50 1.25 1.00 87 2 to 3 ft. 1.25 1.00 .85 88 1.00 1.25 1.00 89 2 to 3 ft. 1.25 1.00 80 3 to 4 ft. 1.50 1.25 1.00 81 to 5 ft. 1.50 1.25 1.00 82 2 to 3 ft. 1.50 1.25 1.00 83 to 4 ft. 1.50 1.25 1.00 84 to 5 ft. 1.50 1.25 1.00 85 2 to 3 ft. 1.50 1.25 1.00 86 2 to 3 ft. 1.50 1.25 1.00 87 2 to 3 ft. 1.50 1.25 1.00 88 2 2 to 3 ft. 1.50 1.25 1.00 89 3 to 4 ft. 1.50 1.25 1.00 80 3 to 4 ft. 1.50 1.25 1.00 81 4 to 5 ft. 1.75 1.50			1,10	
3 to 4 ft.       2.00       1.50         media. Hybrid Bladder Senna.       10'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         Comptonia peregrina asplenifolia. Sweetfern. 5'         18 to 24 in.       1.00       .75         2 to 3 ft.       1.25       1.00         Cornus alba. Tatarian Dogwood. 10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba argenteo-marginata. Creamedge Dogwood.       10'         2 to 3 ft.       1.25       1.00       .90         3 to 4 ft.       1.50       1.25       1.00         4 to 5 ft.       1.75       1.50       1.25         3 to 4 ft.       85       .65       .50         3 to 6 ft.       1.25       1.00       .85         5 to 6 ft.       1.25       1.00       .85         <			1.05	
media.       Hybrid Bladder Senna.       10'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         Comptonia peregrina asplenifolia.       Sweetfern.       5'         18 to 24 in.       1.00       .75         2 to 3 ft.       1.25       1.00         Cornus alba.       Tatarian Dogwood.       10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba argenteo-marginata.       Creamedge Dogwood.       10'       2       2 to 3 ft.       1.25       1.00       .90         3 to 4 ft.       1.50       1.25       1.00       .90         3 to 6 ft.       1.75       1.50       1.25       1.00         4 to 5 ft.       1.75       1.50       1.25       1.00         2 to 3 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1				
2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft65 .55 .50 3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba argenieo-marginata. Creamedge Dogwood. 10' 2 to 3 ft. 1.50 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 .90 4 to 5 ft. 1.75 1.50 5 1.25  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft. 85 .65 .65 3 to 4 ft. 85 .65 .65 4 to 5 ft. 1.75 1.50 5 to 6 ft. 1.50 1.25 1.00 2 to 3 ft. 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba spaethi. Yellowedge Dogwood. 8' 2 to 3 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50  alternifolia. Pagoda Dogwood. 20' 2 to 3 ft85 :70 .60  alternifolia. Pagoda Dogwood. 20' 2 to 3 ft85 :70 .60	3 to 4 ft	2.00	1.50	
3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  Comptonia peregrina asplenifolia. Sweetfern. 5' 18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft65 .55 .50 3 to 4 ft85 .65 .60 4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba argenieo-marginata. Creamedge Dogwood. 10' 2 to 3 ft. 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft65 .55 .50 3 to 4 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 5 to 6 ft. 1.75 1.50 5 to 6 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.50 1.25 1.00 6 to 8 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba spaethi. Yellowedge Dogwood. 8' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50  alternifolia. Pagoda Dogwood. 20' 2 to 3 ft85 :70 .60 3 to 4 ft85 :70 .60	media. Hybrid Bladder Senna.	10'		
Comptonia peregrina asplenifolia. Sweetfern. 5'  18 to 24 in	2 to 3 ft	1.25	1.00	
Comptonia peregrina asplenifolia. Sweetfern. 5'  18 to 24 in. 1.00 .75 2 to 3 ft. 1.25 1.00  Cornus alba. Tatarian Dogwood. 10'  2 to 3 ft	3 to 4 ft	1.50	1.25	
18 to 24 in. 1.00 .75 2 to 3 ft. 1,25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft	4 to 5 ft	2.00	1.50	
18 to 24 in. 1.00 .75 2 to 3 ft. 1,25 1.00  Cornus alba. Tatarian Dogwood. 10' 2 to 3 ft				
Cornus alba. Tatarian Dogwood. 10'  2 to 3 ft	Comptonia peregrina asplenifolia. $Sw$	eetfern	. 5'	
Cornus alba. Tatarian Dogwood. 10'  2 to 3 ft	18 to 24 in	1.00	.75	
2 to 3 ft	2 to 3 ft	1.25	1.00	
2 to 3 ft				
3 to 4 ft.	Cornus alba. Tatarian Dogwood. 10'			
4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba argenteo-marginata. Creamedge Dogwood.       10'         2 to 3 ft.       1.25       1.00       .90         3 to 4 ft.       1.50       1.25       1.00         4 to 5 ft.       1.75       1.50       1.50         3 to 4 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba spaethi. Yellowedge Dogwood.       8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alternifolia. Pagoda Dogwood.       20'         2 to 3 ft.       .85       .70       .60         3 to 4 ft.       1.00       .85	2 to 3 ft	.65	.55	.50
5 to 6 ft.       1.50       1.25       1,00         6 to 8 ft.       1.75       1.50       1.25         alba argenteo-marginata. Creamedge Dogwood.       10'         2 to 3 ft.       1.25       1.00       .90         3 to 4 ft.       1.50       1.25       1.00         4 to 5 ft.       1.75       1.50         5 to 6 ft.       2.50         alba sibirica. Siberian Dogwood.       10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba spaethi. Yellowedge Dogwood.       8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alba spaethi. Yellowedge Dogwood.       8'         2 to 3 ft.       1.75       1.50         alternifolia. Pagoda Dogwood.       20'         2 to 3 ft.       85       :70       .60         3 to 4 ft. <td< td=""><td>3 to 4 ft</td><td>.85</td><td>.65</td><td>.60</td></td<>	3 to 4 ft	.85	.65	.60
6 to 8 ft.       1.75       1.50       1.25         alba argenteo-marginata. Creamedge Dogwood.       10'         2 to 3 ft.       1.25       1.00       .90         3 to 4 ft.       1.50       1.25       1.00         4 to 5 ft.       1.75       1.50         5 to 6 ft.       2.50         alba sibirica. Siberian Dogwood.       10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba spaethi. Yellowedge Dogwood.       8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alternifolia. Pagoda Dogwood.       20'         2 to 3 ft.       .85       :70       .60         3 to 4 ft.       1.00       .85	4 to 5 ft	1.25	1.00	.85
alba argenteo-marginata.       Creamedge Dogwood.       10'         2 to 3 ft.       1.25 1.00       .90         3 to 4 ft.       1.50 1.25 1.00       .4 to 5 ft.       1.75 1.50         5 to 6 ft.       2.50         alba sibirica.       Siberian Dogwood.       10'         2 to 3 ft.       .65 .55 .50         3 to 4 ft.       .85 .65 .60         4 to 5 ft.       1.25 1.00 .85         5 to 6 ft.       1.50 1.25 1.00         6 to 8 ft.       1.75 1.50 1.25         alba spaethi.       Yellowedge Dogwood.         2 to 3 ft.       1.25 1.00         3 to 4 ft.       1.50 1.25         4 to 5 ft.       1.75 1.50         alternifolia.       Pagoda Dogwood.       20'         2 to 3 ft.       .85 :70 .60         3 to 4 ft.       1.00 .85	5 to 6 ft	1.50	1.25	1.00
2 to 3 ft. 1.25 1.00 .90 3 to 4 ft. 1.50 1.25 1.00 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft65 .55 .50 3 to 4 ft85 .65 .60 4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba spaethi. Yellowedge Dogwood. 8' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50  alternifolia. Pagoda Dogwood. 20' 2 to 3 ft85 :70 .60 3 to 4 ft. 1.00 .85	6 to 8 ft	1.75	1.50	1.25
3 to 4 ft. 1.50 1.25 1.00 4 to 5 ft. 1.75 1.50 5 to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10' 2 to 3 ft	alba argenteo-marginata. Creamed	lge Dog	gwood.	10'
4 to 5 ft. 2.50  5 to 6 ft. 2.50  alba sibirica. Siberian Dogwood. 10'  2 to 3 ft	2 to 3 ft	1.25	1.00	.90
5 to 6 ft.       2.50         alba sibirica.       Siberian Dogwood.       10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba spaethi.       Yellowedge Dogwood.       8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alternifolia.       Pagoda Dogwood.       20'         2 to 3 ft.       .85       :70       .60         3 to 4 ft.       1.00       .85	3 to 4 ft	1.50	1.25	1.00
alba sibirica. Siberian Dogwood. 10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba spaethi. Yellowedge Dogwood. 8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alternifolia. Pagoda Dogwood. 20'         2 to 3 ft.       .85       :70       .60         3 to 4 ft.       1.00       .85	4 to 5 ft	1.75	1.50	
alba sibirica. Siberian Dogwood. 10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba spaethi. Yellowedge Dogwood. 8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alternifolia. Pagoda Dogwood. 20'         2 to 3 ft.       .85       :70       .60         3 to 4 ft.       1.00       .85	5 to 6 ft	2.50		
2 to 3 ft		10'		
4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  alba spaethi. Yellowedge Dogwood. 8' 2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50  alternifolia. Pagoda Dogwood. 20' 2 to 3 ft85 :70 .60 3 to 4 ft. 1.00 .85		.65	.55	.50
5 to 6 ft.       1.50       1.25       1.00         6 to 8 ft.       1.75       1.50       1.25         alba spaethi. Yellowedge Dogwood.       8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alternifolia. Pagoda Dogwood.       20'         2 to 3 ft.       .85       :70       .60         3 to 4 ft.       1.00       .85	3 to 4 ft	.85	.65	.60
6 to 8 ft. 1.75 1.50 1.25  alba spaethi. Yellowedge Dogwood. 8'  2 to 3 ft. 1.25 1.00  3 to 4 ft. 1.50 1.25  4 to 5 ft. 1.75 1.50  alternifolia. Pagoda Dogwood. 20'  2 to 3 ft. 85 :70 .60  3 to 4 ft. 1.00 .85	4 to 5 ft	1.25	1.00	.85
alba spaethi. Yellowedge Dogwood.       8'         2 to 3 ft.       1.25       1.00         3 to 4 ft.       1.50       1.25         4 to 5 ft.       1.75       1.50         alternifolia. Pagoda Dogwood.       20'         2 to 3 ft.       .85       :70       .60         3 to 4 ft.       1.00       .85		1.50	1.25	1.00
2 to 3 ft. 1.25 1.00 3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50  alternifolia. Pagoda Dogwood. 20' 2 to 3 ft. 85 :70 .60 3 to 4 ft. 1.00 .85	6 to 8 ft	1.75	1.50	1.25
3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 1.50 alternifolia. Pagoda Dogwood. 20' 2 to 3 ft85 :70 .60 3 to 4 ft 1.00 .85	alba spaethi. Yellowedge Dogwood	d. 8'		
4 to 5 ft	2 to 3 ft	1.25	1.00	
alternifolia. Pagoda Dogwood.       20'         2 to 3 ft.       .85       :70       .60         3 to 4 ft.       1.00       .85	3 to 4 ft	1.50	1.25	
2 to 3 ft	4 to 5 ft	1.75	1.50	
2 to 3 ft	alternifolia. Pagoda Dogwood. 20	) <b>'</b>		
			:70	.60
4 to 5 ft 1.50 1.25	3 to 4 ft	1.00	.85	
	4 to 5 ft	1.50	1.25	

amomum. Silky Dogwood. 10'  2 to 3 ft		1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	Cornus			
2 to 3 ft	amomum. Silku Dogwood. 10'			
\$\frac{4}{5}\$ to 6 ft.    \text{1.50}   \text{1.25}   \text{1.00}  \text{6}\$ to 8 ft.    \text{1.75}   \text{1.50}    \text{1.25}   \text{1.50}    \text{1.75}   \text{1.50}    \text{1.75}   \text{1.50}		.65	.55	.50
5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50  baileyi. Bailey Dogwood. 10' 3 to 4 ft. 85 .70 .65 4 to 5 ft. 1.25 1.00 .90 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.50  florida. Flowering Dogwood. 25' 3 to 4 ft. 8&B 4.50 4.00 3.75 4 to 5 ft. 8&B 9.00 8.00 6 to 8 ft. 8&B 12.50 11.00 10.00 8 to 10 ft. 8&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. 8&B 20.00 8 to 10 ft. 8B&B 25.00  florida rubra. Red Flowering Dogwood. 25' 3 to 4 ft. 8&B 20.00 8 to 10 ft. 8B&B 10.00 7.50 5 to 6 ft. 8&B 10.00 7.50 5 to 6 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 20.00 8 to 10 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 10.00 7.50 5 to 6 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 22.50 20.00 5 ft., heavy spec. 8&B 20.00 6 ft., heavy spec. 8&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.	3 to 4 ft	.85	.65	.60
5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50  baileyi. Bailey Dogwood. 10' 3 to 4 ft. 85 .70 .65 4 to 5 ft. 1.25 1.00 .90 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.50  florida. Flowering Dogwood. 25' 3 to 4 ft. 8&B 4.50 4.00 3.75 4 to 5 ft. 8&B 9.00 8.00 6 to 8 ft. 8&B 12.50 11.00 10.00 8 to 10 ft. 8&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. 8&B 20.00 8 to 10 ft. 8B&B 25.00  florida rubra. Red Flowering Dogwood. 25' 3 to 4 ft. 8&B 20.00 8 to 10 ft. 8B&B 10.00 7.50 5 to 6 ft. 8&B 10.00 7.50 5 to 6 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 20.00 8 to 10 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 10.00 7.50 5 to 6 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 12.50 10.00 6 to 8 ft. 8&B 22.50 20.00 5 ft., heavy spec. 8&B 20.00 6 ft., heavy spec. 8&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.		1.25	1.00	.85
baileyi. Bailey Dogwood. 10'  3 to 4 ft	5 to 6 ft	1.50	1.25	1.00
baileyi. Bailey Dogwood. 10'  3 to 4 ft	6 to 8 ft	1.75	1.50	1.25
baileyi. Bailey Dogwood. 10'  3 to 4 ft	8 to 10 ft	2.00	1.75	1.50
3 to 4 ft	bailesi Bailes Doganood 10'		Ü	
4 to 5 ft. 1.25 1.00 .90 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.50  florida. Flowering Dogwood. 25' 3 to 4 ft. B&B 4.50 4.00 3.75 4 to 5 ft. B&B 6.50 6.00 5.50 5 to 6 ft. B&B 9.00 8.00 6 to 8 ft. B&B 12.50 11.00 10.00 8 to 10 ft. B&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft. add \$5.00 per foot.		95	70	65
5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.50  florida. Flowering Dogwood. 25'  3 to 4 ft. B&B 4.50 4.00 3.75 4 to 5 ft. B&B 6.50 6.00 5.50 5 to 6 ft. B&B 9.00 8.00 6 to 8 ft. B&B 12.50 11.00 10.00 8 to 10 ft. B&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 17.50 15.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft. add \$5.00 per foot.  florida welchi. Varileaf Dogwood. 25'				
florida. Flowering Dogwood. 25'  3 to 4 ft. B&B 4.50 4.00 3.75 4 to 5 ft. B&B 9.00 8.00 5 to 6 ft. B&B 12.50 11.00 10.00 8 to 10 ft. B&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 20.00 8 to 10 ft. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.				
florida. Flowering Dogwood. 25'  3 to 4 ft.				1,20
3 to 4 ft	6 to 8 ft	2.00	1.50	
3 to 4 ft. B&B 4.50 4.00 3.75 4 to 5 ft. B&B 6.50 6.00 5.50 5 to 6 ft. B&B 9.00 8.00 6 to 8 ft. B&B 12.50 11.00 10.00 8 to 10 ft. B&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 6 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft add \$5.00 per foot.	florida Flowering Dogwood, 25'		٠	
4 to 5 ft. B&B 6.50 6.00 5.50 5 to 6 ft. B&B 9.00 8.00 6 to 8 ft. B&B 12.50 11.00 10.00 8 to 10 ft. B&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.		4.50	4.00	3.75
5 to 6 ft. B&B 9.00 8.00 6 to 8 ft. B&B 12.50 11.00 10.00 8 to 10 ft. B&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft add \$5.00 per foot.			6.00	5.50
6 to 8 ft. B&B 12.50 11.00 10.00 8 to 10 ft. B&B 17.50 16.00 15.00 5 to 14 ft., heavy spec. B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.		9.00	8.00	
8 to 10 ft			11.00	10.00
5 to 14 ft., heavy spec.  B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.		17.50	16.00	15.00
B&B at \$3.00 per foot.  florida plena. Dbl. White Flg. Dogwood. 25' 6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft add \$5.00 per foot.				
6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft add \$5.00 per foot.				
6 to 8 ft. spec. B&B 20.00 8 to 10 ft. spec. B&B 25.00  florida rubra. Red Flowering Dogwood. 20' 3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft add \$5.00 per foot.	florida plena. Dbl. White Fla. Do	awoo	d. 25'	
8 to 10 ft. spec.       B&B 25.00         florida rubra. Red Flowering Dogwood.       20'         3 to 4 ft.       B&B 6.50 5.50         4 to 5 ft.       B&B 10.00 7.50         5 to 6 ft.       B&B 12.50 10.00         6 to 8 ft.       B&B 17.50 15.00         8 to 10 ft.       B&B 22.50 20.00         5 ft., heavy spec.       B&B 20.00         6 ft., heavy spec.       B&B 25.00         For larger sizes to 12 ft add \$5.00 per foot.         florida welchi. Varileaf Dogwood. 25'		_		
florida rubra. Red Flowering Dogwood. 20'  3 to 4 ft. B&B 6.50 5.50  4 to 5 ft. B&B 10.00 7.50  5 to 6 ft. B&B 12.50 10.00  6 to 8 ft. B&B 17.50 15.00  8 to 10 ft. B&B 22.50 20.00  5 ft., heavy spec. B&B 20.00  6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft add \$5.00 per foot.  florida welchi. Varileaf Dogwood. 25'	8 to 10 ft. spec	25.00		
3 to 4 ft. B&B 6.50 5.50 4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft. add \$5.00 per foot.  florida welchi. Varileaf Dogwood. 25'				
4 to 5 ft. B&B 10.00 7.50 5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft. add \$5.00 per foot.  florida welchi. Varileaf Dogwood. 25'	florida rubra. Red Flowering Dog	wood.	20'	
5 to 6 ft. B&B 12.50 10.00 6 to 8 ft. B&B 17.50 15.00 8 to 10 ft. B&B 22.50 20.00 5 ft., heavy spec. B&B 20.00 6 ft., heavy spec. B&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  florida welchi. Varileaf Dogwood. 25'				
6 to 8 ft				
8 to 10 ft				
5 ft., heavy spec				
6 ft., heavy specB&B 25.00  For larger sizes to 12 ft., add \$5.00 per foot.  florida welchi. Varileaf Dogwood. 25'	8 to 10 ftB&B	22.50	20.00	
For larger sizes to 12 ft., add \$5.00 per foot.  florida welchi. Varileaf Dogwood. 25'				
florida welchi. Varileaf Dogwood. 25'	6 ft., heavy specB&B	25.00		
· · · · · · · · · · · · · · · · · · ·	For larger sizes to 12 ft., add \$5.0	0 per	foot.	
· · · · · · · · · · · · · · · · · · ·	florida welchi. Varileaf Dogwood.	25'		
	· · · · · · · · · · · · · · · · · · ·			
4 to 5 ft B&B 10.00				
5 to 6 ft B&B 12.50				
6 to 8 ftB&B 15.00				

	1-4 Each	5-24 Each	25 & up
ornus	Lacii	Lacii	Edeli
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B	7.50	5.50	
4 to 5 ftB&B	10.00	7.50	
4 to 5 ft. heavyB&B	12.50	10.00	
5 to 6 ft. heavyB&B	15.00	12.50	
6 to 8 ft. heavyB&B	20.00	18.00	
8 to 10 ft. heavy B&B	25.00	22.50	
kousa chinensis. Chinese Kousa I	Dogwoo	od. 20	,
3 ftB&B	_	7.50	
4 ftB&B		10.00	
5 ftB&B	15.00		
6 ftB&B			
mas. Corneliancherry Dogwood.	20'		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	1.85
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.75	3.25	3.00
8 to 10 ft.	6.00	5.00	4.00
10 to 12 ft.	10.00	0.00	1.00
officinalis. Japanesecornel Dogwo		E!	
3 to 4 ft	3.00	<i>O</i>	
4 to 5 ft	4.00		
5 to 6 ft	5.00		
	0.00		
paniculata. (see racemosa)			
paucinervis. Littleleaf Dogwood.			
3 to 4 ft			
4 to 5 ft	4.00		
pubescens. 15'			
3 to 4 ft	1.00		
4 to 5 ft	1.50		
racemosa. (paniculata). $Gray\ Dog$	wood.	15'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
5 to 6 ft	2.50		

Cornus	1-4 Each	5-24 Each	25 & up Each
Cornus			
sanguinea. Bloodtwig Dogwood.	10'		
2 to 3 ft		.55	.50
3 to 4 ft		.65	.60
4 to 5 ft	1.25	1.00	.85
	1.50	1.25	1.00
	5		
sanguinea viridissima. Greentwig 2 to 3 ft	_		10°
3 to 4 ft	.85 $1.25$	.65	
4 to 5 ft	1.50		
4 to 5 It	1.50	1.20	
stolonifera. Redosier Dogwood. 10	) <b>'</b>		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
s. flaviramea. Yellowtwig Redosie	r Dog	nnood	8'
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.25		.85
4 to 5 ft.	1.50	1.25	1.00
5 to 6 ft	1.75		1.25
		_,,,	1,20
Corylopsis sinensis. Chinese Winterhaz	el. 8'		
3 to 4 ftB&B	10.00		
spicata. Spike Winterhazel. 6'			
2 to 3 ft	7.50		
Corylus americana. American Filbert.	10'		
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	2.00	1.85	1.75
avellana. European Filbert. 15'			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.10	
4 to 5 ft	1.50	1.35	
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	2.00	1.85	1.75

	1-4 Each	5-24 Each	25 & up
Corylus	Lucii	Lucii	Lucii
avellana atropurpurea.			
Purple European F	ilbert. 1	<i>5</i> ′	
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
avellana aurea. Golden Europe	ean Filbe	rt. 1	5′
8 to 10 ft	10.00		
heterophylla setchuenensis. Sze	chwan F	ilbert.	12'
3 to 4 ft	3.00		
4 to 5 ft	4.00		
rostrata. Beaked Filbert. 6'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft		1.25	1.00
4 to 5 ft	1.75	1.50	1.25
Cotinus coggygria. Common Smoket	tree. 15'		
3 to 4 ft		1.50	1.25
4 to 5 ft	_	1.75	1.50
5 to 6 ft			2.25
6 to 8 ft		3.25	
*Cotoneaster acutifolia. Peking Cot		12'	
2 to 3 ft		.55	.50
3 to 4 ft		.65	.60
4 to 5 ft			.85
5 to 6 ft		1.25	1.00
*acutifolia villosula. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft		.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft		1.25	1.00
6 to 8 ft	1.75	1.50	1.25
adpressa. Creeping Cotoneaster.	2'		
6 to 8 in, from pots		1.75	
ambigua 6'			
2 to 3 ftB&	B 3.00	2.75	
3 to 4 ftB&		3.50	
apiculata. Cranberry Cotoneast		0.00	
9 to 12 in. from pots		2.00	1.75
12 to 15 in from pots		2.50	2110
15 to 18 inB&		3.00	
dammeri. Bearberry Cotoneaster			
10 to 12 in., from pots		2.25	
2000 20000 2	, 200		

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	3.50	3.25	
3 to 4 ft B&B	4.50	4.00	
4 to 5 ft B&B	5.50	4.75	
divaricata. Spreading Cotoneaster		1110	
2 to 3 ftB&B	3.50	3.25	3.00
3 to 4 ft	4.50	4.00	3.75
4 to 5 ft	5.50	4.75	4.50
foveolata. Glossy Cotoneaster. 10		1,10	1100
2 to 3 ftB&B	3.50	3.25	
3 to 4 ft	4.50	4.00	
4 to 5 ft	5.50	4.75	
		4.10	
francheti. Franchet Cotoneaster.	10'		
12 to 18 in., 4 in. pots	2.75		
himalaicus. Littleleaf Cotoneaster	. 6'		
8 to 10 in., 4 in. pots	2.25	2.00	
12 to 15 in	2.50	2.25	
horizontalis. Rock Cotoneaster. 3'	,		
12 to 15 in spd. from pots	2.75	2.50	2.25
15 to 18 in. spd. from pots		2.75	2.50
18 to 24 in. spdB&B	4.00	3.50	3.00
horizontalis perpusilla. Ground Co	otoneas	ster.	3'
10 to 12 in., from pots		2.00	1.75
12 to 15 in., from pots	2.75	2.50	2.25
horizontalis wilsoni. Wilson Coton	neaster	. 5'	
2 to 3 ftB&B	3.50	3.25	3.00
3 to 4 ftB&B			3.75
hupehensis. Hupeh Cotoneaster.			
2 to 3 ft		3.25	
integerrima. European Cotoneas	ter. 6	3′	
2 to 3 ftB&B			
3 to 4 ft			
*lucida. Hedge Cotoneaster. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.25	1.00	
melanocarpa. 6'			
2 to 3 ftB&B	3.50	3.25	
3 to 4 ft			
4 to 5 ft B&B			

Cotoneaster	1-4 Each		25 & up Each
microphylla. Rockspray Cotoneast	ov	Q!	
10 to 12 in., 4 in. pots			1.75
moupinensis. Mupin Cotoneaster. 15 to 18 in., 4 in. pots		2.25	
multiflora. 6'			
2 to 3 ftB&B	3.50	3.25	3.00
3 to 4 ft			3.75
4 to 5 ftB&B			4.50
nitens. Pinkblush Cotoneaster.	4'		
• 2 to 3 ftB&B			
obscura. Bloodberry Cotoneaster.	10'		
3 to 4 ftB&B	4.50	4.00	3.75
4 to 5 ftB&B	5.50	4.75	4.50
racemiflora soongarica Sungari	Cata	neaster	6'
2 to 3 ft			<b>3</b> .25
3 to 4 ftB&B	4.75		4.00
4 to 5 ft	6.00		5.00
		0.00	5.00
rotundifolia. Redbox Cotoneaster.	2'		
10 to 12 in. from pots	2.25		1.75
12 to 15 in from pots	2.75	2.50	2.25
15 to 18 inB&B	3.50	3.00	2.75
rosea. Redcurrant Cotoneaster.	10'		
2 to 3 ft	3.50	3.25	3.00
3 to 4 ft B&B			3.75
4 to 5 ftB&B	5.50	4.75	4.50
5 to 6 ftB&B	7.50	6.00	
salicifolia floccosa.			
Hardy Willowleaf Cotonea	etar	6'	
15 to 18 in. from pots		· ·	
simonsi. Simons Cotoneaster. 8'			
12 to 18 in., 4 in. pots	2.75	2.50	
tenuipes. Slender Cotoneaster. 6	3'		
8 to 12 in. from pots	2.25	2.00	
12 to 15 inB&B	2.75	2.50	
15 to 18 inB&B	3.50	3.00	
zabeli. Cherryberry Cotoneaster.	6'		
15 to 18 in., from pots			
LARGE SPECIMEN SHRUBS QUOTED		REQUEST	

*Crataegus aprica. Beadle Hawthorn.	1-4 Each 20'	5-24 Each	25 & up Each
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.50	4.00	3.75
5 to 6 ft	6.00	5.25	
*arkansana. Arkansas Hawthorn	201		
3 to 4 ft	3.50	2.05	2.00
4 to 5 ft	4.25	3.25 4.00	3.00
5 to 6 ft	5.50	5.25	3.75 5.00
6 to 8 ft.	6.50	6.25	6.00
8 to 10 ft	8.50	7.50	0.00
*arnoldiana. Arnold Hawthorn.	20'	1.50	
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	3.75
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	6.00
8 to 10 ft	8.50	7.50	7.00
*calpodendron. Pear Hawthorn.	15'		
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	3.75
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	6.00
coccinea (see intricata)			
*coccinioides. Kansas Hawthorn.	20'		
4 to 5 ft	4.25	4.00	3.75
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	
*cordata (see phaenopyrum).			
*crusgalli. Cockspur Thorn. 30'			
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	3.75
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	6.00
	8.50	7.50	7.00
10 ft. specB&B	35.00		
*cuneata. Nippon Hawthorn. 20	<i>P</i>		
3 to 4 ft	4.00		
4 to 5 ft	5.00		
*hupehensis. 20'			
4 to 5 ft	5.00		
5 to 6 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		

	1-4 Each	5 <b>-24</b> Each	25 & up Each
*Crataegus. *intricata (coccinea). $Thicket\ Ha$	auth on	n. 20'	
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	$\frac{3.00}{3.75}$
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft.	6.50	6.25	6.00
8 to 10 ft.	8.50	7.50	7.00
*lavallei Lavalle Hawthorn. 20'			
3 to 4 ft	3.50	3.25	
4 to 5 ft	4.25	4.00	
5 to 6 ft	5.50	5.25	
6 to 8 ft	6.50	6.25	
8 to 10 ft.	8.50	7.50	
6 to 8 ft. standards, quoted of	on rec	quest.	
*macracantha. Spike Hawthorn.	20'		
3 to 4 ft	4.00		
4 to 5 ft	5.00		
5 to 6 ft	6.50		
*mollis. Downy Hawthorn. 20'			
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	3.75
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	6.00
8 to 10 ft	8.50	7.50	7.00
*monogyna. Singleseed Hawthorn	. 20'		
5 to 6 ft	5.50	5.25	
6 to 8 ft	6.50	6.25	
8 to 10 ft	8.50	7.50	
*monogyna stricta.			
Pyramidal Singleseed Haw		20'	
3 to 4 ft	4.00		
4 to 5 ft	5.00		
*nitida. Glassy Hawthorn. 15'			
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	
5 to 6 ft	5.50	5.25	
6 to 8 ft	6.50	6.25	6.00
8 to 10 ft	8.50	7.50	

1-4	5-24 Each	25 & up
Crataegus Each	Eden	Each
*oxyacantha. English Hawthorn. 20'		
4 to 5 ft	4.00	3.75
5 to 6 ft 5.50	5.25	5.00
6 to 8 ft 6.50	6.25	6.00
8 to 10 ft 8.50	7.50	
8 to 10 ft. spec		
*o. plena. Doub!ewhite English Hawth	orn. 1	5 <b>'</b>
4 to 5 ft 6.50	5.50	
5 to 6 ft 7.50	6.50	6.00
6 to 8 ft 9.00	8.00	7.50
8 to 10 ft	10.00	
10 to 12 ft		
*o. pauli Paul's Scarlet English Hawth	orn. 1	5 <b>'</b>
4 to 5 ft	5.50	
5 to 6 ft	6.50	
6 to 8 ft 9.00	8.00	
8 to 10 ft	10.00	
10 to 12 ft 20.00		
*o. punicea. Singlered English Hawth	orn. 1	5'
4 to 5 ft 6.50	5.50	
5 to 6 ft	6.50	
6 to 8 ft 9.00	8.00	
8 to 10 ft 12.50	10.00	
10 to 12 ft		
*o. rosea plena. Doublepink English He	awthorn	. 15'
4 to 5 ft 6.50	5.50	
5 to 6 ft	6.50	
6 to 8 ft 9.00	8.00	
8 to 10 ft	10.00	
*peregrina. Peregrina Hawthorn. 15'		
3 to 4 ft	3.25	
4 to 5 ft 4.25	4.00	
5 to 6 ft 5.50	5.25	
6 to 8 ft 6.50	6.25	
8 to 10 ft 8.50	7.50	
*persistens. 15'		
4 to 5 ft 4.25	4.00	3.75
5 to 6 ft 5.50	5.25	5.00
6 to 8 ft	6.50	6.00
8 to 10 ft	10.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus			
*phaenopyrum, (cordata)	- 0		
Washington Hawthorn. 2			
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	3.75
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	6.00
8 to 10 ft,	8.50	7.50	7.00
*pinnatifida major. Large Chine		wthorn	. 20'
3 to 4 ft	4.00		
4 to 5 ft	5.00		
5 to 6 ft	6.00		
6 to 8 ft	7.50		
*pruinosa. Frosted Hawthorn. 1	8'		
4 to 5 ft	5.00	4.50	
5 to 6 ft	6.00		
*prunifolia. Plumleaf Hawthorn.	25'		
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	4.25	4.00	37)
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	6.00
*punctata. Dotted Hawthorn. 2	<i>5'</i>		
4 to 5 ft	4.25	4.00	
5 to 6 ft	5.50	5.25	
pyracantha (See Pyracantha cocci	nea).		
•			
*succulenta. Fleshy Hawthorn.		4.00	
4 to 5 ft	5.50	5.25	
5 to 6 1t	5.00	0.40	
*viridis. Green Hawthorn. 25'			
5 to 6 ft	5.50	5.25	5.00
6 to 8 ft	6.50	6.25	6.00
8 to 10 ft	8.50	7.50	
Cryptomeria japonica lobbi $Lobb\ Cry$	ntome	ria 91	) <b>,</b>
			,
2 ftB&B 3 ftB&B	6.00	5.00	
		6.00	
2 2000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		7.50	
		10.00	
		17.50	
8 ftB&B	25.00	20.00	

	1-4 Each	5-24 Each	25 & up Each
Cudrania tricuspidata. 25' 3 to 4 ft	4.00		
Cydonia. (see Chaenomeles)			
Cytisus elongatus. 5'			
12 to 15 in., 4 in. pots	1.75		
nigricans. Spike Broom. 4'			
12 to 15 in	1.75		
scoparius. Scotch Broom. 10'			
18 to 24 in			1.25
scoparius andreanus. Paradise Br			
18 to 24 in	1.75	1.50	1.25
supinus. Bigflower Broom. 3'		4 50	
10 to 12 in., 4 in pot	1.75	1.50	
Daphne cneorum. Rose Daphne. 1'	1.50		4.05
8 to 10 in. spd		1.35 1.60	1.25
12 to 15 in. spd			
mezereum. February Daphne. 4'		2.00	2.20
15 to 18 in		2.25	2.00
18 to 24 inB&B			
2 to 2½ ftB&B		3.50	
2½ to 3 ftB&B	5.00		
mezereum alba. White February			
18 to 24 in		-	
24 to 30 in			3.25
2½ to 3 ftB&B			
Decumaria barbara. Southeast Decumaria yr. from pots			90
	1.00	.75	.60
Deutzia gracilis. Slender Deutzia. 3' 15 to 18 in	G E	.55	=0
18 to 24 in	.65 .75	.60	.50 .55
24 to 30 in		.75	.70
hypoglauca. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.65	.55	.50
24 to 30 in	.75	.65	.60
2½ to 3 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Deutzia			
lemoine compacta. 5'			50
18 to 24 in			.50
2 to 3 ft	.85	.65	.60
myriantha Boule Rose. Pink Deu		4'	
18 to 24 in	.75		
2 to 3 ft	1.00		
ningpoense. 5'			
3 to 4 ft	1.50		
parviflora. Mongolian Deutzia. 5	,		
18 to 24 in	.75	.55	.50
2 to 3 ft	.85	.65	.60
Pose maniele Deutsie 5'			
rosea. Rose-panicle Deutzia. 5' 18 to 24 in	75	.60	.55
24 to 30 in	.85		.65
2½ to 3 ft	1.00		.80
272 to 3 1t	1,00	.00	.00
rosea campanulata.			
Bellflower Rosepanicle Deu			
18 to 24 in		.60	.55
2 to 3 ft	.85	.70	.65
rosea carminea. Carmine Rosepa	nicle	Deutzia	ι. 4'
18 to 24 in	.75	.60	.55
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.00	.90	.80
rosea venusta. White Rosepanicle	Deut	zia. 5'	
18 to 24 in	.75	.60	
2 to 3 ft	.85	.70	
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	
scabra Pride of Rochester. 12'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft.	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
0 00 0 401	2.70	1.00	dul C/

	1-4 Each	<b>5-24</b> Each	25 & up Each
Deutzia	70		4.08
scabra florepleno rosea. Doubleros		utzia.	
	.65	.55	.50
3 to 4 ft	.85	.65	.60
	1.25		.85
5 to 6 ft	1.50	1.25	1.00
scabra watereri. Waterer's Deutzie	a. 12	2	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
schneideriana laxiflora. 6'			
3 to 4 ft	1.75	1,50	
4 to 5 ft			
Diervilla lonicera. (trifida), Dwf. Bus.			
2 to 3 ft			.60
3 to 4 ft	1.00	.85	.75
sessilifolia. Southern Bush Honey	suckl	e. 5'	
2½ to 3 ft	.65	.55	.50
3 to 4 ft	.85	.70	.65
4 to 5 ft	1.25	1.00	.85
Diospyros virginiana. Common Persin	ımon.	15'	
6 to 8 ft	7.50	6.00	
8 to 10 ft 1	0.00	7.50	
10 to 12 ft 1	2.50	10.00	
	0.01		
	20' 1.00	.75	.65
	1.50	1.25	1.00
	2.00	1.50	
	<b>3</b> .00	2.50	
	4.00	2.00	
	7.50		
	.,,,		
commutata. Silverberry. 12'	9 00		
2 to 3 ft	2.00		

	1-4 Each	<b>5-24</b> Each	25 & up Each
Elaeagnus			_
multiflora. (longipes) $Cherry E$	_	us. 6	•
2 to 3 ft			
3 to 4 ft	2.00		
umbellata. Autumn Elaeagnus.	12'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
u. parvifolia. Chinese Elaeagnus	s. 15'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
Elsholtzia stauntoni. 4'			
·	1.05	1.00	
	1.25		
2 to 3 ft	1.50	1.25	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.50	1.25	1.00
darleyensis. Darley Heath. 1'			
6 to 8 in., 4 in. pots	1.50	1.25	1.00
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.50	1.25	1.00
Eucommia ulmoides. 60'			
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50	10.00	
Euonymus alatus. Winged Euonymus	. 10'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.00	3.75	3.50
6 to 8 ft., heavyB&B	15.00		
8 to 10 ft., heavyB&B	20.00		
alatus compactus. Dwarf Winger	l Euo	numus	6'
2 to 3 ft		1.50	
3 to 4 ft			

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00		
atropurpureus. Eastern Wahoo.	15'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	2.00	1.75	1.50
bungeanus. Winterberry Euonymu	s. 15	,	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	2.00	1.75	1.50
europaeus. European Euonymus.	. 15'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	2.00	1.75	1.50
fortunei. (acutus). Wintercreeper			
12 to 15 in		.65	.60
15 to 18 in	1.00	.85	.75
f. argenteo-marginatus.			at
Silveredge Wintercreeper		_	2'
12 to 15 in	.75	.65	.60 .75
15 to 18 in	1.00	.85	
f. carrierei. Glossy Wintercreeper			3'
12 to 15 in	.75	.65	.60
15 to 18 in	1.00	.85	.75
18 to 24 in	1.25	1.00	.90
f. coloratus.			
Purpleleaf Wintercreeper		onymus 	
12 to 15 in	.65	.55	.50
15 to 18 in	.75	.65	
18 to 24 in	1.00	.90	.80

	1-4 Each	5-24 Each	25 & up
Euonymous	Dacii	Eden	Eden
f. kewensis. Kew Wintercreeper	Euon	ymus.	1'
8 to 12 in. from pots	.75	.65	.60
f. minimus. Baby Wintercreeper	Euon	ymus.	1'
8 to 12 in. from pots		-	.60
12 to 15 in. from pots	1.00	.85	.75
f. radicans. Common Wintercree	per H	Zuonym	us.
8 to 12 in	_	.55	.50
12 to 15 in	.70	.60	.55
15 to 18 in	.85	.75	.70
18 to 24 in	1.00	.90	.80
f. vegetus. Bigleaf Wintercreepe	er Eu	onymus	. 4'
12 to 15 in	1.00	.90	.85
15 to 18 in	1.50	1.25	1.10
18 to 24 in	1.75	1.60	1.50
hamiltonianus. Hamilton Euonymi	is. 1	5 <b>'</b>	
2 to 3 ft	.75		.60
3 to 4 ft	1.00	.80	
kiautschovicus (patens). Spreadin	ia Eu	onumus	. 5'
18 to 24 inB&B	3.00	2.75	2.50
2 to 3 ftB&B			
latifolius. Broadleaf Euonymus.	10'		
3 to 4 ft	.90	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft		1.25	
maacki. Maack Euonymus. 10'			
	.65	.55	
3 to 4 ft			
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	2.00	1.75	1.50
nanus. Dwarf Euonymus. 3'			
· · · · · · · · · · · · · · · · · · ·	1.75	1.50	1.25
15 to 18 in	2.00	1.75	
obovatus. Running Euonymus. 1	,		
8 to 10 in		.75	.60
oxyphyllus 15'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25		
patens. (see kiautschovicus).			

Euonymus	1-4 Each	5-24 Each	25 & up Each
_			
radicans. (see fortunei).			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.75	1.60	1.50
6 to 8 ft	2.50	2.25	2.00
Evodia danieli. Korean Evodia. 25'			
4 to 5 ft	5.00		
5 to 6 ft	6.00		
0 10 0 11	0.00		
hupehensis. Hupeh Evodia. 25'			
4 to 5 ft	5.00		
5 to 6 ft	6.00		
Exochorda giraldi wilsoni Wilson Redb	ud Pe	earlbus	h. 15'
3 to 4 ft	3.00	2.50	
	3.50		
5 to 6 ft	4.50	4.00	
racemosa. (grandiflora). Pearlbus			50
2 to 3 ft			
3 to 4 ft	.85	.65	.60
5 to 6 ft		1.00 $1.25$	.85 1.10
6 to 8 ft			
8 to 10 ft			1.50
6 to 8 ft. spec		3.00	
8 to 10 ft. spec			
o to 10 It. spec	10.00		
Fagus grandiflora. (americana). Ame	rican	Beech.	60 <b>'</b>
4 to 5 ftB&B	12.50		
5 to 6 ftB&B			
6 to 8 ftB&B		15.00	
8 to 10 ft B&B			
10 to 12 ftB&B 3	35.00		

		1-4 Each	<b>5-24</b> Each	25 & up
Fagus		Lacii	Edeil	EGGII
sylvatica. European Beech.	75'			
3 to 4 ftB	&B	7.50	6.50	
4 to 5 ftB		12.50	10.00	
5 to 6 ftB			13.50	12.50
6 to 8 ftB			16.00	15.00
8 to 10 ftBo			20.00	
10 to 12 ftB			30.00	25.00
12 to 14 ftB 14 to 16 ftB			40.00 $50.00$	
14 10 10 11	dxo	00.00	30.00	
sylvatica fastigiata. Pyramida	ul B	eech.	25'	
15 to 18 ftB&	kΒ 1	125.00		
sylvatica heterophylla. Cutled	af B	Beech.	25'	
8 to 10 ftB	&B	50.00		
10 to 12 ftB	&B	75.00		
sylvatica pendula. Weeping 1			,	
12 to 14 ftB&				
14 to 16 ftB&	zB 1	25.00		
Larger sizes quoted on re-	ques	st.		
sylvatica purpurea. $Purple$ $B$	Roorl	h 75'		
8 to 10 ft				
10 to 12 ftB				
sylvatica riversi. River's Beed	ch	75'		
8 to 10 ft				
10 to 12 ft., 1½ in B				
Larger sizes quoted on re	eque	st.		
Fontanesia fortunei. Fortune For				
3 to 4 ft			.85	.75
4 to 5 ft		1.50	1.25	1.00
5 to 6 ft		1.75		1.25
8 to 10 ft		2.50 3.00	2.00 $2.50$	$1.75 \\ 2.00$
0 10 10 11		0.00	4.00	2.00

Forsythia europea. Albanian Forsythi	1-4 Each	5-24 Each	25 & up Each
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50		
		1,25	1.00
intermedia. Border Forsythia.			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
intermedia primulina.			
Primrose Border Forsythic	a. 10'		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
intermedia spectabilis. Showy Box	rder F	or suth	ia. 8'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
ovata. Early Forsythia. 8'	2.00	1.10	1.00
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
suspensa. Weeping Forsythia. 6		1.00	
2 to 3 ft		.55	.50
0 1 1 2:	.85	.65	.60
4 4	1.25	1.00	.85
5 to 6 ft		1.25	
suspensa atrocaulis.	1.00	1.20	1.00
Purplestem Weeping For	csuthia	. 6'	
2 to 3 ft	.65	.55	
0.1	.85	.65	
4 to 5 ft		1.00	
5 to 6 ft	1.50	1.25	
suspensa fortunei. Fortune Weepi			. 8'
2 to 3 ft	.65	.55	.50
5 1 1 1	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50		1.00
6 to 8 ft			
0.00 0.10	1.10	1.50	1.25

1-4 Forsythia		25 & up Each
suspensa sieboldi. Siebold Weeping Fo	reuthia	. 8'
2 to 3 ft		.50
3 to 4 ft		.60
4 to 5 ft 1.25		.85
5 to 6 ft 1.50		1.00
6 to 8 ft 1.75		
viridissima. Greenstem Forsythia. 8'		
2 to 3 ft	.55	.50
3 to 4 ft	.65	.60
4 to 5 ft	1.00	.85
Fothergilla gardeni. Dwarf Fothergilla. 3	,	
18 to 24 inB&B 6.00		
24 to 30 inB&B 7.50	6.00	
30 to 36 inB&B 10.00		
Franklinia alatamaha. 20'		
3 to 4 ftB&B 12.50		
8 to 10 ftB&B 35.00		
Fraxinus americana. White Ash. 80'		
8 to 10 ft 3.00	2.50	2.25
1¼ to 1½ in 3.50	2.75	2.50
1½ to 1¾ in 4.50	4.00	3.75
134 to 2 in 6.00	5.50	5.00
2 to 2½ in 7.50	7.00	6.50
2½ to 3 in 12.50	10.00	9.00
excelsior. European Ash. 100'		
8 to 10 ft 3.00	2.50	2.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.50	2.75	2.50
1½ to 1¾ in 4.50	4.00	3.75
134 to 2 in 6,00	5.50	5.00
2 to $2\frac{1}{2}$ in 7.50	7.00	6.50
2½ to 3 in 12.50	10.00	9.00
mandshurica. Manchurian Ash. 80'		
6 to 8 ft 3.50	3.00	
8 to 10 ft 4.50	4.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.50	5.00	
1½ to 1¾ in 7.50	<b>6</b> .00	
nigra. Black Ash. 80'		
8 to 10 ft 4.50	4.00	
1½ to 1½ in 5.50	5.00	
1½ to 1¾ in 7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Fraxinus D. I. A. I. aci			
pennsylvanica. Red Ash. 60' 8 to 10 ft	4.50	4.00	2 50
1½ to 1½ in	4.50 5.50	5.00	3.50 $4.50$
1½ to 1¾ in		6.00	5.00
1 <sup>3</sup> / <sub>4</sub> to 2 in	10.00	7.50	0.00
2 to 2½ in	12.50		
p. lanceolata. Green Ash. 60'	12,00	10.00	
8 to 10 ft	3.00	2.50	2.25
1¼ to 1½ in	3.50	2.75	2.50
1½ to 1¾ in	4.50	4.00	3.75
134 to 2 in	6.00	5.50	5.00
2 to 2½ in	7.50	7.00	6.50
2½ to 3 in	12.50	10.00	9.00
quadrangulata. Blue Ash. 80'			
6 to 8 ft	5.00		
8 to 10 ft	6.00		
Gaylussacia baccata. Black Huckleber	rru. 3	?	
24 to 30 inB&B	-		
Genista juncea. 2'			
15 to 18 in. from pots	1.25	1.00	
pilosa. Silky Leaf Woadwaxen.	1'		
4 to 6 in	1.25	1.00	
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	1.25	1.00	
scoparia (see Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Ginkgo biloba. Maidenhair Tree. 60'			
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	3.75	3.25
1½ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	7.50	6.50	6.00
1¾ to 2 in	10.00	8.50	7.50
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	18.00	15.00	12.50
	25.00	20.00	
	30.00	25.00	
biloba fastigiata. Sentry Ginkgo.	60 <b>'</b>		
6 to 8 ft	7.50		

Gleditsia japonica. Japanese Honeylocust.	h Each	25 & up Each
3 to 4 ft		
4 to 5 ft 4.0		
5 to 6 ft 5.0		
6 to 8 ft 6.00	0 0.00	
triacanthos. Honeylocust. 60'		
5 to 6 ft 2.0	0 1.50	1.35
6 to 8 ft 3.0	0   2.50	2.00
8 to 10 ft 4.5	0 3.75	3.50
1½ to 1½ in 5.5	0 5.00	4.50
1½ to 1¾ in 6.5	0 6.00	5.50
13/4 to 2 in 8.0	0 7.00	
2 to 2½ in 10.0	0 9.00	
2½ to 3 in 15.0		
triacanthos elegantissima. $Bushy\ Ho$	_	20'
4 to 5 ft 3.5	2.50	
5 to 6 ft	3.00	
triacanthos inermis. Thornless Honey	ulocust.	50'
6 to 8 ft		
8 to 10 ft 5.0		4.00
1½ to 1¾ in		
1 <sup>3</sup> / <sub>4</sub> to 2 in 8.5		
2 to 2½ in		
2 10 272 111	, 0	
Gordonia alatamaha. (see Franklinia).		
Gymnocladus dioca. Kentucky Coffeetree	. 40'	
5 to 6 ft 4.0	0 3.50	
6 to 8 ft 5.0	00 4.50	
8 to 10 ft 6.0	00 5.50	
10 to 12 ft	<b>6.50</b>	
2 to 3 in 15.0	00	
Halesia carolina. (tetraptera). Carolina S	Silverbell	. 15'
4 to 5 ft	00 1.50	1.25
5 to 6 ft	75 2.25	2.00
6 to 8 ft	3.00	2.50
8 to 10 ft 5.	00 4.00	3.75
10 to 12 ft 7.5	6.00	
8 to 10 ft. spec	00	
10 to 12 ft. specB&B 20.0	00	
•		

TV-1:-	1-4 Each	5 <b>-24</b> Each	25 & up Each
Halesia			
monticola. Mountain Silverbell.	<i>50'</i>		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
Hamamelis japonica. Japanese Witchh	azel.	20'	
3 to 4 ft	3.50		
japonica rubra. 20'			
3 to 4 ft	3.50		
mollis. Chinese Witchhazel. 20'			
2 to 3 ft	4.00	3.50	
3 to 4 ft	5.00	4.50	
4 to 5 ft	6.00		
vernalis. Vernal Witchhazel. 8'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.35	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.75	2.25	2.00
vernalis tomentella. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.35	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.75	2.25	2.00
virginiana. Common Witchhazel.	15'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.25	.85	.75
4 to 5 ft	1.75	1.35	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.50	3.00	2.50
Hadam ballin II I' I I oot			
Hedera helix. English Ivy. 20'	4.5	0.5	0.0
2 year, 2 in pots	.45	.35	.30
2 year, 3 in. pots	.50	.40	.35
3 year, 4 in. pots	.60	.50	.45
helix Albany. Albany English Iv	y. 10	)'	
2 year, 3 in. pots		.50	.40

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Madana	1-4 Each	5-24 Each	25 & up Each
Hedera			
helix baltica. Baltic English Ivy.			
2 year, <b>3</b> in. pots	.65	.50	.45
helix conglomerata. Bunchleaf Eng	glish $I$	vy. 1	0 <b>'</b>
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'			
2 year, 3 in. pots	.75	.60	.50
helix gracilis. Miniature English	Ivy.	10'	
2 year, 3 in. pots	_	.40	.35
3 year, 4 in. pots	.60	.50	.45
helix Hahn's			
2 year, 3 in. pots	.50	.40	.35
3 year, 4 in. pots	.60	.50	.45
helix lobata.			
2 year, 3 in. pots	.60	.50	.40
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	2.00		
Hibiscus syriacus. Shrub Althea. 12'			
double varieties			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft. hvy	15.00		
Ardens — Purple.			
Banner — Blush.			
Jeanne d Arc — White.			
Lady Stanley - White, shaded	d rose.		
Rubra Plena — Red.			
Speciosa Plena — Pink.			
single varieties.			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
Coelestis — Blue.			
Rosea — White, crimson eye.			
Rubis — Red.			
Totus albus — White.			

	1-4 Each	5-24 Each	25 & up Each
Hibiscus			
variegatus. Leopardleaf Shrub Alt	hea.	8'	
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.35	
variegatus Meehani. Meehan Varie			a. 6'
2 to 3 ft			
3 to 4 ft	1.25	1.00	
Hippophae rhamnoides. Sea-buckthor	n. 12	?*	
3 to 4 ft	2.50		
4 to 5 ft	3.50		
5 to 6 ft	4.50		
Hydrangea arborescens. Smooth Hydr	rangeo	ı. 6'	
2 to 3 ft	.75	.55	.50
3 to 4 ft	.85	.70	.65
4 to 5 ft	1.25	1.00	.85
arborescens grandiflora. $Snowhill$		canaca	. 6'
2 to 3 ft	_	_	. 65
			.75
3 to 4 ft	1.00	.00	.10
cineria sterilis. Sterile Ashy Hyd	_	a. 6'	
2 to 3 ft	1.00		
macrophylla Otaksa. 3'			
4 year	1.00	.75	.65
paniculata. Panicle Hydrangea.	10'		
2 to 3 ft		.60	.50
3 to 4 ft	.85	.75	
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
paniculata grandiflora. Peegee H	ydran	gea.	10'
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	
3 to 4 ft., tree form	2.00	1.50	
4 to 5 ft., tree form	2.50	1.75	
paniculata praecox. Early Hydro			
2 to 3 ft	1.00	.75	
3 to 4 ft		1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	

Hydrangea	1-4 Each	5-24 Each	25 & up Each
petiolaris. Climbing Hydrangea. 4 inch pots	2.00		
quercifolia. Oakleaf Hydrangea.	4'		
18 to 24 in	1.50	1.25	
2 to 3 ft	2.00		
radiata. Silverleaf Hydrangea. 6'			
2 to 3 ft			
3 to 4 ft	1.00	.85	.75
xanthoneura Thos. Hogg. 3'			
4 year	1.00	.75	.65
Hypericum arnoldianum. Arnold St.	Johns	wort.	5'
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	
bushi Planidas St. Johnson	. 11		
bucklei. Blueridge St. Johnswort		.75	
6 inches		.10	
densiflorum. Dense St. Johnswor	t. 6'		
18 to 24 in	.60	.50	.45
2 to <b>3</b> ft	.75	.60	.55
3 to 4 ft	1.00	.75	.65
frondosum. (aureum). Golden St.	Johnso	wort	/, *
18 to 24 in	.60		.45
2 to 3 ft	_		
3 to 4 ft			
	2.00		100
kalmianum. 4'	0.0	<b>80</b>	4.5
18 to 24 in	.60		.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.75	.65
lobocarpum. 6'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
moserianum. Goldflower. 2'			
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.75	.70
		.10	.10
patulum. Goldencup St. Johnwor			
18 to 24 in	1.00	.80	.75
patulum henryi. Henry St. Johns	wort.	4'	
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.75	.70

	1-4	5-24	25_& up
Hypericum	Each	Each	Each
prolificum. Shrubby St. Johnswor	t. 5'		
18 to 24 in	.60	.50	
	.75	.60	.55
3 to 4 ft	1.00	.75	.65
vanfleeti. Van Fleet St. Johnswor	t. 4'		
2 to 3 ft	1.50		
Idesia polycarpa. 40'			
	3.00		
4 to 5 ft	3.50		
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	4.00		
crenata. Japanese Holly. 10'			
15 inB&B	3.50	2.75	
18 inB&B			
24 inB&B	6.00	5.00	
crenata bullata. Convexleaf Japan	nese H	ollu.	10'
15 to 18 inB&B		-	
18 to 24 inB&B	5.00	4.50	
	TT 11	-d	
crenata latifolia. Bigleaf Japanes 18 to 24 inB&B	$egin{array}{ccc} e & Holl \\ old 4.00 \end{array}$	$egin{array}{ccc} y. & 16 \ 3.50 \end{array}$	,
24 to 30 in		0.00	
24 to 50 m	0.00		
crenata microphylla. Littleleaf Jag	panese	Holly	. 10°
15 inB&B	3.50		
18 in,B&B	4.00		
24 in	6.00		
crenata rotundifolia. 6'			
15 to 18 inB&B	4.00	3.50	
18 to 24 inB&B	4.50	4.00	
geniculata. Droopbead Holly. 8'	2.50		
3 to 4 ft	2.50		
4 to 5 ft	3.00		

	1-4 Each	5-24 Each	25 & up Each
Ilex			
glabra. Inkberry. 8'			
15 to 18 inB&B	3.50	2.75	2.25
18 to 24 inB&B	4.00	3.25	2.75
24 to 30 inB&B	5.00	4.25	3.75
30 to 36 inB&B	6.50	5.50	5.00
36 to 42 inB&B	10.00	7.50	
laevigata. Smooth Winterberry.	6'		
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
4			
opaca. American Holly. 40'			
3 ft			
4 ft	12.50		
5 ft	15.00		
6 ft	20.00		
7 ft	25.00		
For larger sizes to 12 ft., add \$5.	00 per	foot.	
serrata. Finetooth Holly. 12'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft		2.00	1.75
1 10 0 11,	2.00	2.00	1.10
verticillata. Common Winterberry	y. 10'		
2 to 3 ft	.85	.70	.65
	1.25	1.00	
4 to 5 ft		1.25	
5 to 6 ft	1.75	1.65	1.50
6 to 8 ft			2.00
verticillata chrysocarpa.			
Ye'low-fruit Winterberry.	10'		
2 to 3 ft	2.25	2.00	
· ·	2.50	2.25	
4 to 5 ft		2.50	

g .	1-4 Each	5-24 Each	25 & up Each		
Indigofera amblyantha. Pink Indigo.	6'	20011			
2 to 3 ft	1.50	1.25	1.00		
3 to 4 ft	1.75	1.50	1.25		
kirilowi. Kirilow Indigo. 4'					
18 to 24 in	2.00	1.50	1.25		
potanini. Potanin Indigo. 5'					
2 to 3 ft	2.00	1.75			
3 to 4 ft	2.50	2.00			
Itea virginica. Virginia Sweetspire.	8'				
2 to 3 ft	.85	.70	.65		
3 to 4 ft	1.00	.85	.75		
4 to 5 ft	1.25	1.10	1.00		
Jasminum nudiflorum. Winter Jasmi	ne 3	,			
15 to 18 in	.75	.60	.50		
18 to 24 in	1.00	.75	.60		
12 to 15 in., 2½ in. pots	1.25		.75		
12 to 13 m., 272 m. pots	1.20	1.00	.10		
stephanense. Stephan Jasmine. 3'					
2 ft., 4 in. pots	1.50	1.25			
T. J					
Juglans cinerea. Butternut. 75'	4.00				
8 to 10 ft	5.00				
	3.00				
nigra. Black Walnut. 80' 6 to 8 ft	3.50	3 00	2.50		
8 to 10 ft			3.75		
1½ to 1¾ in			0.10		
1 <sup>3</sup> / <sub>4</sub> to 2 in					
2 to 2½ in					
regia. Persian Walnut. 50'					
4 to 5 ft	4.00				
sieboldiana. Siebold Walnut. 50'					
1½ to 1¾ in					
13/4 to 2 in					
2 to 2½ in					
2½ to 3 in	15,00	12.50			
LARGE SPECIMEN SHRUBS QUOTED	ON R	EQUEST			

Tuninarus	chinoncia	Paramid Chinas	1-4 Each	5-24 Each	25 & up Each
_		Pyramid Chines		•	0
2		B&B		4.50	
3		B&B		6.00	
4		B&B		8.00	
5		B&B		10.00	
6					
7		B&B		18.00	
8	It	B&B	30.00	25.00	
chiner	nsis albovar	_			•
	White leaf	Pyramid Chines	se Jun	iper.	20'
3	ft	B&B	10.00	7.50	
4	ft	B&B	12.50	10.00	
chiner	nsis column	атіs.			
		Pyramid Chines	se $Jun$	iper.	20'
4		B&B		10,00	
5		B&B			
6		B&B			
7		B&B			
8		B&B			
. 1 .					
cninei	nsis globosa		• ,	p= 1	
10		amid Chinese Ju	_	5'	
18		B&B		4.00	
24	ın	B&B	6.00	5.00	
chine	nsis japonic	a. Japanese Jun	iiper.	8'	
18	in	B&B	4.50	3.50	
2	ft	B&B	6.00	5.00	
3	ft	B&B	7.50	6.50	
c. jap	onica aureo	•	7		
1.0		ariegated Japane		uper.	8
		B&B			
2	It	B&B	5.00		
	nsis mas. 1				
3	ft	B&B	10.00		
chine	nsis neabor	iensis. Conical C	hinese	Junipe	er. 10'
3	ft	B&B	7.50	6.00	
4	ft	B&B	10.00	7.50	
5	ft	B&B	12.50		

		1-4 Each	5-24 Each	25 & up Each
Jun	iperus	EGCIT	Eden	Lucii
	chinensis oblonga. Oblong Chines	e Jun	iper. 2	0'
	7 ft			
	8 ft	20.00		
	chinensis pfitzeriana. Pfitzer Juni	-	6'	
	18 to 24 in. spdB&B		4.00	3.75
	2 to 2½ ft. spdB&B		5.50	5.00
	2½ to 3 ft. spdB&B			6.50
	3 to 3½ ft. spdB&B			
	3½ to 4 ft. spdB&B			
	4 to 4½ ft. spd B&B			
	4½ to 5 ft. spd B&B			
	5 to 6 ft. spdB&B		27.50	
	6 to 7 ft. spdB&B		<b>3</b> 5.00	30.00
	(Upright form can be furnished in	sizes	18" to	6')
	chinensis pfitzeriana compacta. 6'			
	18 to 24 in. spdB&B	5.00	4.50	
	24 to 30 in. spdB&B			
	True do im spani	0.00	0.00	
	chinensis sargenti. Sargent Chines	se Jun	iper.	3'
	18 inB&B	4.50	4.00	3.75
	24 in	6.00	5.50	5.00
	abinancia antibi d tu di	r •	o.t	
	chinensis smithi. Smith Chinese J	-		
	2 ftB&B			
	3 ft,B&B	5.50	5.00	
	communis. Common Juniper. 25'			
	3 ftB&B	4.50	4.00	
	4 ftB&B	6.00	5.00	
		1	r	al
	communis depressa. Oldfield Com  18 to 24 in. spd B&B		uniper	3
	1			
	2½ to 3 ft. spdB&B 3 to 4 ft. spdB&B			
	4 to 5 ft. spdB&B	12.50		
	communis aureo-spica			
	Golden Prostrate Juniper.	. 3'		
	15 to 18 in, spdB&B	3.50	3.00	
	18 to 24 in. spdB&B	4.50	4.00	
	24 to 30 in. spd B&B	5.50	5.00	

	1-4 Each	5-24 Each	25 & up
Juniperus			
communis depressa plumosa.			
(see horizontalis plumosa).			
communis hibernica. Irish Juniper		,	
2 ftB&B		2.50	2.25
3 ftB&B	4.50	3.50	3.00
4 ftB&B	6.00	5.00	
communis suecica. Swedish Junip			
2 ftB&B		2.75	
3 ftB&B	-	4.00	
4 ftB&B	6.50	5.50	
zammunia zanaja nana Danasi Can	7 : . 7.	7	01
communis suecica nana. Dwarf Swarf Swarf St		4.00	r. 6'
3 ftB&B		5.00	
3 11	0,50	5.00	
communis vase-shaped. 10'			
2 to 2½ ftB&B	4 50	4.00	
2½ to 3 ftB&B	6.00	5.00	
3 to 3½ ftB&B	7.50	6.00	
0 0 0 /2 10,	1.00	0.00	
conferta. Shore Juniper. 5'			
18 inB&B	4.00	3.50	3.00
2 ftB&B	5.00	4.50	4.00
2½ ftB&B	6.50	5.50	5.00
3 ftB&B	7.50	6.50	
excelsa. Greek Juniper. 50'			
3 ftB&B	5.00	4.00	
excelsa stricta. Spiny Greek Junipe	er. 8'	•	
18 in B&B	3.75	3.25	2.75
2 ftB&B	4.50	4.00	3.50
2½ ftB&B	5.50	5.00	4.50
3 ftB&B	7.50	6.50	
3½ ft	0.00	9.00	
horizontalis. Creeping Juniper. 1'			
18 to 24 in. $\operatorname{spd}$ $\operatorname{B\&B}$			2.75
24 to 30 in. spdB&B			
$2\frac{1}{2}$ to 3 ft. spdB&B	6.00	5.50	5.00

3 to 3½ ft. spd....B&B 7.50 6.50 6.00

Juniperus	1-4 Each	5-24 Each	25 & up Each
horizontalis alpina. Alpine Creepi			1'
18 to 24 in. spd B&B		3.50	
24 to 30 in. spd	5.00		
horizontalis Bar Harbor. 1'			
15 to 18 in. spdB&B	3.00	2.75	2.50
18 to 24 in, spdB&B			3.25
24 to 30 in. spdB&B	5.00	4.50	
horizontalis glauca. Blue Creepin	g Juni	per.	!*
18 to 24 in. spdB&B	3.75	3.25	2.75
24 to 30 in. spdB&B	5.00	4.50	4.25
$2\frac{1}{2}$ to 3 ft. spdB&B	6.00	5.50	
horizontalis plumosa. Andorra Cr	e e nin a	Lunin	or o'
18 to 24 in			
24 to 30 in			
2½ to 3 ftB&B			
3 to 3½ ftB&B			
3½ to 4 ftB&B			0.00
0/2 to 1 1tt	10.00	1.50	
recurva. Himalayan Juniper. 30'			
2 ftB&B	4.00		
rigida. Needle Juniper. 30'			
4 ftB&B	7.50		
5 ftB&B	10.00		
sabina. Savin Juniper. 6'			
18 to 24 in. spdB&B	3.75	3.25	
2 to 2½ ft. spdB&B			
2½ to 3 ft. spdB&B			5.00
3 to 3½ ft. spdB&B			
sabina tamariscifolia. Tamarix Sa	ານ້ຳາ 6	) <i>†</i>	
18 to 24 in. spdB&B			3.50
24 to 30 in. spdB&B			$\frac{3.30}{4.75}$
2½ to 3 ft. spdB&B			4.75
3 to 3½ ft. spdB&B		7.00	
0 to 072 it. spaD&D	10.00		
sabina Von Ehron. 10'			
24 to 30 in. spd	5.50	4.50	
30 to 36 in. spdB&B	7.50	6.00	
36 to 42 in. spd	10.00	8.50	
42 to 48 in. spd	12.50	10.00	

# Juniperus

scopulorum. Rocky Mountain Ju-	niper.	30'	
3 ftB&I	3 7.50		
sphaerica. Fortunes Juniper. 10	) <b>"</b>		
3 ftB&I	3 6.00	5.00	
4 ftB&I	3 7.50	6.00	
5 ftB&H	3 10.00		
squamata. Singleseed Juniper.	3'		
2 to 2½ ft. spdB&l	3 6.00	5.00	
•			
squamata meyeri. Meyer Single.	seed $Ji$	iniper.	4'
18 to 24 inB&H	3 4.00	3.50	
24 to 30 inB&I	3 5.00	4.50	
2½ to 3 ftB&I	3 6.50	5.50	
3 to 3½ ftB&I	3 10.00	7.50	
virginiana. Eastern Redcedar.	75 <b>'</b>		
<b>2</b> ftB&J	3 4.50	3.75	
3 ftB&F			
4 ftB&l			
5 ftB&l			8.00
6 ftB&I			
7 ftB&I			
For larger sizes to 20 ft., add	d \$5.00	per foo	t.
virginiana canaerti. Canaert Re	edcedar	. 50'	
3 ft B&I			<b>6</b> .00
4 ft B&I			8.00
5 ft			11.00
6 ftB&I			
7 ftB&I			
8 ft			
10 ft. B&			
			4
For larger sizes to 18 ft., add	ı φυ.υυ	her 100	l.

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

### Juniperus

virginiana elegantissima. Goldtin	Rede	dar 9	5'
2 ft			
3 ft			
4 ft			
5 ft. B&B		0.50	
J 11	12.50		
virginiana glauca. Silver Redcedo	ar. 25	,	
3 ftB&B	7.50	6.50	6.00
4 ftB&B	10.00	9.00	8.00
5 ftB&B			11.00
6 ft,B&B	18,00	15.00	
7 ft	22.50		
8 ftB&B	27.50		
For larger sizes to 18 ft., add		per foot	t.
virginiana globosa. Globe Redced			
18 to 24 inB&B			5.00
24 to 30 in		6.50	6.00
30 to 36 inB&B	10.00	8.50	7.50
-1	7 7		
virginiana keteleeri. Keteleer Red			
3 ftB&B	7.50	6.50	
3 ft	7.50 10.00	<b>6.50</b> 8.50	
3 ft	7.50 10.00 15.00	6.50 8.50 12.50	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B	7.50 10.00 15.00 18.00	6.50 8.50 12.50 15.00	
3 ft	7.50 10.00 15.00 18.00	6.50 8.50 12.50 15.00	
3 ft.       B&B         4 ft.       B&B         5 ft.       B&B         6 ft.       B&B         7 ft.       B&B	7.50 10.00 15.00 18.00 22.50	6.50 8.50 12.50 15.00 18.00	
3 ft.       B&B         4 ft.       B&B         5 ft.       B&B         6 ft.       B&B         7 ft.       B&B         virginiana kosteri. Koster Redced	7.50 10.00 15.00 18.00 22.50	6.50 8.50 12.50 15.00 18.00	5.00
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B virginiana kosteri. Koster Redced 2 to 2½ ft. spd. B&B	7.50 10.00 15.00 18.00 22.50 tar. 4 6.50	6.50 8.50 12.50 15.00 18.00	5.00
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B virginiana kosteri. Koster Redced 2 to 2½ ft. spd. B&B 2½ to 3 ft. spd. B&B	7.50 10.00 15.00 18.00 22.50 tar. 4 6.50 8.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00	5.00 6.50
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 2½ to 3 ft. spd. B&B 3 to 3½ ft. spd. B&B	7.50 10.00 15.00 18.00 22.50 dar. 4 6.50 8.00 12.50	6.50 8.50 12.50 15.00 18.00 5.50 7.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	7.50 10.00 15.00 18.00 22.50 tar. 4 6.50 8.00 12.50 15.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 7 ft. B&B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8	7.50 10.00 15.00 18.00 22.50 8.00 12.50 15.00 18.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 7 ft. B&B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8	7.50 10.00 15.00 18.00 22.50 tar. 4 6.50 8.00 12.50 15.00 18.00 25.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 7 ft. B&B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8	7.50 10.00 15.00 18.00 22.50 tar. 4 6.50 8.00 12.50 15.00 18.00 25.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 7 ft. B&B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8	7.50 10.00 15.00 18.00 22.50 22.50 8.00 12.50 15.00 18.00 25.00 30.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00 10.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 7 ft. B&B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8	7.50 10.00 15.00 18.00 22.50 tar. 4 6.50 8.00 12.50 15.00 25.00 30.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00 10.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 7 ft. B&B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8	7.50 10.00 15.00 18.00 22.50 lar. 4 6.50 8.00 12.50 15.00 25.00 30.00 lcedar. 12.50	6.50 8.50 12.50 15.00 18.00 5.50 7.00 10.00	
3 ft. B&B 4 ft. B&B 5 ft. B&B 6 ft. B&B 7 ft. B&B 7 ft. B&B 7 ft. B&B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8 B 8	7.50 10.00 15.00 18.00 22.50 tar. 4 6.50 8.00 12.50 15.00 25.00 30.00 tcedar. 12.50 15.00	6.50 8.50 12.50 15.00 18.00 5.50 7.00 10.00	

Juniperus

virginiana plumosa. Plume Red Cedar.	15'	
4 ftB&B 10.00		
5 ftB&B 15.00		
virginiana schotti. Schott Redcedar. 28	5 <b>'</b>	
3 ft		
4 ft B&B 10.00		
5 ft	12.50	
6 ft	15.00	
7 ft	18.00	
For larger sizes to 18 ft., add \$5.00	per foot	
virginiana tripartita. Fountain Redcede	ar. 5'	
2 ft	5.50	
2½ ft	6.50	
3 ft B&B 8.50	7.50	
3½ ftB&B 10.00		
4 ft		
virginiana venusta. Green Pyramid Red	lcedar.	25'
2 ft B&B 5.50	5.00	4.50
3 ft	6.50	6.00
4 ftB&B 10.00	8.50	
5 ftB&B 15.00	12.50	
6 ft		
7 ft		
Kalmia latifolia. Mountain Laurel. 6'		
18 to 24 in	3.50	3.25
2 to 3 ft		
3 to 4 ft		
3 to 4 tt	0.00	0.00
Kalopanax pictus. Castor Aralia. 25'		
6 to 8 ft 7.50		
8 to 10 ft 10.00	7.50	
pictus maximowiczi. 25'		
6 to 8 ft		

Kerria japonica. Japanese Kerria. 4'	1-4 Each	5-24 Each	25 & up Each
	75	C.E.	60
18 to 24 in		.65	.60 .75
japonica pleniflora. Double Japane			4
18 to 24 in	1.00	.75	
2 to 3 ft			
Koelreuteria paniculata. Panicled Gold	denrai	in Tre	e. 25'
4 to 5 ft	3.50		
5 to 6 ft	4.50		
	6.00		
	7.50		
10 to 12 ft	10.00		
Kolkwitzia amabilis. Beauty Bush. 8	,		
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft		1.75	
6 to 8 ft	3.00	2.50	
Laburnum alpinum. Scotch Laburnum	. 30'		
4 to 5 ftB&B	6.00		
5 to 6 ftB&B	7.50		
6 to 8 ft. heavy B&B	25.00		
anagyroides. (vulgare). Goldenchai	n Lal	burnun	ı. 20'
4 to 5 ftB&B	6.00		
5 to 6 ftB&B			
6 to 8 ft. heavyB&B			
watereri. Waterer Laburnum. 20'			
8 to 10 ftB&B 3	30.00		
Lagerstroemia indica rubra. Red Cray	oemyr	tle. 1	2'
18 to 24 in. from pots	2.50	2.00	
Larix decidua. (europea). European Lo	irch.	60'	
3 to 4 ftB&B			
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	15.00	12.50	
8 to 10 ftB&B 2	20.00	15.00	
gmelini. Dahurian Larch. 60'			
3 to 4 ftB&B	7.50		
4 to 5 ftB&B 1	10.00		

1-4 5-24 25 & up

Larix	Each	Each	Each
laricina. Eastern Larch. 50'	4 = 00		
6 to 8 ftB&B			
8 to 10 ftB&B	20.00		
leptolepis. Japanese Larch. 50'			
3 to 4 ftB&B	7.50		
	10.00		
5 to 6 ftB&B			
6 to 8 ftB&B		12.50	
8 to 10 ftB&B			12.50
10 to 12 ftB&B	35.00	25.00	
12 to 14 ftB&B	45.00		
Lespedeza bicolor. Shrub Lespedeza.	6'		
2 to 3 ft	.75	.60	
japonica. Japanese Lespedeza. 5'			
	1.00	75	60
2 year	1.00	.75	.60
thunbergi (penduliflorum). $Thunbergi$	erg Le	spedeze	ı. 4'
2 year			
3 year	1.00	.75	.60
Leucothoe catesbaei. Drooping Leuco	othoe.	4'	
15 to 18 inB&B	4.00	3.75	<b>3</b> .50
18 to 24 inB&B	5.00	4.75	4.50
24 to 30 inB&B	6.00	5.50	
Libocedrus decurrens. California Incen	nsecedo	ur 10	o <b>'</b>
24 to 30 in		10	
Ligustrum acuminatum. Sharpleaf Pri	ivet.	10'	
	.50		.30
3 to 4 ft			.40
		, 20	
acuminatum macrocarpum, $Bigber$	ry Pr	ivet. 1	0'
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40

Ligustrum	1-4 Each	5-24 Each	25 & up Each
amurense. Amur Privet. 15'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft. heavy	1.00	.85	.75
6 to 8 ft. heavy	1.50	1.25	1.00
ibolium. Ibolium Privet. 8'			
18 to 24 in	.30	.20	.15
2 to 3 ft	.35	.25	.20
obtusifolium (ibota). Border Prive	t. 10	"	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
o. nanum. Pygmy Border Privet.	6'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
o. regelianum. Regel Border Prive	et. 6'		
18 to 24 in. spd	.55	.45	.40
24 to 30 in. spd	.65	.55	.50
2½ to 3 ft. spd	1.00	.70	.65
3 to 4 ft. spd	2.00	1.75	
4 to 5 ft, spd	3.00	2.50	
ovalifolium. California Privet. 10	) <b>'</b>		
18 to 24 in	.25	.15	.10
24 to 30 in	.30	.20	.15
ovalifolium variegatum.			
Golden California Privet.	10'		
18 to 24 in	.60	.50	.45
24 to 30 in	.65	.55	.50
vulgare. European Privet. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
vulgare buxifolium. Boxleaf Prive			
2 to 3 ft	2.00	1.50	

	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
vulgare foliosum. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
vulgare leucocarpum. Whiteberry	Privet.	12'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	
vulgare nanum. (Lodense). $Europ$	ean Pr	rivet.	3'
12 to 15 in	.40	.35	.30
15 to 18 in	.50	.45	.40
18 to 24 in	.65	.55	.50
24 to 30 in	1.00	.80	.75
vulgare pyramidale. Pyramidal Eur	ropean	Privet	. 12'
18 to 24 in	1.25		
Lindera benzoin. Common Spicebush.	12'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumpsB&B	15.00		
*Liquidambar formosana. Formosa Su	veetgun	n. 60	,
1½ to 1½ in	12.50		
*styraciflua. American Sweetgum	60'		
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.75
1¼ to 1½ in	6.00	5.00	4.50
1½ to 1¾ in	6.50	5.50	5.00
1 <sup>3</sup> / <sub>4</sub> to 2 in	8.50	7.00	
2 to 2½ in	10.00	8.50	
2½ to 3 in	18.00	15.00	
3 to 3½ in	25.00	20.00	
4 to 5 in	35.00	30.00	
5 to 6 in	50.00		
*styraciflua aurea. Golden Sweetg	um. 6	0"	
1½ to 1¾ in	12.50		
1¾ to 2 in	15.00		
2 to 2½ in	20.00		
2½ to 3 in	25.00		

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

*Liriodendron	1-4 Each	5-24 Each	25 & up
chinense. Chinese Tuliptree. 70'	Edch	Euch	Eden
	15.00		
2 to 2½ in	20.00		
*tulipifera. Tuliptree. 80'			
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1½ to 1½ in	4.50	4.25	4.00
1½ to 1¾ in	5.50	4.75	4.50
13/4 to 2 in	6.50	5.50	5.00
	10.00	7.50	6.50
	15.00	12.50	
	20.00		
	25.00		
*tulipifera fastigiatum. Pyramid T	_		P
6 to 8 ft	7.50	6.50	
	10.00	8.50	
	12.50		
	15.00		
2½ to 3 in			
3 to 3½ in	30.00		
Lonicera alseuosmoides.			
2 year		.75	.60
amoena arnoldiana. Arnold Hone	ysuckl	e. 6'	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
bella albida. White Belle Honeysue	ckle.	10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft		.65	.60
4 to 5 ft	1.25	1.00	.85
	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
bella atrorosea. Pink Belle Honeys		10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
billardi. 8'			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
browni plantierensis. Coral Browns		eysuckl	e. 4'
2 year	.85	.70	.60
3 year	1.00	.75	

Lonicera	1-4 Each	5-24 Each	25 & up Each
	10'	=0	00
2 year	.85	.70	.60
chrysantha. Coralline Honeysuckle			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
conjugialis. Purpleflower Honeysu		8 <b>'</b>	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
fragrantissima. $Winter\ Honeysuckl$			
2 to 3 ft	.65	.55	
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	
fuchsioides. Fuchsia Honeysuckle.	4'		
2 year	1.00	.85	.75
gracilipes. Spangle Honeysuckle.	<i>6'</i>		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
heckrotti. Everblooming Honeysuc			
2 year	.75	.65	.60
henryi. Henry Honeysuckle. 15'			
2 year	.75	.65	.60
hirsuta. Hairy Honeysuckle. 15'			
2 year	.75	.60	
3 year		.75	
involucrata. Bearberry Honeysuckle.			
18 to 24 in			
japonica. Japanese Honeysuckle.		20	20
2 year			.25
3 year			
japonica chinensis. Purple Japanes  2 year		геуѕиск	ie. 15
japonica halleana. Hall Japanese		uga alda	201
2 year			
3 year			
japonica aureo-reticulata.	.00	.00	.20
Yellownet Japanese H	oneus	uck!e	15'
2 year	_		20
	2,00		

Lonicera.	1-4	5-24	25 & up
koehneana. Koehne Honeysuckle.	Each 12'	Each	Each
3 to 4 ft	1.00		
4 to 5 ft	1.50		
korolkowi floribunda.			
Broad Blueleaf Honeys	suckle	10'	
2 to 3 ft		.75	
3 to 4 ft	1.25	1.00	
korolkowi zabeli. 10'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
ledebouri. Ledebour Honeysuckle.	. 10'		
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
maacki. Amur Honeysuckle. 10'			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50		
maacki podocarpa. 10'			
3 to 4 ft,	.85	.65	
4 to 5 ft	1.25	1.00	
5 to 6 ft		1.25	
morrowi. Morrow Honeysuckle. 8	3'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
morrowi xanthocarpa.			
Yellowfruit Morrow Honeys		8'	
3 to 4 ft		.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	
muendeniensis. Muenden Honeysu		8'	
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
nitida. Box Honeysuckle. 4'	1 00		20
6 to 12 in	1.00	.75	.60
orientalis longifolia. (kesselringi).		0.0	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
periclymenum belgica. Dutch Woo			60
2 year	.75	.65	.60
3 year	1.00	.80	.75

Yaninana	1-4 Each		25 & up Each
Lonicera			
pileata. Privet Honeysuckle. 2' 6 to 12 in	1.00	.75	.60
prolifera. Grape Honeysuckle. 5'			
3 year	1.00	.75	
quinquelocularis. Mistletoe Honey	suck!	e. 10'	
2 to <b>3</b> ft	1.00	.85	.75
3 to 4 ft	1.25	1.00	.90
ruprechtiana. Manchurian Honeysu	ackle.	10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
saccata. 5'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00		
sempervirens. Trumpet Honeysuck	le. 1	5'	
2 year		.50	.45
3 year		.60	.55
spinosa alberti. Albert Thorn Hor			
12 to 15 in	.75	.60	1
15 to 18 in	1.00		
standishi. Standish Honeysuckle.		.10	
2 to 3 ft	.65	.55	.50
	.85		.60
3 to 4 ft	1.25		.00
4 to 5 ft		1.00	
syringantha. Lilac Honeysuckle. 4 15 to 18 in., 4 in. pots	1.50	1.25	
18 to 24 in., field grown	1.50	1.25	1.00
,			
syringantha wolfi. Wolf Lilac Hon	-		•
15 to 18 in., 4 in. pots		1.25	
tatarica. Tatarian Honeysuckle.			= 0
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	
tatarica alba. White Tatarian Hon			)'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25

### Lonicera

tatarica lutea. Yellow Tatarian Ho	neysu	ickle.	10'
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
tatarica rosea. Rosy Tatarian Hon	eysuc	kle. 1	0'
	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
tatarica sibirica. Red Tatarian Hon	eysuc	kle. 1	O'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
tatarica virginalis. Maiden Honeysu	ckle.	10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
tellmanniana. Tellmann Honeysuckl	le. 10	)'	
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle. 4'			
· · · · · · · · · · · · · · · · · · ·	1.50		
xylosieum. European Fly Honeysu		8'	
2 to 3 ft		.55	.50
	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
Lycium chinense. Chinese Wolfberry.	5'		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
halimifolium. Matrimony Vine. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	
Lyonia ligustrina. He-Huckleberry. 12'			
	5.00	4.00	
mariana. Staggerbush Lyonia. 6'		2.00	
	5.00	4.00	
	6.00	5.00	

Maackia amurensis. Amur Maackia.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.	1-4 Each 40' 3.00 4.00 5.00 6.00	5-24 Each	25 & up Each
Maclura pomifera. Osage-orange. 30'			
3 to 4 ft	1.25	1.00	
Magnolia acuminata. Cucumber Tree.	70'		
6 to 8 ftB&B	12.50		
8 to 10 ftB&B	- •		
10 to 12 ftB&B 2	20.00	15.00	
denudata. Yulan Magnolia. 50'			
4 to 5 ftB&B	15.00		
1 00 0 100			
fraseri. Fraser Magnolia. 50'			
8 to 10 ft,B&B 3	30.00		
glauca (see virginiana).			
hypoleuca. (see obovata).			
kobus. Kobus Magnolia. 25'			
4 to 5 ftB&B 1			
4 to 5 ftB&B 1			
4 to 5 ft	12.50	10.00 8.50	
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis. 4 to 5 ft. B&B 1 5 to 6 ft. B&B 1	12.50 10.00 12.50	10.00 8.50 11.00	10.00
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis. 4 to 5 ft. B&B 1 5 to 6 ft. B&B 1 6 to 8 ft. B&B 1	12.50 10.00 12.50 17.50	8.50 11.00 16.00	10.00 15.00
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis. 4 to 5 ft. B&B 1 5 to 6 ft. B&B 1 6 to 8 ft. B&B 1 8 to 10 ft. B&B 2	12.50 10.00 12.50 17.50 25.00	8.50 11.00 16.00	10.00 15.00
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis.  4 to 5 ft. B&B 1 5 to 6 ft. B&B 1 6 to 8 ft. B&B 1 8 to 10 ft. B&B 2 8 to 10 ft. Spec. B&B 3	12.50 10.00 12.50 17.50 25.00 35.00	8.50 11.00 16.00	10.00 15.00
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis. 4 to 5 ft. B&B 1 5 to 6 ft. B&B 1 6 to 8 ft. B&B 1 8 to 10 ft. B&B 2	12.50 10.00 12.50 17.50 25.00 35.00	8.50 11.00 16.00	10.00 15.00
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis.  4 to 5 ft. B&B 1 5 to 6 ft. B&B 1 6 to 8 ft. B&B 1 8 to 10 ft. B&B 2 8 to 10 ft. B&B 3 Larger sizes quoted on recommendations.	12.50 10.00 12.50 17.50 25.00 35.00	8.50 11.00 16.00	10.00 15.00
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis.  4 to 5 ft. B&B 1 5 to 6 ft. B&B 1 6 to 8 ft. B&B 1 8 to 10 ft. B&B 2 8 to 10 ft. Spec. B&B 3	12.50 10.00 12.50 17.50 25.00 35.00 quest.	8.50 11.00 16.00	10.00 15.00
4 to 5 ft	12.50 10.00 12.50 17.50 25.00 35.00 quest.	8.50 11.00 16.00	10.00 15.00
4 to 5 ft	12.50 10.00 12.50 17.50 25.00 35.00 quest.	8.50 11.00 16.00	10.00 15.00
4 to 5 ft. B&B 1 5 to 6 ft. B&B 1  kobus borealis.  4 to 5 ft. B&B 1 5 to 6 ft. B&B 1 6 to 8 ft. B&B 1 8 to 10 ft. B&B 2 8 to 10 ft. B&B 3 Larger sizes quoted on recommendation and compacta.  kobus nana compacta. 8' 3 to 4 ft. B&B 3 8 to 10 ft. B&B 3 8 to 10 ft. B&B 3	12.50 10.00 12.50 17.50 25.00 35.00 quest. 15.00 0' 25.00	8.50 11.00 16.00 22.50	10.00 15.00
4 to 5 ft	12.50 10.00 12.50 17.50 25.00 35.00 quest. 15.00 o' 25.00 nolia.	10.00 8.50 11.00 16.00 22.50	10.00 15.00
4 to 5 ft	12.50 10.00 12.50 17.50 25.00 35.00 quest. 15.00 o' 25.00 nolia. 18.00	10.00 8.50 11.00 16.00 22.50 50' 15.00	10.00 15.00
4 to 5 ft	12.50 10.00 12.50 17.50 25.00 35.00 quest. 15.00 o' 25.00 nolia. 18.00 25.00	10.00 8.50 11.00 16.00 22.50 50' 15.00 20.00	10.00 15.00

# 1-4 5-24 Each Each 25 & up Each

## Magnolia

soular	nge	ana.	Saucer Magnolia. 20'	
	to		ftB&B 10.00	
4	to		ftB&B 12.50	
5	to		ftB&B 15.00	
6	to		ftB&B 20.00	
s. len	nei.	Le	nne Saucer Magnolia. 20'	
	to		ftB&B 12.50	
_	to		ft	
	to		ftB&B 15.00	
			ftB&B 25.00	
J		10	20,00	
-4-11-4	- 0	٧	74 75 01	
			Magnolia. 8'	
	to		ft	
			ftB&B 15.00	
4	to	Э	ftB&B 20.00	
stellat	a r	osea	. Pinkstar Magnolia. 15'	
_	to		ftB&B 15.00	
			ftB&B 20.00	
			ftB&B 25.00	
	to		ftB&B 30.00	
8	to	10	ftB&B 35.00	
tripeta	ala.	Ur	nbrella Magnolia. 30'	
5	to	6	ftB&B 10.00 7.50	
6	to	8	ftB&B 12.50 10.00	
8	to	10	ftB&B 20.00 15.00	
10	to	12	ftB&B 25.00 20.00	
virgin	iana	a. (g	glauca). Sweetbay Magnolia. 25'	
2	to	3	ftB&B 4.50 4.00	3.50
3	to	* 4	ftB&B 5.50 5.00	4.50
4	to	5		6.50
5	to	6	ftB&B 12.50 10.00	9.00
6	to	8	ftB&B 15.00 13.50	12.50
8	to	10	ftB&B 20.00 17.50	15.00

10 to 12 ft......B&B 30.00 25.00

Mahonia aquifolium. Oregongrape.	1-4 Each	5-24 Each	25 & up Each
18 to 24 inB&B		3.25	3.00
24 to 30 inB&B	4.50	4.00	
30 to 36 inB&B	6.00		
repens. Creeping Mahonia. 1'			
12 to 15 in. spreadB&B	3.50	2.75	2.50
15 to 18 in. spreadB&B	4.00	3.50	3.00
18 to 24 in. spreadB&B	4.50	4.00	
Malus adstringens. 12'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crabapple.	25'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
arnoldiana. Arnold Crabapple. 1	2'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
atrosanguinea. Carmine Crabappl	e. 20'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
8 to 10 ft. specB&B	20.00		
baccata. Siberian Crabapple. 30'			
3 to 4 ft	1.50		1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
baccata mandshurica. Manchurian			30'
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	

				1-4 Each	5-24 Each	25 & up Each
Malus						
brevi	pes.	12	<b>,</b>			
3	to	4	ft	1.50	1.25	
4	to	5	ft	1.75	1.50	
5	to	6	ft	2.50		
coron	arie	. W	Vild Sweet Crabapple.	30'		
3	to	4	ft	1.50	1.25	1.00
4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	2.50	2.25	2.00
6	to	8	ft	3.50	3.00	2.50
8	to	10	ft	6.00	5.00	
10	to	12	ft	10.00		
coron	aria	Cl	narlotte. 15'			
3	to	4	ft	1.75		
4	to	5	ft	2.50		
5	to	6	ft	3.00		
6	to	8	ft	3.50		
8	to	10	ft	6.00		
10	to	12	ft	10.00		
dolga	. 18	5 <b>'</b>				
4	to	5	ft	1.75	1.50	
5	to	6	ft	2.50		
6	to	8	ft	3.50		
8	to	10	ft	6.00		
10	to	12	ft	10.00		
			. Weeping Flg. App			
			t. spread	3.00		
4	to	5 f	ct. spread	4.00		
			Florentine Crabapple.	20'		
			ft	2.25		
			ft	3.00		
6	to	8 1	<b>[t.</b>	4.00		
			apanese Flowering C			
	to		ft	1.50	1.25	1.00
	to		ft	2.00	1.75	1.50
			ft	2.50	2.25	2.00
			ft	3.50	3.00	2.50
8	to	10	ft	6.00	5.00	

				1-4	5-24	25 & up
Malus			,	Each	Each	Each
fusca.		-	n Crabapple. 20'			
4	to		ft	1.75	1.50	
5	to		ft	2.50	2.00	
6	to	_	ft	3.50	3.00	
8			ft	6.00		
glauce	esce	ns.	Dunbar Crabapple. 1	2'		
3	to	4	$ft_{{\scriptscriptstyle\bullet}}\dots\dots\dots\dots$	1.50	1.25	
4	to	5	ft	2.00	1.75	
5	to	6	ft	2.50	2.25	
6	to	8	ft	3.50	3.00	
8	to	10	ft	6.00	5.00	
hallia	na.	$H\alpha$	ll's Crabapple. 15'			
5	to	6	ft	6.00		
6	to	8	ft	7.50		
			ft	10.00		
hallia	na	par	kmani. Hall's Parkma	en Cra	bapple	. 15'
3	to	4	ft	2.00	1.50	
4	to	5	ft	2.50	2.00	
5	to	6	$ft_{\scriptscriptstyle\bullet}\dots\dots\dots$	3.50	3.00	
6	to	8	ft	6.00	5.00	
8	to	10	ft	7.50	6.00	
10	to	12	ft	10.00		
hopa.	$R\epsilon$	ed F	Clowering Crabapple.	12'		
4	to	5	ft	1.75	1.50	
5	to	6	ft	2.50	2.00	
6	to	8	ft	3.50	3.00	
8	to	10	ft	6.00	5.00	
hupeh	ens	sis	theifera). 20'			
4	to	5	ft	2.00	1.50	
5	to	6	ft	2.75	2.25	
6	to	8	ft	4.00	3.50	
8	to	10	ft	6.00		
h. ros	ea	(the	ifera rosea). 20'			
4	to	5	ft	- 2.25	2.00	
5	to	6	ft	2.75	2.50	
6	to	8	ft	4.00	3.50	
8	to	10	ft	6.00	5.00	
10	to	12	ft	10.00		
ioensi	s. I	Pra	irie Crabapple. 25'			
3	to	4	ft	2.00	1.50	1.25
4	to	5	ft	2.25	1.75	1.50
5	to	6	ft	3.00	2.50	2.00
6	to	8	ft	4.00	3.50	3.00
8	to	10	ft	6.00	5.00	

Malus.	1-4 Each	5-24 Each	25 & up Each
ioensis plena. Bechtel Crabapple.	15'		
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.50	
8 to 10 ft	7.50		
micromalus. Midget Crabapple.	10'		
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
niedzwetzkyana. Redvein Crabapy	nle (	20 <b>'</b>	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
Oekonemurat Echtermeyer. 15'	0.00		
3 to 4 ft	2.00		
4 to 5 ft	3.00		
5 to 6 ft	4.00		
purpurea. Purple Crabapple. 15'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft		3.00	
8 to 10 ft	6.00	5.00	
purpurea aldenhamensis.			
Aldenham Purple Crabapple	. 15'	•	
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 8 ft	4.00		
purpurea eleyi. Eley Purple Cra	bannl	e. 15'	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00		
	2.50		
	3.50		
	6.00		

Malus	1-4 Each	5-24 Each	25 & up Each
purpurea lemoinei. Lemoine Purp	le Cro	abapple	e. 15'
3 to 4 ft	2.00	11	
prunifolia rinki. Chinese Pearleaf	Crab	apple.	15 <b>'</b>
4 to 5 ft	1.75		
5 to 6 ft	2.50		
6 to 8 ft	3.50		
8 to 10 ft	6.00		
10 to 12 ft	10.00		
robusta. Cherry Crabapple. 15'			
3 to 4 ft	1.75		
4 to 5 ft	2.00		
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
robusta erecta. Column Cherry (	Crabap	ople.	15'
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
robusta persicifolia.			
Peachleaf Cherry Crabappl		,	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00		
sargenti. Sargent Crabapple. 8'			
3 to 4 ft	2.00	1.75	
	2.50		
5 to 6 ft		2.75	
6 to 8 ft	4.00	3.50	
scheideckeri. Scheidecker Craba		20'	1.05
3 to 4 ft		1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
sieboldi. Toringo Crabapple. 15		1.05	1.00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75 $2.50$	$\frac{1.50}{2.00}$	1.25 1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	6.00	5.00	4.50
	10.00	0.00	7.00
10 to 12 10	10.00		

Malus				1-4 Each	5-24 Each	25 & up Each
	bili	is.	Chinese Crabapple.	15 <b>'</b>		
	to		ft	1.75	1.25	
4	to		ft	2.00	1.50	
5	to		ft	2.50	2.00	1.50
6	to		ft	3.50	3.00	2.75
8	to		ft	6.00	5.00	
specta	bili	s a	lbiplena.			
_			le White Chinese Cro	abappl	e. 15'	
3	to		ft	1.75	1.50	
4	to	5	ft	2.25	2.00	
5	to	6	ft	3.00	2.50	
6	to	8	ft	4.00	3.50	
8	to	10	ft	6.00	5.00	
sublol	oata	ì.	Yellow Autumn Craba	pple.	15'	
	to		ft	2.00	1.75	
5	to	6	ft	2.50	2.25	
6	to	8	ft	3.50	3.00	
8	to	10	ft	6.00	5.00	
theife	ra.	(se	e hupehensis)			
toring	oid	es.	Cutleaf Crabapple.	15'		
3	to	4	ft	1.75	1.50	
4	to	5	ft	2.00	1.75	
5	to	6	ft	2.50	2.25	
6	to	8	ft	3.50	3.00	
8	to	10	ft	6.00	5.00	
tschor	osk	i.	20'			
3	to		ft			
4	to		ft			
	to		ft			
			veitchi. Veitch Yunna	in Cro	abapple	. 25'
	to		ft	1.75		
			ft	2.00		
			ft	2.50		
			ft	3.50		
8	to	10	ft	6.00		
zumi.	Z	um	i Crabapple. 15'			
			ft	1.75	1.50	
	to		ft	2.50	2.00	
6			ft	3.50	3.00	
8			ft	6.00	5.00	
10	to	12	ft	10.00		

	1-4 Each	5-24 Each	25 & up Each
Malus			
zumi calocarpa. 15'			
5 to 6 ft	2.50		
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	
Morus alba tatarica. Russian Mulberry.	60 <b>'</b>		
F 4. C : £4	1.50	1.25	1.00
5 to 6 ft	1.50.	1.50	1.00 $1.25$
6 to 8 ft	1.75		
8 to 10 ft	2.50	2.25	2.00
1½ to 1¾ in	3.50	3.00	2.50
13/4 to 2 in	5.00	4.50	4.00
2 to 2½ in	7.50	6.50	
	,		
Myrica carolinensis. (see pennsylvanic	ca)		
cerifera. Southern Waxmyrtle.	5'		
2 to 3 ft		3.25	
3 to 4 ft. heavyB&B		6.00	
4 to 5 ft. heavy B&B		7.50	
4 to 5 It, heavy b&b	10.00	1.50	
gale. Sweetgale. 4'			
18 to 24 inB&B	3.00	2.50	
2 to 3 ftB&B	4.00	3.50	3.00
pennsylvanica. Northern Bayber	was 5'		
18 to 24 inB&B	$\frac{7y}{2.50}$	2.25	
24 to 30 in			
24 to 30 m	5.50	0.40	
Neillia longiracemosa. 10'			
	1.00	.85	.75
3 to 4 ft			
4 to 5 ft			
sinensis. Chinese Neillia. 6'			
2 to 3 ft	1.00		
3 to 4 ft			
4 to 5 ft	2.00	1.75	1.50
Nomonopathus museonate Maurice	Hallar	101	
Nemopanthus mucronata. Mountain 2 to 3 ft	-	10'	
3 to 4 ft	4.00		
o to 4 It	4.00		
Neviusia alabamensis. Snow-wreath.	6'		
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	

	1-4 Each	5-24 Each	25 & up Each
Nyssa aquatica. Water Tupelo. 40'			
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
sylvatica. Black Tupelo. 40'			
3 to 4 ftB&B		4.50	
4 to 5 ft	6.50	5.50	
5 to 6 ftB&B		7.50	6.50
6 to 8 ftB&B		10.00	8.50
8 to 10 ft		12.50	
10 to 12 ft		7	~-0
sylvatica pendula. Weeping Black 4 to 5 ft	-	lo. 2	5′
Ostrya virginiana. American Hophore			
5 to 6 ft		3.50	4.00
6 to 8 ft		4.50	4.00
8 to 10 ft			5.00
		7.50	
*Oxydendrum arboreum. Sourwood.		0 =0	•
2 to 3 ftB&B		3.50	3.00
3 to 4 ftB&B 4 to 5 ftB&B		4.50	4.00
4 to 5 ftB&B 5 to 6 ftB&B	6.50	5.50	
	$8.50 \\ 12.50$	7.50 $10.00$	
	18.00		
10 to 12 ft		20.00	
Pachistima canbyi. Canby Pachistim		20.00	
3 inch pots		.85	.75
10 to 12 in. spd., field grown		1.10	1.00
Paeonia suffruticosa. Tree Peony. 6'			
8 to 10 in., 3 year	5.00		
Parrotia persica. Persian Parrotia.			
2 to 3 ft	5.00		
3 to 4 ft	6.50		
Parthenocissus henryi. Silvervein Cre		15'	
4 inch pots	1.00		
quinquefolia. Virginia Creeper.	35'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year		.60	.50
q. engelmanni. Engelmann Virgin		-	35'
	.40		.25
	.50		.35
4 year	.75	.60	.50

Parthenocissus	1-4 Each	5-24 Éach	25 & up Each
q. saintpauli. St. Paul Virginia	Creep	er. 3	
2 year	.40	.30	.25
3 year			.35
tricuspidata veitchi. $Veitch\ Japa$			
2 year			
3 year		.55	
tricuspidata lowi. Lows Japanese			
2 year from pots			
3 year from pots, heavy			1.00
Paulownia tomentosa. Royal Paulown		80 <b>'</b>	
6 to 8 ft	6.00		
8 to 10 ft			
10 to 12 ft			
Periploca graeca. Grecian Silkvine.			
2 year	.75	.65	
3 year	1.00	.85	.75
Perovskia atriplicifolia. 4'			
2 to 3 ft			
Phellodendon amurense. Amur Cork			
6 to 8 ft		2.25	2.00
8 to 10 ft		2.75	2.50
1½ to 1½ in		3.75	3.50
1½ to 1¾ in		4.75 $6.00$	4.50 5.50
$1\frac{3}{4}$ to $2$ in		8.50	5.50
japonicum. Japanese Corktree. 3		0.00	
6 to 8 ft	4.00		
lavallei. Lavalle Corktree. 30'	1.00		
8 to 10 ft	4.00		
1½ to 1¾ in			
Philadelphus coronarius. Sweet Mock	corang	e. 10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft			1.00
6 to 8 ft			1.25
coronarius aureus. Golden Mockoo	_		
18 to 24 in			
24 to 30 in.	1.50	1.25	11
coronarius nanus. Dwarf Sweet I		range. .65	4' .60
15 to 18 in.		.75	.00
18 to 24 in			
10 (0 &1 111,	1.20	1.00	

Philadelphus	1-4 Each	5-24 Each	25 & up Each
coronarius plenus. Double Sweet			6'
18 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
cymosus Banniere. 8'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
c. Norma. 8'			
2 to 3 ft	.65	.55	.50
3 to 4 ft.	.85	.65	.60
4 to 5 ft.	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
c. Voie Lactee. 6'		1,20	2000
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50		
falconeri. Falconers Mockorange.	8'		
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
gordonianus. Gordon Mockorange.			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
grandiflorus. Big Scentless Mock	orange	. 8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft.	1.75	1.50	1.25
incanus. Gray Mockorange. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
inodorus. Scentless Mockorange.	10'		
3 to 4 ft	1.25		
lemoinei. Avalanche. 5'			
2 to 3 ft	.75	.65	
lemoinei Dame Blanche. 6'			
	.75	.65	
lemoinei erectus. Erect Lemoine		_	<b>5'</b>
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.70	.65

Philadelphus	1-4 Each	5-24 Each	25 & up Each
lemoinei Pyramidale. 6'	Lucii	Lucii	Lucii
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
magdalenae. Magdalena Mockoran	ge. 6	,	
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
nepalensis. Nepal Mockorange. 1	0'		
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
nivalis. Snowbank Mockorange. 1	0'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
polyanthus Favorite. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	
p. Gerbe de Neige. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
p. Pavillon Blanc. 8'			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
purpureo-maculatus Ophelia. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	
p. Sybille. 5'			
18 to 24 in	.75	60	
2 to 3 ft	1.00	.75	
	1.00		
sericanthus. Silk Mockorange. 12			
3 to 4 ft	2'	1.25	
	2'	1.25 1.50	

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
splendens. Splendens Mockorange	. 10'		
2 to 3 ft	1.50	1.25	
virginalis Albatre. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
v. Argentine. 5'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
v. Bouquet Blanc. 5'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.75	
v. Glacier. 6'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	
v. virginal. 8'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	.85	.65	
Photinia villosa. Oriental Photinia. 1	5'		
3 to 4 ft		.85	.75
4 to 5 ft		1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft		2.75	2.50
8 to 10 ft	5.00	4.00	3.50
villosa laevis. Smooth Oriental Pi		. 15'	
4 to 5 ft		2.00	
5 to 6 ft		2.50	
6 to 8 ft	4.00		
Physocarpus intermedius parvifolius.			
Dwarf Illinois Ninebark,	<i>L</i> '		
2 to 3 ft	•	.80	.75
3 to 4 ft	1.25	1.10	1.00
monogynus. Mountain Ninebark.			
3 to 4 ft			

opulifolius. Common Ninebark. 10'  2 to 3 ft	Physocarpus	1-4 Each	5-24 Each	25 & up
3 to 4 ft	opulifolius. Common Ninebark.		LGCIT	Lacii
4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  opulifolius luteus. Goldleaf Ninebark. 10' 2 to 3 ft	2 to 3 ft	.65	.55	.50
5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  opulifolius luteus. Goldleaf Ninebark. 10'  2 to 3 ft	3 to 4 ft	.85	.65	.60
opulifolius luteus. Goldleaf Ninebark. 10'  2 to 3 ft	4 to 5 ft	1.25	1.00	.85
opulifolius luteus. Goldleaf Ninebark. 10'  2 to 3 ft	5 to 6 ft	1.50	1.25	1.00
2 to 3 ft	6 to 8 ft	1.75	1.50	1.25
3 to 4 ft.	opulifolius luteus. Goldleaf Nine	bark.	10'	
4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  opulifolius nanus. Dwarf Common Ninebark. 5' 2 to 3 ft	2 to 3 ft	.65	.55	.50
5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 1.75 1.50 1.25  opulifolius nanus. Dwarf Common Ninebark. 5' 2 to 3 ft	3 to 4 ft	.85	.65	.60
opulifolius nanus. Dwarf Common Ninebark. 5'  2 to 3 ft	4 to 5 ft	1.25	1.00	.85
opulifolius nanus.       Dwarf Common Ninebark.       5'         2 to 3 ft.       .75 .60       .55         3 to 4 ft.       1.00       .80       .75         4 to 5 ft.       1.25 1.00       .90         Picea abies (excelsa). Norway Spruce.       75'         2 ft.       B&B 4.00       3.50       3.00         3 ft.       B&B 6.00       5.00       4.50         4 ft.       B&B 8.00       7.00       6.50         5 ft.       B&B 12.00       10.00       9.00         6 ft.       B&B 15.00       12.00         7 ft.       B&B 25.00       9 ft.       B&B 25.00         For larger sizes to 25 ft., add \$5.00 per foot.       abies aurea. Golden Norway Spruce.       75'         3 ft.       B&B 10.00       4 ft.       B&B 15.00         4 ft.       B&B 15.00       6 ft.       B&B 18.00         For larger sizes to 12 ft., add \$5.00 per foot.       abies clanbrasiliana. Barry Norway Spruce.       7'         2 ft.       B&B 8.00       3 ft.       B&B 10.00         abies ellwangeriana. Ellwanger Norway Spruce.       6'         18 to 24 in.       B&B 7.50       6.00         24 to 30 in.       B&B 10.00       7.	5 to 6 ft	1.50	1.25	1.00
2 to 3 ft				
3 to 4 ft. 1.00 .80 .75 4 to 5 ft. 1.25 1.00 .90  Picea abies (excelsa). Norway Spruce. 75'  2 ft. B&B 4.00 3.50 3.00 3 ft. B&B 6.00 5.00 4.50 4 ft. B&B 8.00 7.00 6.50 5 ft. B&B 12.00 10.00 9.00 6 ft. B&B 15.00 12.00 7 ft. B&B 18.00 8 ft. B&B 25.00 For larger sizes to 25 ft., add \$5.00 per foot.  abies aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 4 ft. B&B 15.00 6 ft. B&B 15.00 6 ft. B&B 15.00 6 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 8 ft. B&B 10.00 8 ft. B&B 10.00 9 ft. B&B 10.00 6 ft. B&B 10.00 6 ft. B&B 10.00 6 ft. B&B 10.00 6 ft. B&B 10.00 7 ft. B&B 10.00 8 ft. B&B 10.00			ebark.	5'
4 to 5 ft.       1.25       1.00       .90         Picea abies (excelsa). Norway Spruce. 75'         2 ft.       B&B 4.00       3.50       3.00         3 ft.       B&B 6.00       5.00       4.50         4 ft.       B&B 8.00       7.00       6.50         5 ft.       B&B 12.00       10.00       9.00         6 ft.       B&B 15.00       12.00         7 ft.       B&B 18.00       8       8       15.00       12.00         7 ft.       B&B 25.00       9       9       9       15.00       12.00       10.00				
Picea abies (excelsa). Norway Spruce. 75'  2 ft.				
2 ft.	4 to 5 ft	1.25	1.00	.90
2 ft.	Picea abies (excelsa). Norway Spruce	. 75'		
3 ft. B&B 6.00 5.00 4.50 4 ft. B&B 8.00 7.00 6.50 5 ft. B&B 12.00 10.00 9.00 6 ft. B&B 15.00 12.00 7 ft. B&B 18.00 8 ft. B&B 25.00 For larger sizes to 25 ft., add \$5.00 per foot.  abies aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 4 ft. B&B 15.00 6 ft. B&B 15.00 6 ft. B&B 15.00 6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot.  abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00	-		3.50	3.00
4 ft. B&B 8.00 7.00 6.50 5 ft. B&B 12.00 10.00 9.00 6 ft. B&B 15.00 12.00 7 ft. B&B 18.00 8 ft. B&B 20.00 9 ft. B&B 25.00 For larger sizes to 25 ft., add \$5.00 per foot.  abies aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 4 ft. B&B 15.00 6 ft. B&B 15.00 6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot.  abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50 30 to 36 in. B&B 10.00 7.50			5.00	4.50
5 ft. B&B 12.00 10.00 9.00 6 ft. B&B 15.00 12.00 7 ft. B&B 18.00 8 ft. B&B 20.00 9 ft. B&B 25.00 For larger sizes to 25 ft., add \$5.00 per foot.  abies aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 4 ft. B&B 15.00 6 ft. B&B 15.00 6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot.  abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00				
6 ft. B&B 15.00 12.00 7 ft. B&B 18.00 8 ft. B&B 20.00 9 ft. B&B 25.00 For larger sizes to 25 ft., add \$5.00 per foot.  abies aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 4 ft. B&B 12.50 5 ft. B&B 15.00 6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot.  abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00				
7 ft.				0.00
8 ft.			12.00	
9 ft. B&B 25.00 For larger sizes to 25 ft., add \$5.00 per foot.  abies aurea. Golden Norway Spruce. 75' 3 ft. B&B 10.00 4 ft. B&B 12.50 5 ft. B&B 15.00 6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot. abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 3 to 36 in. B&B 12.50 10.00				
For larger sizes to 25 ft., add \$5.00 per foot.  abies aurea. Golden Norway Spruce. 75'  3 ft.				
abies aurea. Golden Norway Spruce. 75'  3 ft.			per foo	ot.
3 ft. B&B 10.00 4 ft. B&B 12.50 5 ft. B&B 15.00 6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot. abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 30 to 36 in. B&B 12.50 10.00				
4 ft			J	
5 ft. B&B 15.00 6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot. abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00				
6 ft. B&B 18.00 For larger sizes to 12 ft., add \$5.00 per foot.  abies clanbrasiliana. Barry Norway Spruce. 7' 2 ft. B&B 8.00 3 ft. B&B 10.00  abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00  abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00				
For larger sizes to 12 ft., add \$5.00 per foot.  abies clanbrasiliana. Barry Norway Spruce. 7'  2 ft. B&B 8.00  3 ft. B&B 10.00  abies ellwangeriana. Ellwanger Norway Spruce. 10'  2 ft. B&B 7.50  3 ft. B&B 10.00  abies maxwelli. Maxwell Norway Spruce. 6'  18 to 24 in. B&B 7.50 6.00  24 to 30 in. B&B 10.00 7.50  30 to 36 in. B&B 12.50 10.00				
abies clanbrasiliana. Barry Norway Spruce. 7'  2 ft. B&B 8.00  3 ft. B&B 10.00  abies ellwangeriana. Ellwanger Norway Spruce. 10'  2 ft. B&B 7.50  3 ft. B&B 10.00  abies maxwelli. Maxwell Norway Spruce. 6'  18 to 24 in. B&B 7.50 6.00  24 to 30 in. B&B 10.00 7.50  30 to 36 in. B&B 12.50 10.00			ner foo	ot.
2 ft. B&B 8.00 3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00			_	
3 ft. B&B 10.00 abies ellwangeriana. Ellwanger Norway Spruce. 10' 2 ft. B&B 7.50 3 ft. B&B 10.00 abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00			,	•
abies ellwangeriana. Ellwanger Norway Spruce. 10'  2 ft				
2 ft. B&B 7.50 3 ft. B&B 10.00  abies maxwelli. Maxwell Norway Spruce. 6' 18 to 24 in. B&B 7.50 6.00 24 to 30 in. B&B 10.00 7.50 30 to 36 in. B&B 12.50 10.00			Spruce	10'
3 ft	_		Spr wee.	10
abies maxwelli. Maxwell Norway Spruce. 6'         18 to 24 in.       B&B 7.50 6.00         24 to 30 in.       B&B 10.00 7.50         30 to 36 in.       B&B 12.50 10.00				
18 to 24 in			ce. 6'	
24 to 30 in		-		
30 to 36 inB&B 12.50 10.00				

TAMESVILLE, OTHO			7/
Picea	1-4 Each		25 & up Each
abies nana. Dwarf Norway Spri	uce. 4	,	
18 to 24 inB&B			
24 to 30 in	10.00	7.50	
30 to 36 inB&B			
36 to 42 in		2.0.00	
abies parviformis.			
Dwarf Pyramid Norway S	Spruce.	4'	
2 ftB&B	10.00		
3 ftB&B	12.50		
abies pendula. Weeping Norway	Spruc	e. 20'	
3 ftB&B		.,,	
4 ft			
5 ftB&B			
6 ft			
		non fo	o.h
For larger sizes to 12 ft., add	•		
abies procumbens. Prostrate Non		Spruce.	3'
2 ft. spdB&B			
2½ ft. spdB&B	10.00		
abies pygmea. Pygmy Norway Sp	ruce.	20'	
18 to 24 inB&B			
24 to 30 inB&B			
abies remonti. Remont Norway S		6'	
18 to 24 in		6.00	
24 to 30 in			
30 to 36 in			
36 to 42 in,		12.50	
42 to 48 inB&B	20.00	15.00	
alba. (see glauca)			
asperata. Dragon Spruce. 60'			
2 ftB&B	7.50	6.00	
3 ftB&B	10.00		
bicolor. (alcockiana). Alcock Spre	uco "Y	51	
3 ft		J	
4 ft			
engelmanni. Engelmann Spruce.			
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B	18.00		
LARGE SPECIMEN SHRUBS QUOTED	ON RI	EQUEST	

		1-4 Each	5-24 Each	25 & up Each
Picea		Edcri	Edch	Ederi
e. microp	hylla. Dwarf Engelman	n Spr	uce. 5	<b>5</b> ′
2 ft.	B&B	12.50		
3 ft.	B&B	15.00		
glauca, (a	lba). White Spruce. 50	,		
2 ft.	B&B	4.50	4.00	3.75
3 ft.	B&B	6.00	5.50	5.00
4 ft.	B&B	8.00	7.00	
5 ft.	B&B	12.50	10.00	
6 ft.	B&B	15.00		
7 ft.	B&B	18.00		
8 ft.	B&B	20.00		
g. aurea.	Golden White Spruce.	30'		
2 ft.	B&B	7.50		
3 ft.				
a conjen	Dangarf Albanta Carrosa	e!		
	Dwarf Alberta Spruce.		0.50	
3 ft.				
4 ft.	B&B	15.00	12.50	
g. densata	. (canadensis). Black Hi	ills Sp	ruce.	<i>60</i> ′
2 ft.	B&B	5.00	4.00	
3 ft.	B&B	7.50	6.00	
4 ft.	B&B 1	10.00	7.50	
5 ft.	B&B	12.50	10.00	
6 ft.	B&B 1	15.00		
7 ft.	B&B 1	18.00		
8 ft.	B&B 2	20.00		
g. nana.	Pygmy White Spruce 6'	,		
18 in.	B&B	7.50		
mariana d	oumeti. Doumet Black S	Spruce.	25'	
3 ft.	B&B	7.50		
4 ft.	B&B 1	10.00		
5 ft.	B&B 1	12.50		
omorika.	Serbian Spruce. 50'			
	B&B 1	10.00	7.50	
			10.00	
	B&B 1			

SEE PAGE 162 FOR COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each	5-24 Each	25 & up Each
Picea.			
orientalis. Oriental Spruce. 75'			
2 ftB&B	6.50	6.00	
3 ftB&B	8.50	7.50	
4 ftB&B	12.50		
5 ftB&B			
6 ftB&B			
0 10.			
polita. Tigertail Spruce. 75'			
2 ft B&B	6.50	6.00	
3 ftB&B		7.50	
4 ftB&B		10.00	
For larger sizes to 10 ft., add		per fo	oot.
pungens. Colorado Spruce. 60'	F 00	4.00	3.75
2 ftB&B	5.00 6.50	4.00 $5.50$	
3 ft	8.00	7.00	
4 ftB&B 5 ftB&B		1.00	
J 1t			
pungens glauca. Blue Colorado S	pruce.	60 <b>'</b>	
2 ftB&B		9.00	)
3 ftB&B	13.50	12.50	
4 ftB&B	18.00	15.00	)
5 ftB&B	25.00		
pungens kosteriana. Koster Blu	ie Spr	uce. 5	10'
2 ftB&B	12.50	10.00	0
2½ ftB&B	15.00	12.50	)
3 ftB&B			0
3½ ftB&B			
4 ftB&B			
4½ ftB&B			
5 ftB&B			
5½ ftB&E 6 ftB&E			
7.0			
7 ft			
0 16			

For larger sizes to 25 ft., add \$7.50 per foot.

Picea.		25 & up Each
1 100d.		
pungens moerheimi. Moerheim Blue Sp	ruce.	40'
2½ ft. B&B 15.00		
3 ftB&B 18.00		
3½ ftB&B 20.00		
4 ftB&B 25.00		
sitchensis. Sitka Spruce. 40'		
-		
3 ft		
4 ft B&B 10.00		
5 ft		
Pieris floribunda. Mountain Pieris. 4'		
18 to 24 in B&B 6.50		
24 to 30 in B&B 8.50		
japonica. Japanese Pieris. 10'		
15 to 18 in B&B 5.00		
18 to 24 in		
Pinus banksiana. Jack Pine. 60'		
2 ftB&B 5.00	4.25	3.75
3 ftB&B 6.50	5.50	5.00
4 ft B&B 10.00		7.50
5 ftB&B 12.50		
6 ftB&B 15.00	12.50	
7 ftB&B 20.00		
8 ft B&B 25.00		
For larger sizes to 18 ft., add \$5.00 p	er foo	ot.
bungeana. Lacebark Pine. 60'		
5 ftB&B 12.50		
6 ftB&B 15.00		
cembra. Swiss Stone Pine. 70'		
2 ftB&B 12.50		
3 ft B&B 15.00		
4 ftB&B 20.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4	5-24	25 & up
Pi <b>nus</b>	Each	Each	Each
densiflora. Japanese Red Pine.	60'		
2 ftB&B		4.25	
3 ft B&B			
4 ftB&B	10.00	8.50	
5 ftB&B			
6 ft B&B	15.00	12.50	
7 ftB&B	20.00	15.00	
8 ftB&B	25.00	20.00	
For larger sizes to 17 ft., add	\$5.00 ]	per foo	t.
densiflora umbraculifera. Tanyos	ho Pin	ıe.	
2 ftB&B	12.50		
flexilis. Limber Pine. 30'			
3 ftB&B	10.00	7.50	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00	12.50	
6 ftB&B	20.00	15.00	
7 ftB&B	25.00	20.00	
For larger sizes to 16 ft., add	\$5.00	per foo	t.
koraiensis. Korean Pine. 35'			
3 ft	10,00		
4 ftB&B			
mugo. (montana). Swiss Mounta	in Pin	e. 10'	
18 inB&B			
2 ftB&B	4.50	4.00	
2½ ftB&B			
3 ftB&B	7.50	6.50	
3½ ftB&B	10.00		
4 ftB&B	15.00		
5 ftB&B	20.00		
6 ftB&B	25.00		
7 ftB&B	35.00		
mugo mughus. Mugho Swiss Mor	untain	Pine.	4'
15 to 18 in. spdB&B			
18 to 24 in. spd B&B			3.25
2 to 2½ ft. spd B&B			4.00
2½ to 3 ft. spdB&B			
3 to 3½ ft. spd. B&B	12.50	10.00	
3½ to 4 ft. spd. B&B	17.50		
4 to 5 ft. spdB&B	25.00		
5 to 6 ft. spdB&B	35.00		
6 to 7 ft. spdB&B	45.00		

Pinus	1-4 Each	5-24 Each	25 & up
nigra. Austrian Pine. 50'	20011	2.00.	2011
2 ftB&B			
3 ftB&B			
5 ftB&B		12.50	
6 ftB&B	20.00		
7 ftB&B			
8 ftB&B	30.00		
9 ftB&B	35.00		
For larger sizes to 25 ft., add	\$5.00	per foo	t.
peuce. Balkan Pine. 20'	0.50	= =0	
2 ftB&B		7.50	
	12.50		
4 ftB&B			
5 ftB&B	18.00	15.00	
ponderosa. Ponderosa Pine. 60'			
3 ftB&B			
4 ft		8.50	
5 ftB&B	12.50		
parviflora. Japanese White Pine			
3 ftB&B	12.50		
resinosa. Red Pine. 50'			
3 ftB&B			
4 ftB&B	12.50	10.00	
5 ftB&B	15.00	12.50	
8 ftB&B	30.00	25.00	
9 ftB&B	35.00	30.00	
For larger sizes to 12 ft., add	\$5.00 1	per foo	t.
rigida. Pitch Pine. 25'			
3 ftB&B			
4 ftB&B	12.50		
5 ftB&B			
strobus. Eastern White Pine. 75			
2 ftB&B		6.50	
3 ftB&B		7.50	
4 ftB&B			
5 ftB&B			
For larger sizes to 20 ft., add 3	\$5.00 p	per foot	
sylvestris. Scotch Pine. 50'	E 00	4.50	4.00
2 ftB&B	5.00	4.50	4.00
3 ft		6.00	5.50
4 ftB&B			8.00
5 ftB&B	15.00	12.50	11.00

			1-4 Each	5-24 Each	25 & up Each
Pinus sylves					
6 ft		B&B		15.00	
7 ft		B&B	_	18.00	
8 ft		B&B		20.00	
9 ft		B&B		25.00	
10 ft		B&B		30.00	
		reri. Waterer Scot		2. 10'	
		B&B			
		panese Black Pine.	60'		
2 ft 3 ft		B&B			
4 ft		B&B			
5 ft					
6 ft					
7 ft		B&B			
, , ,		is. American Pla		75'	
6	to 8	ft		2.00	1.75
8	to 10	ft		2.75	2.50
11/4	to 14	2 in		4.00	3.75
$1\frac{1}{2}$	to 13	4 in	6.00	5.50	5.00
13/4	to 2	in	7.50	6.75	6.25
2	to 2½	⁄2 in	10.00	9.50	9.00
$2\frac{1}{2}$	to 3	in	15.00	12.50	10.00
acerifoli		riental Planetree.			
6	to 8	ft		2.25	2.00
8	to 10	ft		3.25	3.00
11/4	to 13			4.75	4.50
$1\frac{1}{2}$	to 13			6.25	6.00
13/4	to 2	in		8.00	
21/5	to 2½ to 3			10.00 $12.50$	
		• Silvervine Fleed			= 0
2 ye	ar		.75	.60	.50
		nite Poplar. 60'			
6		ft		2.50	
		ft		4.00	
13/4		in		5.00	
2		½ in			
		Bolleana Poplar.		4 00	4.05
6	to 8	ft		1.50	
8		ft		1.75	1.50
		/2 in	-	2.50	
1 1/2	10 19	4 in	4.00	3.50	

				1-4 Each	5-24 Each	25 & up
Pepulus alba					*	
			in	6.00		
2	to	$21/_{2}$	in	8.00	7.00	
alba niv	ea.	Sili	ver Poplar. 90'			
8	to	10	ft	4.00	3.00	
10	to	12	ft	5.00	4.00	
2	to	$2^{1/2}$	in	7.50		
beroline	nsis	. Be	rlin Poplar. 40'			
8	to	10	ft	2.50	2.25	2.00
11/4	to	$1\frac{1}{2}$	in	3.00	2.75	2.50
1 1/2	to	13/4	in	3.50	3.25	3.00
13/4	to	2	in	5.00	4.00	3.50
candicar	ıs.	Bali	n of Gilead. 90'			
8	to	10	ft	2.50	2.25	
11/4	to	$1\frac{1}{2}$	in	3.00	2.50	
maximo	wic	zi. Je	apanese Poplar. 4	0'		
8		10		3.50	3.00	
10	to	12	ft	4.50	4.00	
11/2	to	$1\frac{3}{4}$	in	5.50	5.00	
2	to	$2\frac{1}{2}$	in	8.50	7.50	
nigra be	tul	ifolia.	Birchleaf Black	Pople	ır. 60'	
13/4			· ·	6.00	5.00	
2	to		in	8.50	7.50	
$2^{1/2}$	to	3	in	12.50	10.00	
nigra ita	lica	a. $La$	embardy Poplar.	30 <b>'</b>		
6	to		ft		.75	.65
8	to	10	ft	1.25	1.00	.90
10	to	12	ft	1.75	1.50	1.25
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in	2.75	2.25	2.00
13/4	to	2	in	4.00	3.50	3.00
2	to	$2\frac{1}{2}$	in	6.00	5.00	4.50
$2^{1/2}$	to	3	in	10.00	8.50	7.50
3	to	$3\frac{1}{2}$	in	15.00	12.50	
simoni.	Si	mon	Poplar. 35'			
6	to	8	ft	1.50	1.25	1.00
8	to	10	ft	2.00	1.75	1.50
1 1/4	to	$1\frac{1}{2}$	in	2.75	2.25	2.00
$1\frac{1}{2}$		13/4	in	4.00	3.00	2.50
13/4	to	2	in	6.00	5.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	-4 ach	5-24 Each	25 & up
Populus.			20011
suaveolens. Mongolian Poplar. 40'			
1½ to 1¾ in 4.	.50	4.00	
13/4 to 2 in 6.	.00	5.00	
2½ to 3 in	.00	7.50	
tremuloides. Quaking Aspen. 50'			
8 to 10 ft	.00		
10 to 12 ft 4.	.00		
1 <sup>3</sup> / <sub>4</sub> to 2 in 5.	.00		
2 to 2½ in 7.	50		
trichocarpa. California Poplar. 40'			
10 to 12 ft 3.	.00	2.50	
1½ to 1¾ in	.50	3.00	
13/4 to 2 in 5.	.00	4.00	
2 to 2½ in 6.	.00	5.00	
2½ to 3 in 10.	.00	7.50	
Potentilla fruticosa. Bush Cinquefoil. 4	,		
	75	.60	.50
	.00	.75	.00
2 10 9 11	.00	.10	
Prinsepia sinensis. Cherry Prinsepia. 6'			
9 to 12 in., from pots 2.	.00	1.75	
2 to 3 ft B&B 5.	00	4.00	
Prunus americana. American Plum. 20'			
	00	.85	.75
5 to 6 ft		1.25	1.00
6 to 8 ft		1.75	1.50
8 to 10 ft 2.		2.25	2.00
americana Newport.		4.40	2.00
Purpleleaf American Plum. 2	20'		
3 to 4 ft		1.00	
4 to 5 ft			
	00	1.75	
*avium plena.		2110	
Double White Flowering Cher	. 2.21.	<i>30</i> ′	
6 to 8 ft		4.00	
	00	5.00	
Large specimens quoted on requ			
besseyi. Bessey Cherry. 8'	•		
2 to 3 ft	75	.60	.50
3 to 4 ft 1.		.75	.65
4 to 5 ft		1.00	.85

	1-4 Each	5-24 Each	25 & up Each
Prunus			
cerasifera pissardi. Purpleleaf Plu			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
cistena. Purpleleaf Sand Cherry.	20'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
davidiana. David Peach. 25'			
4 to 5 ft	2.00		
5 to 6 ft	3.00		
6 to 8 ft	4.00		
8 to 10 ft	5.00		
davidiana alba. White David Pea	ch. 25	5'	
5 to 6 ft	<b>3.</b> 50		
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
dunbari. Dunbar Plum. 6'			
3 to 4 ft	1.25	1.00	
glandulosa. Almond Cherry. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.75	.65
4 to 5 ft	1.25	1.00	.85
glandulosa albiplena.			
$Double white \ Almond \ Cherry$	/. 6'		
2 to 3 ft		.85	
3 to 4 ft		1.25	
2 to 3 ft. own roots	2.00		
glandulosa sinensis. $Doublepink$ A	1 lmono	l Cher	ry. 6'
2 to 3 ft	1.00	.85	
3 to 4 ft	2100	1.25	
2 to 3 ft. own roots	2.00		
3 to 4 ft. own roots	2.50		
hortulana. Hortulan Plum. 30'			
4 to 5 ft	2.00		
5 to 6 ft	2.50		
6 to 8 ft		3.00	
8 to 10 ft	4.00	3.50	

	1-4	5-24	25 & up
Prunus	Each	Each	Each
Frunus			
incisa. Fuji Cherry. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.00	2.50
japonica. Chinese Bush Cherry.	12'		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
laurocerasus schipkaensis.			
Schipka Laurel Cherry. 10'			
12 to 15 in., 4 in. pots	2.00	1.75	
maacki. Amur Chokecherry. 30'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
maritima. Beach Plum. 12'			
2 to 3 ft	.75	.65	.55
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.25	1.00	.90
moseri fl. pl. 12'			
5 to 6 ft	2.50	1.75	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
mume. Japanese Apricot. 15'			
6 to 8 ft	3.50		
8 to 10 ft	5.00		
mume fl pl. Dbl. Flg. Japanese A	1 prico	t. 15'	
3 to 4 ft	3.50		
munsoniana. Wildgoose Plum. 25	,		
6 to 8 ft	3.50	3.00	
padus. European Bird Cherry. 3	0'		
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
pennsylvanica. Pin Cherry. 25'			
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
10 to 12 ft	5.00	4.00	

	1-4 Each	<b>5-24</b> Each	25 & up Each
Prunus	Lucii	Eden	Lucii
persica. Double Flowering Peach	. 10'		
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.25	1.50	
5 to 6 ft	3.00		
6 to 8 ft	4.00		
Alboplena — Double Wh	ite.		
Clara Meyer — Double P.	ink.		
Rosea Plena — Double Pi	nk		
Rubroplena. — Double Re	ed.		
persica pendula. Weeping Flowering	na Per	uch 11	7'
3 ft. standards	7.50	ion. It	,
	1.00		
pumila. Sand Cherry. 5'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
*sargenti. Sargent Cherry. 50'			
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
10 to 12 ft	5.00	4.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
*serrulata Amayadori. 30'			
5 to 6 ft	3.50		
6 to 8 ft			
*serrulata Higantakura. Dbl. White		Cherry	, 811'
5 to 6 ft	_	Cherry	. 00
6 to 8 ft	5.00		
8 to 10 ft	6.00		
Large specimens quoted on re	-	t	
*serrulata Hisakura. Dbl. Pink F	_		9 A'
4 to 5 ft	_	-	30
		3.00	
6 to 8 ft			
	6.00	4.00	
Large specimens quoted on r		et	
marge specimens quoted on i	eques		

	1-4 Each	5-24 Each	25 & up
Prunus	Eden	Lucii	Lucii
*serrulata James H. Veitch, syn.	Fugen	zo. 3	9 <b>'</b>
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft			
*s. James H. Veitch pendula.			
Dbl. Pink Weeping Cherry,			
2 yr. hds., 3 to 5 ft. stem	10.00		
*serrulata Jonioi. Jonioi Oriental	Cherry	. 25'	
5 to 6 ft		3.00	
6 to 8 ft	5.00	4.00	
*serrulata lannesiana. Hitoye Che	erry. S	30'	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
*serrulata sirotae. Shirotae Orien			25'
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00		
siberica. Siberian Apricot. 12'			
5 to 6 ft	3.00		
6 to 8 ft	3.50		
8 to 10 ft	5.00		
*sieboldi, syn. Naden. Siebold Che		0'	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft			
Large specimens quoted on re		0,00	
spinosa. Blackthorn. 12'	1		
	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	4.00	3.50	3.00
spinosa purpurea. Purpleleaf Blac.	kthorn.	12'	
3 to 4 ft	2.50		
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
I argo specimens queted on re	annat		

Large specimens quoted on request.

1-4 5-24 25 & up Each Each Each

### Prunus

$st$ subhirtella ascendens. $Shiro ext{-}higo$		) <b>"</b>	
6 to 8 ft	7.50		
*subhirtella autumnalis. Autumn II 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. Large specimens quoted on re	6.00 7.50 10.00	5.00 <b>6.5</b> 0	. 30'
*subhirtella pendula. Weeping Hig 2 yr. hds., 4 to 6 ft. stem			15'
tenella. Russian Almond. 6'			
2 to 3 ft	2.50		
3 to 4 ft	3.00		
4 to 5 ft	3.50		
tomentosa. Manchu Cherry. 10'			
2 to 3 ft	1.50		
3 to 4 ft	1.75		
4 to 5 ft	2.50		
triloba. Flowering Plum. 10'	2.00	1.75	1.50
4 to 5 ft	2.50		1.50
5 to 6 ft		$\frac{2.25}{3.25}$	
triloba plena. Double Flowering P			
3 to 4 ft	1.50		
4 to 5 ft		1.50	
5 to 6 ft	3.00		
virginiana. Chokecherry. 30'			
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
v. demissa. Western Chokecherry.	<i>\$0'</i>		
4 to 5 ft	2.00		
*yedoensis. Yoshino Cherry. 35'			
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00		
	0.00	0.00	

5-24 25 & up Each Each

1-4 Each

-						
P	T*1	1	n	٦	٦	8

143												
*yedo	ensi	is 7	Caiz:	ın.	-fu	ku	ın.	3	0'	•		
4	to	5	ft				٠	 			 3.00	2.50
5	to	6	ft					 			 3.50	3.00
6	to	8	ft					 			 5.00	4.00
8	to	10	ft					 			 6.00	5.00
								_				

Large specimens quoted on request.

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$3.00, \$4.00 and \$5.00 each, respectively.

Amanogawa — semi-double pale pink

Gioiko — semi-double pale yellow

Hata-zakura — semi-double white

Horaisan - double pink

Hosokawanioi — semi-double flesh

Kuramayami — double pink

Kwanzan-syn. Sekiyama - double deep pink

Miyako — double pink

Shirofugen — double light pink

Shogetsu — double soft pink

Sumizome — double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

## Pseudotsuga taxifolia. (douglasi). Douglas Fir. 70'

2	ft.	B&B	5.00	4.50
3	ft.	B&B	7.50	6.50
4	ft.	B&B	10.00	9.00
5	ft.	B&B	12.50	
6	ft.	B&B	15.00	
7	ft.	B&B	18.00	
8	ft.		25.00	

For larger sizes to 25 ft., add \$5.00 per foot.

Ptelea trifoliata. Hoptree. 20'	1-4 Each	5-24 Each	25 & up Each
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00		1.25
		1.75	1.50
6 to 8 ft	4.50	1.75	1.50
Pterostyrax corymbosa. Little Epaulet	te-tree	. 20'	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50		
Pueraria thunbergiana. Thunberg Kud	zu-bea	n. 40'	,
2 year	.50	.40	.35
Pyracantha coccinea. Scarlet Firethorn	ı. 10'		
15 to 18 in., 4 inch pots			
18 to 24 in.,B&B	5.00		
coccinea lalandi. Laland Firethor	n. 10	,	
12 to 18 in., 4 in. pots		1.60	1.50
18 to 24 inB&B		4.50	4.00
2 to 3 ft B&B	7.50	6.50	6.00
3 to 4 ft. specimens B&B	15.00	12.50	
4 to 5 ft. specimens B&B			
5 to 6 ft. specimens B&B			
crenato-serrata. 10°			
	1.75		
Pyrus betulaefolia. Birch Leaf Pear.	20'		
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
salicifolia. Willowleaf Pear. 30'			
5 to 6 ft	3.00		
6 to 8 ft	4.00		
serrulata. 20'			
6 to 8 ft	4.00		
8 to 10 ft	5.00		
Quercus alba. White Oak. 75'			
6 to 8 ft	5.00	4.00	3.25
1½ to 1½ in	6.50	5.50	5.00
	9.00	8.00	7.50
· · · · · · · · · · · · · · · · · · ·	12.50	10.00	1.00
	15.00	12.50	
	18.00	00	
	25.00		

Quercus /	1-4 Each	5-24 Each	25 & up Each
bicolor. Swamp White Oak. 60'			
6 to 8 ft	5.00	4.00	3.25
1½ to 1½ in	6.50	5.50	5.00
1½ to 1¾ in	9.00	8.00	7.50
13/4 to 2 in	12.50	10.00	1.00
2 to 2½ in	15.00	12.50	
2½ to 3 in	18.00		
3 to 3½ in			
3½ to 4 in	•		
borealis. (rubra). Northern Red O		5 <b>′</b>	
6 to 8 ft	5.00	4.00	
1½ to 1½ in.	6.50	5.50	
1½ to 1¾ in	9.00	8.00	7.50
13/4 to 2 in	12.50	10.00	9.00
2 to 2½ in	15.00	12.50	
2½ to 3 in	18.00	16.00	
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25,00	
4 to 4½ in	40.00		
cerris. European Turkey Oak. 75'			
1½ to 1½ in	7.50		
1½ to 1¾ in	10.00		
13/4 to 2 in	12.50		
coccinea. Scarlet Oak. 75'			
1¼ to 1½ in	6.50	5.50	
1½ to 1¼ in	9.00	8.00	
13/4 to 2 in		10.00	9.00
2 to 2½ in	15.00	12.50	
2½ to 3 in	18.00	16.00	
3 to 3½ in		20.00	
3½ to 4 in		25.00	
4 to 4½ in	40.00		
imbricaria. Shingle Oak. 60'			
1½ to 1¾ in		10.00	
13/4 to 2 in		12.50	
2 to 2½ in	18.00	15.00	
lyrata. Overcup Oak. 75'			
	9.00		
134 to 2 in			
2 to 2½ in.	15.00		
macrocarpa, Bur Oak, 75'	20.00		
3½ to 4 in			
4 to 4½ in	40.00		

	1-4 Each	<b>5-24</b> Each	25 & up Each						
Quercus									
muhlenbergi. Chinkapin Oak. 50'									
8 to 10 ft	7.50	7.00							
palustris. Pin Oak. 75'									
1¼ to 1½ in	6.50	5.50							
1½ to 1¾ in	9.00	8.00	7.50						
13/4 to 2 in	12.50	10.00	9.00						
2 to 2½ in	15.00	12.50	11.00						
2½ to 3 in	18.00	16.00	15.00						
3 to $3\frac{1}{2}$ in	25.00	20.00							
3½ to 4 in	30.00	25.00							
4 to 5 in	40.00								
5 to 6 in	50.00								
phellos. Willow Oak. 40'									
1½ to 1½ in	7.50	7.00							
1½ to 1¾ in	10.00	8.50							
13/4 to 2 in	12.50	10.00							
2 to 2½ in	15.00	12.50							
	25,00	20.00							
3 to 3½ in	30.00	25.00							
maining Chaption Only 701									
prinus. Chestnut Oak. 50'	0.00	0.00	7.50						
1½ to 1¾ in	$9.00 \\ 12.50$	8.00 10.00	7.50 9.00						
	15.00	12.50	9.00						
	18.00	16.00							
	25.00	20.00							
	30.00	25.00							
3½ to 4 in	50.00	20.00							
robur. English Oak. 80'									
1½ to 1¾ in									
2 to 2½ in									
2½ to 3 in									
3 to 3½ in									
3½ to 4 in		25.00							
4 to 4½ in	40.00								
robur fastigiata. Pyramidal Englis	sh Oak	k. 60°							
1½ to 1¾ in									
2½ to 3 in,B&B									
3 to 3½ in									
3½ to 4 in,									
rubra (see borealis).									

Quercus	1-4 Each	5-24 Each	25 & up Each
- Casicas			
stellata. Post Oak. 75'			
1½ to 1¾ in	9.00	8.00	
13/4 to 2 in	12.50	10.00	
2 to 2½ in	15.00	12.50	
texana. Texas Oak. 75'			
1½ to 1¾ in	9.00	8.00	7.50
1 <sup>3</sup> / <sub>4</sub> to 2 in	12.50	10.00	9.00
2 to 2½ in	15.00	12.50	11.00
2½ to 3 in	18.00	16.00	
	25.00	20.00	
3½ to 4 in	30.00	25.00	
4 to 4½ in	40.00		
variabilis. Oriental Oak. 75'			
1½ to 1½ in			
1½ to 1¾ in	10.00		
	12.50		
velutina. Black Oak. 70'			
	10.00	8.00	7.50
	12.50	10.00	9.00
	15.00	12.50	11.00
	20.00	16.00	15.00
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	25.00	
Retinospora (see Chamaecyparis).			
Rhamnus caroliniana. Carolina Buckth		25'	
4 to 5 ft			
5 to 6 ft	3.00		
cathartica. Buckthorn. 12'			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	
crenata. Oriental Buckthorn. 10'			
4 to 5 ft	3.50		
5 to 6 ft	4.00		
davurica. Dahurian Buckthorn. 18			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50

frangula. Glossy Buckthorn. 12'  3 to 4 ft
4 to 5 ft.       1.25 1.00       .85         5 to 6 ft.       1.50 1.35       1.25         6 to 8 ft.       2.00 1.75       1.50         8 to 10 ft.       2.50 2.00 1.75         frangula asplenifolia. Feathery Rhamnus 12'       3 to 4 ft.       2.50 2.00         4 to 5 ft.       3.50 3.00       3.00         5 to 6 ft.       4.00         koraiensis. Korean Buckthorn. 12'       12'         3 to 4 ft.       1.00 .90 .75         4 to 5 ft.       1.50 1.25 1.00         5 to 6 ft.       1.75 1.50 1.25         6 to 8 ft.       2.00 1.75         purshiana. Cascara Buckthorn. 12'         3 to 4 ft.       .85 .65 .60         4 to 5 ft.       1.25 1.00 .85         5 to 6 ft.       1.50 1.35 1.25         6 to 8 ft.       2.00 1.75 1.50         8 to 10 ft.       2.50 2.00 1.75         spathulaefolia. 6'       3 to 4 ft.       2.50 2.00         3 to 4 ft.       2.50 2.00         utilis. Chinese Buckthorn. 10'       3 to 4 ft.       1.50 1.25         4 to 5 ft.       2.00 1.50         wilsoni. 10'       3 to 4 ft.       1.75 1.50 1.25         4 to 5 ft.       2.00 1.75 1.50
5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         frangula asplenifolia. Feathery Rhamnus.       12'         3 to 4 ft.       2.50       2.00         4 to 5 ft.       3.50       3.00         5 to 6 ft.       4.00         koraiensis. Korean Buckthorn.       12'         3 to 4 ft.       1.00       .90       .75         4 to 5 ft.       1.50       1.25       1.00         5 to 6 ft.       1.75       1.50       1.25         6 to 8 ft.       2.00       1.75         purshiana. Cascara Buckthorn.       12'         3 to 4 ft.       85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulæfolia. 6'       3 to 4 ft.       2.00       1.50         4 to 5 ft.       2.00       1.50         utilis. Chinese Buckthorn.       10'         3
6 to 8 ft. 2.00 1.75 1.50 8 to 10 ft. 2.50 2.00 1.75  frangula asplenifolia.Feathery Rhamnus . 12' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.50 3.00 5 to 6 ft. 4.00  koraiensis. Korean Buckthorn. 12' 3 to 4 ft. 1.00 .90 .75 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75  purshiana. Cascara Buckthorn. 12' 3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.50 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 .85 5 to 6 ft. 1.50 1.25 1.00 .85 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.75  spathulaefolia. 6' 3 to 4 ft. 2.00 1.75  spathulaefolia. 6' 3 to 4 ft. 2.00 1.50 4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50
8 to 10 ft.       2.50       2.00       1.75         frangula asplenifolia.Feathery Rhamnus .       12'         3 to 4 ft.       2.50       2.00         4 to 5 ft.       3.50       3.00         5 to 6 ft.       4.00         koraiensis. Korean Buckthorn.       12'         3 to 4 ft.       1.00       .90       .75         4 to 5 ft.       1.50       1.25       1.00         5 to 6 ft.       1.75       1.50       1.25         6 to 8 ft.       2.00       1.75         purshiana. Cascara Buckthorn.       12'         3 to 4 ft.       85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulaefolia. 6'       3 to 4 ft.       2.50       2.00         utilis. Chinese Buckthorn.       10'       3 to 4 ft.       2.00       1.50         wilsoni.       10'       3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50 </td
frangula asplenifolia.Feathery Rhamnus . 12'  3 to 4 ft. 2.50 2.00  4 to 5 ft. 3.50 3.00  5 to 6 ft. 4.00  koraiensis. Korean Buckthorn. 12'  3 to 4 ft. 1.00 .90 .75  4 to 5 ft. 1.50 1.25 1.00  5 to 6 ft. 1.75 1.50 1.25  6 to 8 ft. 2.00 1.75  purshiana. Cascara Buckthorn. 12'  3 to 4 ft85 .65 .60  4 to 5 ft. 1.25 1.00 .85  5 to 6 ft. 1.50 1.35 1.25  6 to 8 ft. 2.00 1.75  spathulaefolia. 6'  3 to 4 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10'  3 to 4 ft. 1.50 1.25  4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10'  3 to 4 ft. 1.50 1.25  4 to 5 ft. 2.50 1.50  wilsoni. 10'  3 to 4 ft. 1.75 1.50 1.25  4 to 5 ft. 2.00 1.75  wilsoni. 10'  3 to 4 ft. 1.75 1.50 1.25  4 to 5 ft. 2.00 1.75
3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.50 3.00 5 to 6 ft. 4.00  koraiensis. Korean Buckthorn. 12' 3 to 4 ft. 1.00 .90 .75 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75  purshiana. Cascara Buckthorn. 12' 3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.75  purshiana. Cascara Buckthorn. 12'  3 to 4 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.75 8 to 10 ft. 2.50 2.00 1.75  spathulaefolia. 6' 3 to 4 ft. 2.00 1.50 4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75
4 to 5 ft. 3.50 3.00 5 to 6 ft. 4.00  koraiensis. Korean Buckthorn. 12'  3 to 4 ft. 1.00 .90 .75 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75  purshiana. Cascara Buckthorn. 12'  3 to 4 ft. 85 .65 .60 4 to 5 ft. 1.50 1.35 1.25 6 to 8 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.75  5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.75 1.50 8 to 10 ft. 2.50 2.00 1.75  spathulaefolia. 6' 3 to 4 ft. 2.00 1.50 4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75
5 to 6 ft.       4.00         koraiensis.       Korean Buckthorn.       12'         3 to 4 ft.       1.00       .90       .75         4 to 5 ft.       1.50       1.25       1.00         5 to 6 ft.       1.75       1.50       1.25         6 to 8 ft.       2.00       1.75         purshiana.       Cascara Buckthorn.       12'         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulaefolia.       6'         3 to 4 ft.       2.00       1.50         4 to 5 ft.       2.50       2.00         utilis.       Chinese Buckthorn.       10'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni.       10'         3 to 4 ft.       1.75       1.50         1.50       1.50         4 to 5 ft.       2.00       1.75
koraiensis.       Korean Buckthorn.       12'         3 to 4 ft.       1.00       .90       .75         4 to 5 ft.       1.50       1.25       1.00         5 to 6 ft.       1.75       1.50       1.25         6 to 8 ft.       2.00       1.75         purshiana.       Cascara Buckthorn.       12'         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulaefolia.       6'       3 to 4 ft.       2.00       1.50         4 to 5 ft.       2.50       2.00       1.75         4 to 5 ft.       2.00       1.50         wilsoni.       10'       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni.       10'       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
3 to 4 ft. 1.00 .90 .75 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75  purshiana. Cascara Buckthorn. 12' 3 to 4 ft85 .65 .60 4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.75 1.50 8 to 10 ft. 2.50 2.00 1.75  spathulaefolia. 6' 3 to 4 ft. 2.00 1.50 4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 1.75 1.50 1.25 4 to 5 ft. 1.75 1.50 1.25
4 to 5 ft.       1.50       1.25       1.00         5 to 6 ft.       1.75       1.50       1.25         6 to 8 ft.       2.00       1.75         purshiana. Cascara Buckthorn. 12'         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulaefolia. 6'         3 to 4 ft.       2.00       1.50         4 to 5 ft.       2.50       2.00         utilis. Chinese Buckthorn. 10'       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni. 10'       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
5 to 6 ft.       1.75       1.50       1.25         6 to 8 ft.       2.00       1.75         purshiana. Cascara Buckthorn. 12'         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulaefolia. 6'         3 to 4 ft.       2.50       2.00         utilis. Chinese Buckthorn.       10'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni.       10'         3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
6 to 8 ft. 2.00 1.75  purshiana. Cascara Buckthorn. 12'  3 to 4 ft
purshiana.       Cascara Buckthorn.       12'         3 to 4 ft.       .85       .65       .60         4 to 5 ft.       1.25       1.00       .85         5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulaefolia.       6'       2.00       1.50         4 to 5 ft.       2.50       2.00         utilis.       Chinese Buckthorn.       10'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni.       10'         3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
3 to 4 ft
4 to 5 ft. 1.25 1.00 .85 5 to 6 ft. 1.50 1.35 1.25 6 to 8 ft. 2.00 1.75 1.50 8 to 10 ft. 2.50 2.00 1.75  spathulaefolia. 6' 3 to 4 ft. 2.00 1.50 4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75
5 to 6 ft.       1.50       1.35       1.25         6 to 8 ft.       2.00       1.75       1.50         8 to 10 ft.       2.50       2.00       1.75         spathulaefolia. 6'         3 to 4 ft.       2.00       1.50         4 to 5 ft.       2.50       2.00         utilis. Chinese Buckthorn.       10'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni.       10'         3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
6 to 8 ft. 2.00 1.75 1.50 8 to 10 ft. 2.50 2.00 1.75 spathulaefolia. 6'  3 to 4 ft. 2.00 1.50 4 to 5 ft. 2.50 2.00 utilis. Chinese Buckthorn. 10'  3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 wilsoni. 10'  3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50
8 to 10 ft. 2.50 2.00 1.75  spathulaefolia. 6'  3 to 4 ft. 2.00 1.50 4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10' 3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50  wilsoni. 10' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50
spathulaefolia. 6'       2.00       1.50         3 to 4 ft.       2.50       2.00         utilis. Chinese Buckthorn. 10'       3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni. 10'       3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
3 to 4 ft.       2.00       1.50         4 to 5 ft.       2.50       2.00         utilis. Chinese Buckthorn.       10'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni.       10'       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
4 to 5 ft. 2.50 2.00  utilis. Chinese Buckthorn. 10'  3 to 4 ft. 1.50 1.25  4 to 5 ft. 2.00 1.50  wilsoni. 10'  3 to 4 ft. 1.75 1.50 1.25  4 to 5 ft. 2.00 1.75 1.50
utilis. Chinese Buckthorn.       10'         3 to 4 ft.       1.50       1.25         4 to 5 ft.       2.00       1.50         wilsoni.       10'       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
3 to 4 ft. 1.50 1.25 4 to 5 ft. 2.00 1.50 wilsoni. 10' 3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50
4 to 5 ft. 2.00 1.50  wilsoni. 10'  3 to 4 ft. 1.75 1.50 1.25 4 to 5 ft. 2.00 1.75 1.50
wilsoni. 10'         3 to 4 ft.       1.75       1.50       1.25         4 to 5 ft.       2.00       1.75       1.50
3 to 4 ft
4 to 5 ft
Rhododendron carolinianum, Carolina, Rhododendron 6'
Control 2011 Control 2011 Control Cont
2 to 3 ft B&B 7.50 6.75 6.50
catawbiense. Catawba Rhododendron. 8'
2 to 3 ftB&B 6.50 5.50 5.00
3 to 4 ft B&B 7.50 6.75 6.50
maximum, Rosebay Rhododendron. 15'
2 to 3 ft
3 to 4 ft B&B 7.00 6.50 6.00
4 to 5 ft B&B 10.00
Broad heavy clumps, B&B, at each rate, plus 50%.
Rhodora canadensis. Rhodora. 3'
Rhodora canadensis. Rhodora. 3' 15 to 18 in

	1-4 Each	5-24 Each	25 & up Each
Rhodotypos scandens. (kerrioides). Jetb	ead.	6'	
2 to 3 ft		.65	.60
2 4 4 64	1.00	.90	.85
			•00
Rhus aromatica. (canadensis). Fragrant	Sum	ac. 6'	
2 to 3 ft	.65	.55	.50
0 4 4 04	.85	.70	.65
	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
chinensis. Chinese Sumac. 20'			
6 40 0 01	.00		
0 4- 10 61	5.00		
	,,,,,		
copallina. Flameleaf Sumac. 20'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.70	.65
4 to 5 ft	.25	1.00	.85
	.50	1.25	1.00
	.75	1.50	1.25
8 to 10 ft 2	.00	1.75	1.50
cotinus. (see Cotinus coggygria).			
glabra Smooth Sumac. 12'			
2 to 3 ft	.60	.45	.40
2 4 - 4 64	.75	.55	.50
trilobata. Lemonade Sumac. 3'			
2 to 3 ft 1	.00		
typhina. Staghorn Sumac. 25'			
9 4- 9 64	CO	4.5	4.0
Control of the contro	.60 .75	.45	.40
4 4 5 0	. 75 .85	.55	.50
5 to 6 ft	.ი <i>ა</i> 95	.70 1.00	.60 .75
1	.40	1.00	.13
typhina lacinata. Cutleaf Staghorn	Sumo	ic. 25	,
0 1 0 01	.65	.50	
	75	.60	
A A Section 1	00	.85	
5 to 6 ft	25		
0 1 0 01	50		

Pibes alninum Alnina Camant I'	1-4 Each	5-24 Each	25 & up Each
Ribes alpinum. Alpine Currant. 4'	.75	.60	
aureum. Golden Currant. 10'	.10	.00	
	.65	.55	.50
3 to 4 ft	.85	.70	.65
	1.25	1.00	.80
5 to 6 ft	1.50	1.25	1.00
fasciculatum. Winterberry Currant	t. 4'		
18 to <b>24</b> in	.75	.65	
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
gordonianum. Gordon Currant. 8	,		
3 to 4 ft	1.50		
sanguineum. Winter Currant. 8'			
2 to 3 ft	1.00		
3 to 4 ft	1.50		
Robinia Elliotti. Elliott Locust. 10'	2.00		
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'	4.00	2 = 0	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
globosa. Globe Locust.	7.50		
3 yr. hds., 5 to 6 ft. stems			
3 yr. hds., 6 to 8 ft. stems	10.00		
hispida. Roseacacia Locust.	2.50		
2 yr. standard, 3 to 4 ft.	4.00		
2 yr. standard, 4 to 5 ft Bush form, 2 to 3 ft	1.50	1.25	
holdti. Holdt Locust. 25'	1.00	1.20	
4 to 5 ft	3.50		
5 to 6 ft	4.50		
kelseyi. Kelsey Locust. 12'	1.00		
6 to 8 ft	5,00		
8 to 10 ft	6.00		
Margaretta. Margaret Locust. 20			
6 to 8 ft	5.00		
8 to 10 ft	6.00		
neomexicana. New Mexico Locust.			
3 to 4 ft	2.50		
4 to 5 ft			

	1-4 Each	5-24 Each	25 & up Each
Robinia			
providence in Division I amount and			
pseudoacacia. Black Locust. 60' 5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	$\frac{1.50}{2.00}$	1.75	1.00 $1.50$
8 to 10 ft	2.75	2.50	$\frac{1.50}{2.25}$
10 to 12 ft	4.00	3.50	4.40
pseudoacacia bessoniana. Besson	Locust		
4 to 5 ft	5.00		
pseudoacacia decaisneana. Decais	ne Loc	eust.	40 <b>'</b>
5 to 6 ft	3.50		
6 to 8 ft	4.00		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
Rosa acicularis. Prickly Rose. 5'	2.0		4.0
18 to 24 in	.60	.45	.40
2 to 3 ft	.75	.55	.50
3 to 4 ft		.70	.65
acicularis bourgeauiana. Bourgeau		6'	
15 to 18 in	1.00		
alpina. (see pendulina).			
blanda. Meadow Rose. 5'			
18 to 24 in	.60	50	.45
	.75	.65	.55
3 to 4 ft	1.00	.75	.65
canina. Dog Rose. 8'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.70	.65
carolina (humilis). Carolina Rose.	<i>5</i> ′		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
coriifolia froebeli. Froebel Rose.	5'		
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	
davurica. Dahurian Rose. 6'			

	1-4 Each	5-24 Each	25 & up Each
Rosa	Eden	Lucii	Edeli
ecae. Eca Rose. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
eglanteria. Sweetbriar Rose, 6'			
2 to 3 ft	.75	.60	.55
	1.00		
4 to 5 ft	1.25	1.00	.85
eglanteria hybrids.			
2 to 3 ft	1.25		
3 to 4 ft			
Flora McIvor Lady Penz			
Green Mantle Lord Penz			
Jeannie Deans Lucy Asht			
foetida. Austrian Brier Rose. 10'			
2 year	2.50		
foetida persiana. Persian Yellow			
2 year			
helenae. Helen Rose. 6'	1.00		
	1.00	75	
2 to 3 ft			
3 to 4 ft		1.00	
helenae fl. pl. Dbl. Helen Rose.			
3 to 4 ft	1.50		
hugonis. Father Hugo Rose. 6'			
2 to 3 ft			
3 to 4 ft	1.50	1.25	
humilis. (see carolina).			
luciae fujisanensis. Mt. Fuji Rose.	8'		
3 to 4 ft	1.00	.85	
lucida. (see virginiana).			
marreti. Marret Rose. 6'			
3 to 4 ft	1.50		
maximowicziana jacki. Jack Rose.			
2 to 3 ft		1.25	
moyesi. Moyes Rose. 10'	-,00		
2 to 3 ft	3.00		
multiflora. Japanese Rose. 8'			
	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft			
multiflora cathayensis. Cathay Jan	panese	Rose	. 6'
3 to 4 ft		.85	.75

	1-4 Each	5-24 Each	25 & up Each
Rosa	Lacii	Lucii	Lacii
nitida. Shining Rose. 4'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.70	.65
palustris. Swamp Rose. 8'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.70	.65
pendulina. (alpina). Drophip Rose.	. 3'		
2 to 3 ft	1.00	.85	.75
	1.00	.00	.10
rouletti.	1 = 0		
12 to 15 in., 4 in. pots	1.50		
rubiginosa. (see eglanteria).			
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.65	.55	
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.75	
rugosa. Rugosa Rose. 6'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
rugosa alba. White Rugosa Rose.	6'		
18 to 24 in	.85	.70	.65
2 to 3 ft	1.00	.90	
rugosa hybrids. 5'			
2 to 3 ft			
3 to 4 ft	1.50	1.25	
Varieties:	C	173	41.
Blanche de Coubert, C. F. Mey Agnes Carmen, New Century,	-		
Mad. Geo. Bruant, Mrs. Antl			
Belle Poitevine, Sir Thomas I			
Agnes, F. J. Grootendorst.	1DtOI	i, mans	a,
rugosa hyb. — climbing.			
Max Graf	2.00	1.75	
rugosa repens. Creeping Rugosa R  2 year		1	
3 year	2.50		
sericea. Fourpetal Rose. 4'	2.00		
	1.25		
3 to 4 ft	1.50		
0 0 1 10,	1.00		

Rosa	1-4 Each	5-24 Each	25 & up Each
setigera. Prairie Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75 .85	.55	.50 .60
4 to 5 ft	.60.	.00	.00
spinosissima altaica. Altai Scotch	Rose.	4"	
13 to 24 in	.75	.65	.60
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	
spinosissima hispida. Bristly Scoto	ch Ros	e. 6'	
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.10	
spinosissima hybrids. 5'			
18 to 24 in	1.75		
Sgl. Blush, Dbl. White, Dbl. Pir	nk, Fu	lgens.	
Sgl. Red, Sgl. Pink, Sgl. White.			
suffulta. 3'			
2 to 3 ft	2.00	1.50	
virginiana (lucida). Virginia Rose.	6'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.70	.65
watsoniana. Watson Rose. 6'			
3 to 4 ft	1.50	1.25	
	1.00	1,20	
wichuraiana. Wichurai Rose. 2'	C.F		<b>F</b> 0
2 year		.55	
3 year	.10	.65	.60
wichuraiana hybrids. 2'	4.0=	4.00	
2 year			
Jersey Beauty, Sweetheart, Un			
ite, Manda's Triumph, South fection, Evergreen Gem.	Oran	ge Pe	Γ-
rection, Evergreen Geni.			

# ROSES

Hybrid Perpetuals. 2 year	r No. 1 1.25
Frau Karl Druschki	J. B. Clark
Gen. Jacqueminot	Mme. Albert Barbier
Geo. Arends	Mrs. John Laing
Paul Neyron	Ulrich Brunner

1-4	5-24	25 & up
Each	Each	Each

## ROSES

Hybrid Tea. 2 year No. 1  Betty Uprichard Chas. K. Douglas Etoile de France Gruss an Teplitz Jonkheer J. L. Mock Killarney Lady Alice Stanley Lady Hillingdon Mad. Abel Chatenay	Madame B Mrs. Henry Mrs. Henry Pres. Hoov Radiance Rev. F. Pa Sunburst White Kill Willowmer	utterfi y Bow y Mors yer ge-Rol	rles se	
Climbing Roses. 2 year No American Beauty American Pillar Aviateur Bleriot Dr. W. Van Fleet Dorothy Perkins Excelsa Gardenia Hiawatha	Mad. Greg Mary Wall Paul's Scar	goire S lace rlet Cl on rsia	Staechel imber	
Polyantha hybrids. 2 year Else Poulsen Gloria Mundi Golden Salmon	No. 1 Ideal Katherine Lafayette		et	
Rosa  woodsi. Wood's Rose.  2 to 3 ft		1.25		.60 .75
Rubus nemarosus. Caucasi  2 year  3 year	an Dewberr	y. 2' .75 1.00	.60 .75	.50 .60
odoratus. Fragrant Th  2 to 3 ft		1.00	.60 .75	.50 .60
3 to 4 ft				

	1-4 Each	5-24 Each	25 & up Each
Salix alba chermesina. Redstem White         6       to 8       ft.          8       to 10       ft.          1½ to 1¾ in.           1¾ to 2       in.	2.50 3.00	ow. 30 2.00 2.50 3.50 4.00	) <sup>'</sup>
a. vitellina. Yellowstem White Will 6 to 8 ft. 8 to 10 ft. 1½ to 1½ in. 1½ to 1¾ in. 1¾ to 2 in.  a. vitellina pendula.	2.75 3.00 3.50	2.50 2.75 3.00 3.50	2.25 2.50 2.75 3.25 4.00
Weepinggold White Willow. 6 to 8 ft. 8 to 10 ft. 1½ to 1¾ in. 1¾ to 2 in.  amygdaloides. Peachleaf Willow. 2 to 3 ft. 3 to 4 ft.		2.50 2.75 3.50 4.50 1.25 1.50	
4 to 5 ftbabylonica crispa. Ringleaf Weepin 6 to 8 ft	3.50	2.00 fillow.	<i>30</i> ′
babylonica solomoni. (see sepulcra blanda. Wisconsin Weeping Willow 6 to 8 ft	2.50 3.50	2.25 3.00 3.50	
caprea. Goat Willow. 20'         5 to 6 ft.         6 to 8 ft.         8 to 10 ft.	1.50 2.00 2.50	1.35 1.75 2.00	1.25 1.50 1.75
discolor. Pussy Willow. 20' 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.  doniana. Dons Willow. 9'	1.50 2.00 2.50	1.35 1.75 2.00	1.25 1.50 1.75
4 to 5 ft	1.50 1.75	1.25 1.50	

Salix	1-4 Each	5-24 Each	25 & up Each
eleagnos. (incana). Rosemary Wille	20 0	O'	
3 to 4 ft. shrub form	1.00	.70	.60
4 to 5 ft. shrub form	1.25	1.00	.85
5 to 6 ft. shrub form	1.75	1.50	1.25
5 to 6 ft. Shrub form	1.75	1.30	1.23
elegantissima. Thurlow Weeping V	Villou	. 50'	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	3.50	3.25	3.00
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	5.50	5.00	
2 to 2½ in	7.50	6.50	
fragilis. Brittle Willow. 50'			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
fragilis repandens. 10'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
	5.00	2.00	
incana. (see eleagnos).			
irrorata. Bluestem Willow. 12'			
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
0 10 0 11.	2.00	1.10	1.50
jessoensis. Yeddo Willow. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
lucida. Shining Willow. 18'	1 85	1 50	
3 to 4 ft	1.75	1.50	
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
matsudana. Hankow Willow. 35'			
6 to 8 ft	2.50	2.00	
8 to 10 ft	2.50	2.00 $2.50$	
1½ to 1¾ in.	4.00	$\frac{2.50}{3.50}$	
134 to 2 in	5.00	$\frac{3.50}{4.50}$	
174 to 2 III	0.00	1.00	

	1-4 Each	5-24 Each	25 & up
Salix		20011	2000
matsudana tortuosa.			
Contorted Hankow Willow.	20'		
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
mutabilis. 6'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
myricoides rigida. 9'			
3 to 4 ft	1.50	1,25	1.00
4 to 5 ft	1.75	1.50	1,25
5 to 6 ft	2.00	1.75	1.50
nigricans cotinifolia. 12'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
	P	_,_,	
niobe. Niobe Weeping Willow. 30 6 to 8 ft	2.75	2.50	
8 to 10 ft	3.00	2.75	
1½ to 1¾ in	4.50	4.00	
134 to 2 in	5.00	4.50	
2 to 2½ in	7.50	6.00	
	1.00	0.00	
patula. 20' 3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
	2,50	2.00	
pentandra. Laurel Willow. 30'	0.50	0.05	0.00
	2.50	2.25	2.00
	3.00	2.75	2.50
	3.50	3.25	3.00
1½ to 1¾ in	4.50	4.00	3.50
	6.00	5.00	
purpurea. Purpleosier Willow. 12'		1 55	1.50
	2.00	1.75	1.50
	2.50	2.25	2.00
	3.00	2.75	2.50
purpurea gracilis. Slender Purpleos			15'
5 to 6 ft		1.50	
	2.00		1.50
purpurea nana. Dwarf Purpleosier			
2 to 3 ft		1.00	.75
3 to 4 ft	1.50	1.25	1.00

	1-4	5-24	25 & up
Salix	Each	Each	Each
regalis. Royal Willow. 30'			
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.75	2,50	
8 to 10 ft	3.50	3.00	
sepulcralis. Solomon Weeping Wil.	low.	50 <b>'</b>	
8 to 10 ft	3.00	2.75	2.50
1¼ to 1½ in	3.75	3.25	3.00
1½ to 1¾ in	4.50	4.00	3.75
13/4 to 2 in	5.50	5.00	4.50
	7.50	6.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	15.00	12.50	
sieboldiana. Siebold Willow. 30'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
smithiana. Smith Willow. 20'			
2 to 3 ft	1.75	1.50	
3 to 4 ft	2.00	1.75	
tomini. 20'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50		
vitellina. (see alba vitellina).			
wentworthi. 50'			
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	5.00	4.00	
2 to 2½ in	7.50	6.50	
Sambucus canadensis. American Elder	. 10'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft		1.25	1.00
canadensis acutiloba. Cutleaf Ele			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25		.85
5 to 6 ft	1.50	1.25	1.00
coerulea. Blueberry Elder. 15'	2.00		
nigra. European Elder. 15'	2,00		
	1.50	1.25	
5 to 6 ft	1.75	1.50	
0 00 0 10,	2110	4,00	

	1-4	5-24	25 & up
Sambucus	Each	Each	Each
nigra aurea. Golden European Eld	er. 1	5 <b>'</b>	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
nigra albo-variegata.			
$Whiteblotch \ European \ Elder$	r. 10	)°	
3 to 4 ft	1.50		
pubens. Scarlet Elder. 8'			
3 to 4 ft	1.00	.80	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50		
racemosa. European Red Elder. 8	*		
3 to 4 ft	1.00	.80	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50		
Sassafras albidum. Common Sassafras.		4 = 0	
8 to 10 ft		4.50	
10 to 12 ft	7.50	6.00	
Schizophragma hydrangeoides.			
Japanese Hydrangea-vine.	20'		
from pots		1.75	
post		1110	
Sciadopitys verticillata. Umbrella Pine.	60'		
10 ft. specB&B 10	00.00		
Shepherdia argentea. Silver Buffalobe	rru.	<i>15</i> ′	
5 to 6 ft	2.00	1.75	
6 to 8 ft		2.50	
canadensis. Russet Buffaloberry.		2.00	
	2.25	2.00	
+ to J It	4.40	2.00	
Sinowilsonia henryi. Henry Wilsontree	. 8'		
2 to 3 ft	2.50		
3 to 4 ft	3.50		
Smilax rotundifolia. Common Greenbri	ier		
18 to 24 in	1.00	.75	.65
2 to 3 ft	1.25	1.00	.85
2 10 9 11	1.20	1.00	.00
Solanum dulcamara. Bitter Nightshade			
2 year	.75	.60	.50

Sophora japonica. Chinese Pagodatree.	1-4 Each . 25'	5-24 Each	25 & up Each
		6 50	
	7.50	6.50	
	10.00	7.50	
	12.50		
	15.00		
	20.00		
5 to 6 ft. specB&B	20.00		
6 to 8 ft. specB&B	25.00		
viciifolia. Vetchleaf Sophora. 8'			
18 to 24 inB&B	7.50	6.00	
Sorbaria aitchisoni. Kashmir False Si			
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
arborea glabrata. Smooth Tree F		_	
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
tomentosa. Lindley False Spiraea.		1.00	.00
3 to 4 ft	1.00	75	
		.75	
4 to 5 ft	1.25	1.00	
Sorbus americana American Mountain	Ash.	25'	
5 to 6 ft	4.00	3.50	
6 to 8 ft		4.00	
8 to 10 ft	5.00	4.50	
1½ to 1½ in		2,00	
aucuparia. European Mountain As	h. 50	P	
1½ to 1½ in	6.00		
1½ to 1¾ in	7.50	6.50	6.00
13/4 to 2 in	10.00	8.50	7.50
2 to 2½ in	12.50	10.00	9.00
	18.00	15.00	12.50
3 to 3½ in			
3½ to 4 in			
aucuparia columnaris. Columnar			)'
1½ to 1½ in		J10. 40	
2 to 2½ in	10.00		

Sorbus	1-4 Ecch	5-24 Each	25 & up Each
501543			
aucuparia fastigiata. $Pyramidal M$ 8 to 10 ft	7.50	. 40'	
aucuparia pendula. Weeping Mt. 2 yr., 5 to 6 ft. stem		0'	
8 to 10 ft	6.00	5.00 6.50	
latifolia. 40'			
6 to 8 ft. 8 to 10 ft. 2 to 2½ in.	5.00 6.00 10.00		
quercifolia. (see thuringiaca).			
spuria. 15'			
6 to 8 ft	5.00		
8 to 10 ft	6.00		
1½ to 1½ in	7.50		
thuringiaca. (quercifolia). Oaklea	f Mt. A	lsh. 3	35'
1½ to 1½ in	6.00	5.00	
1½ to 1¾ in	7.50	6.50	
1 <sup>3</sup> / <sub>4</sub> to 2 in	10.00	8.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	18.00	15.00	
3 to $3\frac{1}{2}$ in	25.00	20.00	
torminalis. Checkertree Mt. Ash.	<i>50</i> ′		
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
Spirea arguta. Garland Spirea. 6'			
2 to 3 ft	.65	.55	
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
billiardi. Billiard Spiraea. 6'			
2 to 3 ft	.65	.55	
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
bumalda. Bumalda Spiraea. 3'			
18 to 24 in	.65	.55	

Cuina	1-4 Each	5-24 Each	25 & up Each
Spiraea			
bumalda Anthony Waterer.			
Anthony Waterer Spiraed	ı. 3'		
15 to 18 in	.60	.50	.45
18 to 24 in	.65	.55	.50
bumalda walluffi. 3'			
18 to 24 in	.65	.55	
24 to 30 in.	.75		
	.,,	.00	
cantonensis. Reeves Spiraea. 8'			
2 to 3 ft		.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
cantonensis lanceata. Double Reeve	es Spi	iraea.	8'
2 to 3 ft		.55	
3 to 4 ft	.85	.65	.60
chamaedryfolia. ulmifolia. Elmleaf	Continu		,
2 to 3 ft	-	ieu. o	
3 to 4 ft	1.25		
	1.60		
douglasi. Douglas Spiraea. 8'			
2 to 3 ft		.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25		.85
5 to 6 ft	1.50	1.25	1.00
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	1.00	.70	.65
3 to 4 ft	1.25	1.00	.85
japonica. Japanese Spiraea. 6'			
	65	.55	.50
24 to 30 in	.85		
		.00	.00
japonica fortunei. Fortune Spirae  2 to 3 ft		5.5	50
3 to 4 ft		.55 .65	.50
japonica ovalifolia. Ovalleaf Japa			
18 to 24 in			.60
24 to 30 in			
japonica ruberrima. Red Japanese			
2 to 3 ft			.50
3 to 4 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
latifolia. (bethlehemensis).			
$Broadle af\ Meadows we et$	Spiraea.	6'	
2 to 3 ft	65	.55	.50
3 to 4 ft	85	.65	.60
4 to 5 ft	1.25	1.00	.85
margaritae. Margarita Spiraea.	. 5'		
2 to 3 ft		.65	
3 to 4 ft		.75	
nipponica rotundifolia. $Big\ Nip$	pon Spir	aea. 1	0'
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
prunifolia. Bridal Wreath Spir	raea. 8'		
2 to 3 ft		.60	.55
3 to 4 ft		.75	.70
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
pubescens. 6'			
3 to 4 ft	1.25		
4 to 5 ft	. 1.50		
salicifolia. Willowleaf Spiraea.	<i>5'</i>		
2 to 3 ft		.55	.50
3 to 4 ft		.75	.65
4 to 5 ft.		1.00	.85
superba. Striped Spiraea. 4'	CE	==	E0.
18 to 24 in			
2 to 3 it	10	.00	.00
syringiflora Lilac Spiraea. 3'			
18 to 24 in	1.25		
thunbergi. Thunberg Spiraea.	<i>5'</i>		
18 to 24 in	55	.45	.40
2 to 3 ft	75	.60	.55
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
tomentosa, Hardhack, 4'			
2 to 3 ft		.60	.50
3 to 4 ft		.75	.60

1-4 5-24 Each Each	25 & up Each
Spiraea	
trichocarpa. Korean Spiraea. 4'	
2 to 3 ft	.50
3 to 4 ft 1.00 .70	.60
4 to 5 ft 1.25 1.00	.85
van houttei. Vanhoutte Spiraea. 10'	
2 to 3 ft	.40
3 to 4 ft	.50
4 to 5 ft	.65
5 to 6 ft	.75
veitchi. Veitch Spiraea. 12'	
2 to 3 ft	.60
3 to 4 ft	.75
wilsoni. Wilson Spiraea. 6'	
3 to 4 ft	.75
4 to 5 ft	
Staphylea bumalda. Bumalda Bladdernut. 8'	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft 1.75	
colchica. Colchis Bladdernut. 12'	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
6 to 8 ft	
pinnata. European Bladdernut. 12'	
3 to 4 ft	
4 to 5 ft	
trifolia. American Bladdernut. 12'	
2 to 3 ft	.60
3 to 4 ft	.75
4 to 5 ft	1.00
5 to 6 ft	1.25
6 to 8 ft	1.50
Stephanandra incisa (flexuosa).	
Cutleaf Stephanandra. 6'	
2 to 3 ft	.50
3 to 4 ft	.65

1-4 5-24 25 & up Each Each Each

Stewartia ovata. (pentagyna). Mountain Ste	wartia.	
3 to 4 ftB&B 7.50	6.00	
4 to 5 ftB&B 10.00		
5 to 6 ftB&B 12.50		
6 to 8 ftB&B 20.00		
8 to 10 ftB&B 25,00		
ovata grandiflora. Showy Mountain Ste	wartia.	15'
6 to 8 ftB&B 20.00		
8 to 10 ftB&B 25.00		
serraia. 30'		
4 to 5 ftB&B 12.50		
5 to 6 ftB&B 15.00		
6 to 8 ftB&B 20.00		
Stranvaesia davidiana. Chinese Stranvaesia	. 5'	
12 to 15 in., from pots 1.75		
Styrax japonica. Japanese Snowbell. 20'		
3 to 4 ft B&B 7.50	6.00	
4 to 5 ftB&B 10.00	7.50	
5 to 6 ftB&B 12.50	10.00	
6 to 8 ftB&B 15.00	12.50	
8 to 10 ftB&B 20.00		
obassia. Fragrant Snowbell. 20'		
8 to 10 ftB&B 22,50		
10 to 12 ftB&B 27.50		
Symphoricarpus albus. (racemosus). $Snowb$		
2 to 3 ft		
3 to 4 ft	.60	.55
4 to 5 ft	.85	.75
chenaulti. Chenault Coralberry. 5'		
2 to 3 ft	.50	.45
3 to 4 ft	.60	.55
mollis. Spreading Snowberry. 6'		
2 to 3 ft	.50	.45
3 to 4 ft	.60	.55
occidentalis. Western Snowberry, 5'		
2 to 3 ft	.55	.50
3 to 4 ft		.60
	.00	100

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos	Lacri	Eden	Eden
o. heyeri. Thinleaf Western Snow	berry.	. 5'	
2 to 3 ft	1.00		
orbiculatus (vulgaris). Indiancurra	nt Co	ralberr	y. 5'
2 to 3 ft			.40
3 to 4 ft	.65	.55	.50
orbiculatus leucocarpus. White I	ndiane	urrant.	5'
2 to 3 ft	1.25	1.00	
racemosus. (see albus).			
*Symplocos paniculata. Sapphireberry	Swee	tleaf.	20'
2 to 3 ft.	1.50	1.25	1.00
3 to 4 ft	1.75		
4 to 5 ft			1.50
5 to 6 ft			
6 to 8 ft	3.50	3.00	
Syringa amurensis japonica.			
Japanese Tree Lilac. 20'			
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.25	
	3.00	2.75	2.50
	4.00	3.50	3.00
	12.50	10.00	
12 to 15 ft	15.00		
chinensis. syn. rothomagensis. Chin			10'
2 to 3 ft			.55
3 to 4 ft			.70
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
chinensis alba. White Chinese Lila			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
chinensis metensis. 10'	1.05	1.00	P. F.
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	

Syringa	1-4 Each	5-24 Each	25 & up Each
chinensis saugeana. $Purple\ Chines$	se Lile	nc 10	r
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.75	.70
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
emodi. Himalayan Lilac. 8'	1.10	1,00	1.20
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
henryi eximea. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
japonica. (see amurensis japonica)	•		
josiflexa Guinevere. 20'			
2 to 3 ft	3.00		
josikaea. Hungarian Lilac. 10'			
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	
microphylla. Littleleaf Lilac. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	,
5 to 6 ft	3.00	2.50	2.00
oblata. Early Lilac. 12'			
3 to 4 ft	1.50	1.35	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.00	
oblata dilatata. Korean Early Lile			
2 to 3 ft	1.25	1.10	1.00
3 to 4 ft	1.50	1.35	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	

	1-4 Each	5-24 Each	25 & up Each
Syringa			
polinopaia Delina Tilaa 15'			
pekinensis. $Peking \ Lilac$ . 15' 4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	
6 to 8 ft, spec B&B	15.00		
8 to 10 ft. spec	20.00		
persica. Persian Lilac. 10'			
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	1.00	.85
4 to 5 ft	1.50	1.25	1.00
persica alba. White Persian Lilac.	10'		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
prestoniae. Preston Lilac. 20'			
2 to 3 ft	3.50		
<b>Handel</b> — magenta			
<b>Paulina</b> — fuchsine p	ink		
<b>Isabella</b> — fuchsine p	ink		
Nerissa — pink	,		
<b>Hecla</b> — fuchsia purp	le		
pubescens. Hairy Lilac. 6'			
2 to 3 ft			
3 to 4 ft	3.00		
4 to 5 ft	3.50	3.00	
velutina. Manchurian Lilac. 10'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
villosa. Late Lilac. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.80	.70
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	$\frac{1.35}{2.00}$	1.25
6 to 8 ft	2.50	4.00	

~ · •	1-4 Each	5-24 Each	25 & up Each
Syringa			
vulgaris. Common Purple Lilac.	15 <b>'</b>		
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft.	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
*	10.00		
5 to 6 ft. clumpsB&B	12.50		
vulgaris alba. Common White Lil	ac. 1	<i>5</i> ′	
2 to 3 ft	1.00	.75	.65
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.75	1.50	
5 to 6 ft		1.75	
*	10.00		
5 to 6 ft. clumpsB&B	12.50		
vulgaris. Named Varieties. 15'			
These hybrid lilacs are gro	wn or	their	own
roots in bush form. Can als			
tree form in first two sizes at	25% a	addition	nal.
2 to 3 ft	1.25	1.00	.80
3 to 4 ft	1.50	1.25	1.10
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	2.50
Belle de Nancy—Double Rose.			
2-3' 3-4' 4-5' 5-6' 6-8'			
Chas. Joly-Dark Purplish Red	•		
2-3' 3-4' 4-5' 5-6' 6-8'			
Frau Dammann—Single White.			
2-3' 3-4' 4-5' 5-6' 6-8'			
La Tour d'Auvergne—Double P	urple.		
2-3' 3-4' 4-5'			
Ludwig Spaeth—Single Red.			
2-3' 3-4' 4-5' 5-6'			
Mad. Abel Chatenay—Double V	Vhite.		
2-3' 3-4' 4-5' 5-6' 6-8'			
Mad. Casimer Perier—Double C	reamy	White	<u>.</u>
2-3' 3-4' 4-5' 5-6' 6-8'	TT1		
Mad. Lemoine—Large Double	white.		
2-3' 3-4' 4-5' 5-6' 6-8'			

1-4	5-24	25 & up
Each	Each	Each

#### Syringa vulgaris. Named Varieties

Marie Le Graye—Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy—Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request.

2	to	3	ft	1.50
3	to	4	ft	2.00
4	to	5	ft	2.50
5	to	6	ft	3.50
6	to	8	ft	5.00
yunnanensis. Yunnan Lilac. 10'				
4	to	5	ft	2.50

Tamarix airicana. Ajrican Tamarix.	10		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	
gallica. French Tamarix. 10'			
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25		
gallica indica. India Tamarix. 10	0'		

gallica indica. India Tamarix. 10	2		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25		
juniperina. Juniper Tamarix. 15'			
3 to 4 ft	1.50		
odessana. Odessa Tamarix. 6'			
3 to 4 ft	1.00	75	60

	-	-	_		4,00		
	4	to	5	ft	1.25	1.00	
	5	to	6	ft	1.50	1.25	
per	ntai	ndr	a.	Fivestamen Tamarix.	12'		
	3	to	4	ft	1.00	.85	.75
	4	to	5	ft	1.50		
teta	and	lra.	F	Tourstamen Tamarix.	10'		
	3	to	4	ft	1.00	.75	.60

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Tauadium aggandang David Daldaumus	1-4 Each	5-24 Each	25 & up Each
Taxodium ascendens. Pond Baldcypres			
8 to 10 ftB&B			
10 to 12 ftB&B	20.00		
distichum. Common Baldcypress.	<i>50</i> <b>′</b>		
5 to 6 ftB&B			
6 to 8 ftB&B			
8 to 10 ftB&B	18.00		
10 to 12 ftB&B	25.00		
Taxus baccata. English Yew. 50'			
18 inB&B	5.00		
baccata repandens. Spreading Eng	glish Y	ew. 2	,
18 to 24 in. spd	5.50		
24 to 30 in. spdB&B	7.50		
30 to 36 in. spdB&B	12.50		
36 to 42 in. spdB&B	15.00		
baccata washingtoni. Washington	Yew.	6 <b>'</b>	
18 inB&B	10.00	7.50	
cuspidata. Japanese Yew. 10'			
18 to 24 in. spdB&B			
2 to 2½ ft. spdB&B			
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B 3½ to 4 ft. spdB&B			
3½ to 4 ft. spdB&B 4 to 4½ ft. spdB&B			
4½ to 5 ft. spdB&B			
Heavy clipped specimens, 4		broad	l, 3 to
5 ft. high, quoted on reques	t.		
cuspidata aurescens. Goldtip Japa	anese Y	ew. 2	20'
18 inB&B			
2 ftB&B	10.00		

Т	1-4 Each	5-24 Each	25 & up Each
Taxus			
cuspidata nana. Dwarf Japanese			
18 to 24 in B&B			
24 to 30 inB&B		10.00	
30 to 36 in			
36 to 42 inB&B	25.00		
cuspidata nana compacta. 6'			
18 to 24 inB&B	10.00	7.50	
24 to 30 inB&B	12.50		
cuspidata capitata. Upright Japan	nese Y	ew. 2:	5 <b>′</b>
2 ftB&B		6.75	6.00
2½ ftB&B	12.50	10.00	8.00
3 ftB&B	15.00	13.50	11.00
3½ ftB&B	20.00	17.50	15.00
4 ftB&B	27.50	25.00	
4½ ft,B&B	32.50	30.00	
5 ftB&B	37.50	35.00	
5½ ftB&B	42.50	40.00	
6 ftB&B	50.00	45.00	
6½ ftB&B	55.00	50.00	
7 ftB&B	60.00	55.00	
hunnewelliana. Hunnewell Yew.			
18 to 24 inB&B	7.50		
media. Anglojap Yew. 12'			
18 to 24 in	6.50		
24 to 30 in			
media andersoni. Anderson Yew.			
18 to 24 inB&B	7.50		
media browni. Brown's Yew. 10'			
18 to 24 inB&B	6.50		
media hatfieldi. Hatfield Yew. 20	) <b>'</b>		
18 to 24 inB&B	6.50		
24 to 30 inB&B	8.50		
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	6.50	5.50	
24 to 30 inB&B	8.50	7.00	
30 to 36 inB&B	12.50	10.00	ŧ
36 to 42 inB&B	15.00	· 13.50	

	1-4 Each	5-24 Each	25 & up
PRIS 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Lucii	Laci
Thuja occidentalis. Eastern Arborvita		4.00	0.75
3 ftB&B		4.00	
4 ft. B&B		5.50	5.00
4 ft. heavy spec B&B		7 00	
	8.50	7.00	
5 ft, heavy specB&B 6 ftB&B		10.00	
	15.00	10.00	
6 ft. heavy specB&B 7 ft		13.50	
7 ft. heavy spec B&B		15.50	
8 ftB&B			
8 ft. heavy spec B&B			
9 ft			
10 ft			
10 ft. heavy spec B&B			
For larger sizes to 18 ft., add		ner foo	+ .
For larger sizes to 10 It., and	ψυ.ου <u>τ</u>	oci 100	
occidentalis aurea douglasi.			
Douglas Golden Arborvitae	e. 15'		
3 ftB&B	4.00	3.50	
4 ftB&B	6.00	5.00	
5 ftB&B	7.50	6.50	
aggidentalis galumbia Silventia A	mh anni	+ 00 0	ı al
occidentalis columbia. Silvertip A 3 ft		iae. 4	<i>, O</i>
4 ft,B&B			
5 ft			
	12.50		
7 ft			
/ It	15.00		
occidentalis compacta. Compact A	lrborvi	tae. 4	<i>'</i>
15 in B&B	2.50	2.25	2.00
18 in. B&B	3.00	2.50	2.25
24 in B&B	3.75	3.25	
30 in B&B	4.50	4.00	
36 in B&B	5.50	5.00	
42 in B&B	7.50	6.00	
48 inB&B	10.00	7.50	
occidentalis Parson's Compacta.	6'		
_ \	_	5.00	
42 in	7.50	6.00	
48 in	10.00	7.50	
54 in		10.00	

1-4 5-24 25 & up

occidentalis cristata. Crested Arborvitae. 15' 4 ft
4 ftB&B 7.50 occidentalis elegantissima.
occidentalis elegantissima.
(reo, Feadouti Arbornitae, 15)
5,10
1.00
5 ft
occidentalis ellwangeriana.
Ellwanger Arborvitae. 6' 2 ft. B&B 3.50 3.25 3.00
0.00
2.50
3 ft
3½ ft B&B 6.50 5.50
4 ft
4½ ftB&B 12.50 10.00
occidentalis ericoides Heath Arborvitae. 5'
2 ft B&B 4.50 4.00
occidentalis globosa. Globe Arborvitae. 3'
18 in
24 in. B&B 3.75 3.25 3.00
30 in
36 in
42 in
occidentalis hoveyi. Hovey Golden Arborvitae. 8'
18 in
2 ft B&B 3.75 3.25 3.00
2½ ft
3 ft
3½ ft
4 ft
4½ ft
occidentalis lutea, (see occ. elegantissima).
occidentalis pumila. Little Gem Arborvitae. 3'
18 in. spreadB&B 3.50 3.00
24 in, spreadB&B 4.00 3.50
30 in spreadB&B 5.00 4.00
36 in. spread
42 in, spread

Thuja	1-4 Each	5-24 Each	25 & up Each
occidentalis pygmaea. Pygmy Arbo	orvitae.	2'	
15 inB&B	4.00	3.00	
18 inB&B	5.00	4.00	
24 inB&B	6.00	5.00	
•			
occidentalis pyramidalis. Pyramida	al Arb	orvita	e. 25'
2 ftB&B	5.00	4.00	3.50
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	6.00
5 ftB&B	10.00	8.50	7.50
6 ftB&B	15.00	12.50	
7 ftB&B	18.00	15.00	
8 ftB&B	20.00		
9 ftB&B	25.00		
10 ftB&B	30.00		
For larger sizes to 18 ft., add	\$5.00 p	er foo	t.
occidentalis douglasi pyramidalis.			
$Douglas\ Pyramidal\ Arbo$	rvitae.	20'	
2 ftB&B	5.00	4.00	
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
occidentalis reevesi. Reeves Arbor	vitae.	10'	
2½ ftB&B	4.50	4.00	
3 ftB&B	5.00	4.50	
	- 01		
occidentalis reidi. Reid Arborvitae			0.00
	4.00	3.50	3.00
2½ ftB&B	5.00	4.50	4.00
3 ftB&B		5.50	5.00
3½ ftB&B		6,50	
4 ftB&B		7.50	
4½ ftB&B	12.50	10.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Thuja	1-4 Each	5-24 Each	25 & up Each
occidentalis riversi. Rivers Arborv	itae.	12'	
2 ft	5.00	4.00	
3 ft		5.00	
occidentalis rosenthali. Rosenthal	Arbor	vitae.	10'
2 ftB&B	5.00	4.50	4.00
3 ftB&B	6.50	5.50	5.00
4 ftB&B	10.00	. 8.50	7.50
5 ftB&B	12.50	10.00	
6 ftB&B	15.00	12.50	
7 ftB&B	20.00		
occidentalis spiralis. Spiral Arbor		25'	
2 ftB&B	5.00	4.00	3.50
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	6.00
	10.00	8.50	
	15.00	12.50	
	18.00		
	22.50		
9 ftB&B	25.00		
For larger sizes to 20 ft., add	\$5.00	per foo	t.
occidentalis umbraculifera. $Umbre$	77 A	1	. 01
15 to 18 in. spdB&B 18 to 24 in. spdB&B		2.25	
18 to 24 in. spdB&B 24 to 30 in. spdB&B			2.50
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B		4.00	
0 to 0/2 it. spa	0.00		
occidentalis vervaeneana. Vervaen	e Arb	orvitae	. 12'
3 ftB&B	6.00	5.00	
4 ftB&B	7.50	6.50	
5 ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
8 ftB&B			
9 ftB&B	25.00		

Thuja	1-4 Each	5-24 Each	25 & up Each
occidentalis wareana. Ware Arbor		15'	
. 18 in	3.50	2.75	2.50
2 ft B&B	4.00	3.50	3.25
2½ ftB&B	5.50	5.00	4.50
3 ftB&B	7.50	6.50	6.00
0.2	8.50	7.50	7.00
	10.00	9.00	
· · · · · · · · · · · · · · · · · ·	12.50	10.00	
5 ftB&B	15.00	12.50	
occidentalis wareana lutescens.			
Ware Gold Arbor		10'	
18 in	5.00		
occidentalis woodwardi. $Woodwar$	d $Arb$	prvitae	e. 6'
18 inB&B		2.50	
24 in	4.00	3.50	
orientalis. Oriental Arborvitae. 2	<i>5'</i>		
3 ft B&B	5.00	4.00	
4 ftB&B	7.50	6.00	
	10.00	8.50	
	12.50	10.00	
• •••	15.00		
	20.00		
9 ftB&B	25.00		
orientalis conspicua. Goldspire Ar			,
2 ftB&B			
3 ftB&B		4.50	
4 ftB&B	7.50		
* 1 - 1 * 1			
orientalis elegantissima.  Yellow Column Arborvit		o'	
2 ftB&B			
3 ft		5.00	
4 ft		5,00	
5 ft			
6 ft			
7 ft			
8 ft			

Thuja	1-4 Each	5-24 2 Each	5 & up Each
orientalis nana aurea.			
Berkman's Golden Arbon	vitae.	3'	
18 in		3.50	
2 ftB&B		4.00	
2½ ftB&B			
3 ftB&B			
orientalis sieboldi. Siebold Arborv	itae.	3'	
3 ft	7.50		
plicata. Giant Arborvitae. 20'			
3 ftB&B	6.50	5.50	
4 ft B&B	10.00	7.50	
5 ftB&B	12.50	10.00	
plicata atrovirens. Darkgreen Gian			15'
2 ftB&B			
3 ftB&B	6.50		
plicata fastigiata. Pyramidal Gian	t Arbo	rvitae.	20'
3 ft		5.50	5.00
4 ft			6.00
5 ft			
6 ft		12.50	
7 ft			
Tilia americana. American Linden. 75			
8 to 10 ft	3.50	3.00	
1½ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
1 <sup>3</sup> / <sub>4</sub> to 2 in	7.50	6.00	
2 to 2½ in	10.00	8.50	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	18.00	
3½ to 4 in	25.00		
americana fastigiata.			
Pyramidal American Lind	en. 75	5'	
2 to 2½ in			
cordata. Littleleaf European Lind	on 7	o'	
1 <sup>1</sup> / <sub>4</sub> to 1 <sup>1</sup> / <sub>2</sub> in	6.00	5.00	
1½ to 1¾ in		6.50	
1¾ to 2 in		8.00	
2 to 2½ in		10.00	
2½ to 3 in			
3 to 3½ in		18.00	
			0/1
cordata pyramidalis. Pyramidal Li		- 12enecen	. (1)
172 10 174 111	10.00		

				1-4 Each	5-24 Each	25 & up
Tilia						
euchlor	<b>a</b> . (	rime	an Linden. 75'			
6	to	8	ft	5.00	4.50	
8	to	10	ft	6.50	5.50	
11/4	to	11/2	in	7.50	6.50	
11/2	to	$1\frac{3}{4}$	in	10.00	8.50	
13/4	to	2	in	15.00	12.50	
2	to	$2\frac{1}{2}$	in	18.00	15.00	
$2\frac{1}{2}$	to	3	in	20.00	18.00	
3	to	$3\frac{1}{2}$	in	25.00	20.00	
europae	a. <i>I</i>	Europ	pean Linden. 75'			
6	to	8	ft	3.50	3.00	
8	to	10	ft	4.50	3.50	
11/4	to	$1\frac{1}{2}$	in	6.00	5.00	
11/2	to	$1\frac{3}{4}$	in	7.50	6.50	
13/4	to	2	in	10.00	8.00	
2	to	$2\frac{1}{2}$	in	12.50	10.00	
$2\frac{1}{2}$	to	3	in	15.00	12.50	
3 1	to	$3\frac{1}{2}$	in	20.00	18.00	
$3\frac{1}{2}$	to	4	in	25.00	22.50	
4	to	5	in	35.00		
henryan	a. 1	Henry	Linden. 50'			
		_	in	7.50		
heteropl	nyll	a. /	Beetree Linden. 6	0'		
2	to	$2\frac{1}{2}$	in	15.00		
$2\frac{1}{2}$	to	3	in	17.50		
3	to	$3\frac{1}{2}$	in	25.00		
oliveri.	Oli	ver L	inden. 50'			
8 to	0 10	) ft		7.50		
platyph	yllo	s. $B$	igleaf Linden. 75	,		
6	to	8	ft	3.50	3.00	
8	to	10	ft	4.00	3.50	
11/4	to	$1\frac{1}{2}$	in	6.00	5.00	
11/2	to	$1\frac{3}{4}$	in	7.50	6.50	
13/4	to	2	in	10.00	8.00	
2	to	$2\frac{1}{2}$	in	12.50	10.00	
21/2	to	3	in	15.00	12.50	
3	to	$3\frac{1}{2}$	in	20.00	18.00	
$3\frac{1}{2}$	to	4	in	25.00		
4	to	5	in	35.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 5-24 25 & up Each Each E**a**ch

## Tilia

pl	atyphyllo	s pyr	amida	lis.				
			idal B		Lind	en. 5	0'	
		8						
	8 to	10	ft			10.00		
	1½ to	$1\frac{3}{4}$	in			15.00		
to	mentosa.							
	1½ to	$1\frac{3}{4}$	in			12.50		
	$1\frac{3}{4}$ to					15.00		
	2 to							
	$2\frac{1}{2}$ to	3	in			25.00		
	Januaria (a			١				
V	ılgaris. (s	ee ei	iropea	/•				
Tripte	rygium re							
							2.50	2.00
	3 to 4	ft			.B&B	3.50	3.00	2.50
Tsuga	canadens	sis. (	Canada	Hem	lock.	75'		
	2½ ft.				.B&B	6.00	5.00	
	3 ft.				.B&B	8.50	7.50	
	4 ft.				.B&B	12.50	11.00	
			a broa					
	5 ft.				.B&B	20.00	15.00	
	-		a broa					
	8 ft.				.B&B	35.00	30.00	
	For la	rger s	sizes to	18 f	t, add	\$5.00	per foot.	
		~	7.0	**	, 1	<b>F</b> 0.		
C	aroliniana							
	7 ft.				.B&B	30.00		
		~		~	.,			

18 to 24 in., 4 in. pots...... 2.00 1.50

Ulex europeaus. Common Gorse. 4'

				1-4 Each	5-24 Each	25 & up Each
				80'		
8	to	10	ft		2.00	1.75
11/4	to	11/2	in		2.50	2.25
1½	to		in		3.50	3.25
13/4	to	2	in		5.00	4.00
2	to	2½	in		7.50	
2½	to	3	in		10.00	
3	to	31/2	in		15.00	
31/2	to	4	in		20.00	
4	to	41/2	in		25.00	
			naris. Columna			n. 60'
8	to	10	ft		.4.00	
11/4	to	11/2	in		5.00	
11/2	to	13/4	in		6.50	
13/4	to	2	in		7.50	
2	to		in		12.50	
america	na	molir	ne. Moline Elm	. 80'		
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.50	2.25	2.00
11/4	to	11/2	in	3.00	2.75	2.50
11/2	to	$1\frac{3}{4}$	in	4.50	4.00	3.50
13/4	to	2	in	6.50	5.50	4.50
2	to	$2\frac{1}{2}$	in	10.00	7.50	
$2\frac{1}{2}$	to	3	in,	12,50	10.00	
3	to	31/2	in	18.00	15.00	
america	na	urni.	Vase Elm. 6	O"		
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.50	2.25	2.00
11/4	to	$1\frac{1}{2}$	in	3.00	2.75	2.50
$1\frac{1}{2}$	to	13/4	in	4.50	4.00	3.50
13/4	to	2	in	6.50	5.50	4.50
2	to	21/2	in	10.00	7.50	
$2\frac{1}{2}$	to	3	in	12.50	10.00	
3	to	31/2	in	18.00	15.00	
campest	ris.	(see	procera).			
		_	iensis. Wheatle	u Elm	75'	
11/4			in.		70	
			in.			
13/4			in.			
2	to		in			
$\frac{2}{2}\frac{1}{2}$		3	in.		15.00	
3	to		in		20.00	
31/2		4	in.		20,00	
072	00	1	AAA	50.00		

	1.4	E 04	25.0
	1-4 Each	5-24 Each	25 & up Each
Ulmus			
fulva. Slippery Elm. 65'			
11/4 to 11/2 in.		5.00	
1½ to 1¾ in	7.50	6.50	
1 <sup>3</sup> / <sub>4</sub> to 2 in	10.00	8.50	
glabra. Scotch Elm. 75'			
1½ to 1½ in	4.00	3,50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in.	7.50	6.00	
	10.00	7.50	
	12,50		
glabra camperdowni. Camperdown	Elm	20'	
6 ft. stem		6.50	
o it. stelli	1.50	0.00	
glabra nana. Globe Elm.	10.00		
6 to 8 ft. standards			
8 to 10 ft. standards	15.00		
hollandica klemmeri. Klemmer Elm	n. 75'		
1,3/4 to 2 in	12.50		
2 to 2½ in	15.00		
hollandica latifolia. Belgian Elm.	75'		
The state of the s	5.00	4.50	
13/4 to 2 in.	7.50	6.00	
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to 3½ in	20.00		
hollandica vegeta. Huntington Elm	75'		
1½ to 1¾ in	6.00	5.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in	7.50	6.00	
	10.00	8.50	
	15.00	12,50	
	20.00	15.00	
	25.00	20.00	
0/2 00 1 111,	_0,00	20.00	
ionomian I III wol			
japonica. Japanese Elm. 70'	5.00		
8 to 10 ft	5.00		
1½ to 1¾ in	7.50		

771	1-4 Each	5-24 Each	25 & up Each
Ulmus			
parvifolia. Chinese Elm. 30'	0.00	0.00	
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.00	3.50	3.00
10 to 12 ft	6.00	5.00	4.00
12 to 14 ft	10.00	7.50	
procera. (campestris). $English$ $El$	m. 75	,	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	3.00	
1½ to 1½ in	4.00	3.50	
1½ to 1¾ in	5.00	4.50	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00		
3½ to 4 in	25.00		
p. monumentalis. Monument Eng	lish $El$	m. 75'	
8 to 10 ft	5.00		
1¼ to 1½ in	6.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	7.50		
1¾ to 2 in	10.00		
2 to 2½ in	15.00		
2½ to 3 in	18.00	15.00	
3 to 3½ in	25.00	20.00	18.00
3½ to 4 in	30.00	25.00	
4 to 4½ in	40.00		
p. purpurea. Purpleleaf English 1	Tlan o	γ <b>∩</b> ′	
8 to 10 ft		U	
0 10 10 11	0,00		
pumila. Siberian Elm. 75'			
6 to 8 ft	2.50	1.75	1.50
8 to 10 ft	3.00	2.25	2.00
10 to 12 ft	3.50	2.75	2.50
1½ to 1¾ in	4.50	3.50	3.25
13/4 to 2 in,	6.00	5.00	4.50
2 to 2½ in	10.00	7.50	7.00
2½ to 3 in	12.50	10.00	
3½ to 4 in	20.00	18.00	

	1-4 Each	5-24 Each	25 & up Each
Ulmus			
thomasi. (racemosa). Rock Elm. 75	<b>5</b> '		
	5.00	4.50	
8 to 10 ft	6.00	5.60	
	7.50	6.50	
and the state of t			
Vaccinium angustifolium laevifolium.		18 <b>"</b>	
Smoothleaf Blueb		2.00	
8 to 12 in. spreadB&B	2.00	2.00	
corymbosum. Highbush Blueberry.	8'		
2 to 3 ftB&B	5.00	4.50	4.00
3 to 4 ftB&B	7.50	6.50	6.00
4 to 5 ftB&B 1		8.50	7.50
Tilliam Mandalant Vihan	2000 0 1 000	5 <b>'</b>	
Viburnum acerifolium. Mapleleaf Vibur	1.25	1.00	
	1.50	1.25	
3 to 4 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
3 to 6 1t	2.00	1.10	
americanum. (see trilobum).			
betulifolium. Birchleaf Viburnum.	12'		
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00		
bitchuiense, Yeddo Viburnum, 6'			
3 to 4 ftB&B	3.50	3.00	
4 to 5 ftB&B	5.00	4.00	
	11000	15 <b>'</b>	
burejaeticum. Manchurian Viburni	2,50		
2 to 3 ft	3.00	2.50	
		2.00	
burkwoodi. Burkwood Viburnum.			
2 to 3 ft B&B	6.00		
3 to 4 ftB&B	7.50		
carlesi. Koreanspice Viburnum. 4'			
18 to 24 in B&B	3.00	2.50	
2 to 2½ ft B&B	4.00	3.50	
2½ to 3 ft B&B	5.00	4.50	
18 to 24 in., own roots. B&B	4.00		
24 to 30 in., own roots B&B	5.00		
Standards			
2 ft. stemB&B	6.00	5.00	
3 ft. stemB&B	7.50	6.00	

	1-4	5-24	25 & up
Viburnum	Each	Each	Each
cassinoides. Witherod Viburnum.	12'		
2 to 3 ft	.85	.70	.65
3 to 4 ft	1.25	.90	.75
4 to 5 ft	1.50	1.25	. 1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	
dentatum. Arrowwood Viburnum.	12'		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
dilitatum. Linden Viburnum. 10'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75		
d. xanthocarpum.			
Yellowberry Linden Vibu	rnum.	10'	
2 to 3 ft	2.00		
fragrans. Fragrant Viburnum. 10	)′		
2 to 3 ftB&B	5.00	4.00	
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50		
hupehense. Hupeh Viburnum. 6'			
	1.50	1.25	
3 to 4 ft	2.00	1.50	
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
lantana rugosum. Wrinkleleaf Wa	yfarin	g-tree.	15'
3 to 4 ft		.65	.60
4 to 5 ft			.85
5 to 6 ft	1.50		
6 to 8 ft	1.75	1.50	1.25

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
lentago. Nannyberry. 20'			
3 to 4 ft	1.00	.70	.65
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft. specB&B	25.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
nudum. Possumhaw Viburnum. 1	5'		
2 to 3 ft	.85	.70	<b>.6</b> 5
3 to 4 ft	1.25	.90	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
opulus. European Cranberrybush.	12'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
opulus nanum. Dwarf Cranberry	Bush.	2'	
8 to 10 in	1.25	1.00	.90
opulus sterile. Common Snowball.	10'		
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
opulus xanthocarpum.			
Yellowfruit Cranberrybu			
2 to 3 ft			
3 to 4 ft	3.00	2.50	
4 to 5 ft	3.50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Viburnum	4.08		
ovatifolium. Eggleaf Viburnum.	10'		
3 to 4 ft	2.00		
prunifolium. Blackhaw Viburnum.	15'		
3 to 4 ft	2.00	1.65	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
pubescens. Downy Viburum. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.50	
p. canbyi. Canby Downy Viburnu	m. 10	) <sup>*</sup>	
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
rhytidophyllum. Leatherleaf Vibu	rnum.	8'	
2 to 3 ftB&B	6.00		
3 to 4 ftB&B	7.50		
rufidulum. Rusty Blackhaw Vibur	num.	15'	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sargenti. Sargent Cranberrybush.	10'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.00	
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.25	3.00

Viburnum	1-4 Each	5-24 Each	25 & up Each
setigerum Tea Viburnum. 12'			
2 to 3 ft	2.00		
3 to 4 ft	2.50		
tomentosum. Doublefile Viburnum	. 8'		
2 to 3 ft	.85	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50		
t. sterile. (plicatum). Japanese Sno	wball	. 8'	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
trilobum. (americanum). American			sh. 12'
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
trilobum compactum. 6'			
18 to 24 in	2.00	1.50	
2 to 3 ft	2.50	2.00	
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50		
4 to 5 ft	1.75		
5 to 6 ft	2.00		
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Vinca minor. (see Herbaceous Material	).		
Vitex agnuscastus. Lilac Chastetree.	<i>'</i> ,'		
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.75	.65
a. alba. White Chastetree. 4'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	
a. latifolia. (macrophylla).			
Hardy Lilac Chastetree.	4'		
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
negundo. Negundo Chastetree. 4'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Vitex			
negundo incisa. Cutleaf Chaste-tro	ee. 4	,	
3 to 4 ft	1.00		
Vitis aestivalis. Summer Grape. 40'			
2 year	.65	.55	.50
3 year	.75	.65	.60
amurensis. Amur Grape. 40'			
3 year	.75		
coignetiae. Gloryvine. 40'			
3 year	1.25	1.00	.75
4 year	1.50	1.25	
labrusca. Fox Grape. 40'			
2 year	.65	.55	.60
3 year	.75	.65	.60
riparia. Riverbank Grape. 40'			
2 year	.75	.60	
3 year	1.00	.75	
rotundifolia. Muscadine Grape. 40	) <i>'</i>		
3 year	.75	.60	.50
4 year	.85	.70	.60
vulpina. Frost Grape. 40'			
2 year	.65	.55	.50
3 year	.75	.65	.60
4 year	1.00	.85	.75
Weigela floribunda. Crimson Weigela.	10'		
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.80	
florida. (rosea). Oldfashioned Weig	iela.	8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
hendersoni. Henderson Weigela.	15'		
3 to 4 ft	.85	.65	
4 to 5 ft	1.25	1.00	
hortensis rubra. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25

Weigela	1-4 Eoch	5-24 Each	25 & up Each
japonica. Japanese Weigela. 8'			
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.00
5 to 6 ft		1.25	
rosea. (see florida).			
wagneri Abel Carriere.			
Abel Carriere Wagner W	Zeinela	. 10'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.50	1.25	1.00
w. Candida. Snow Weigela. 8'	1.00	1.20	1.00
2 to 3 ft	.65	.55	
3 to 4 ft	.85	.65	
4 to 5 ft	1.25	.00	
w. Desboisi. Desbois Weigela. 8'	1.20		
2 to 3 ft	.65	.55	5.0
3 to 4 ft	.85		.50
4 to 5 ft	1.25	$\frac{.65}{1.00}$	.60
			.85
w. Eva Rathke. Eva Rathke Weig			
2 to 3 ft	1.00	.80	.75
3 to 4 ft	1.25	1.00	
w. Groenewegeni. Groenewegeni V			
3 to 4 ft	.85	.65	.60
	1.25	1.00	.85
	1.50	1.25	1.00
w. Gustav Mallot. Gustav Mallot	Weige	la. 8'	
	.65	.55	.50
3 to 4 ft	.85	.65	.60
4 to 5 ft		1.00	.85
5 to 6 ft		1.25	1.00
w. nana variegata. Dwarf Variega	ated V	Veigela	. 5'
2 to 3 ft		.60	.55
3 to 4 ft	1.00	.85	.75
w. sieboldi argenteomarginata.			
Siebold Silveredge Weige	la. 8'	,	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
w. Styriaca. 8'			
	1.00	.75	
4 to 5 ft	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Weigela			
w. vanhouttei.       Vanhoutte Weigela.         2 to 3 ft.       3 to 4 ft.         4 to 5 ft.       5 to 6 ft.         6 to 8 ft.       6 to 8 ft.	.65 .85 1.25 1.50 1.75	.55 .65 1.00 1.25 1.50	.50 .60 .85 1.00 1.25
Wisteria floribunda hybrids.  2 year  Kyushaku — lavender  Murasaki Noda — purple  Naga Noda — lavender  Penn Valley — deep pur  Rosea — pink  Royal Purple — purple  Rubra — red			
floribunda macrobotrys (multijuga		ant	
Longcluster Japanese Wi 2 year 3 year 4 year	1.25 1.50	30' 1.00 1.25 1.50	.90 1.00
frutescens. American Wistaria. 3 2 year	0' 1.25	1.00	.90
macrostachya. Kentucky Wistaria.  2 year	25' 1.00	.75	.60
sinensis. Chinese Wistaria. 40'  2 year  3 year  3 year grafted flower- ing plants  Standards. 4 ft. stem, 30 in. head B&B	<ul><li>1.25</li><li>3.00</li></ul>	1.10	
sinensis alba. White Chinese Wister  2 year  3 year  4 year  3 year grafted flowering plants  Standards. 4 ft. stem,  30 in. head  B&B	1.00 1.25 1.75 3.00	.85 1.10 1.50	

	1-4 Each	5-24 Each	25 & up Each
Zanthorhiza simplicissima. Yellowroot.	3'		
12 to 15 in, clumps	.75	.65	.60
15 to 18 in. clumps	1.00	.85	.75
18 to 24 in. clumps	1.25	1.10	1.00
Zanthoxylum americanum. Prickly Ash	. 15'		
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25	1.00	.85
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.50	2.00	1.75
schinifolium. Peppertree Prickly A	sh.	12'	
3 to 4 ft	2.00		
simulans. Flatspine Prickly Ash.	25'		
3 to 4 ft	2.00		
Zelkova serrata Japanese Zelkova. 50	,		
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft.	6.00	5.00	

## HERBACEOUS AND ALPINE MATERIAL

All kinds marked with an asterisk (\*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

\*Acrena buchanani Bluich gray Aug 1" \$ 25 \$ 20

*Acaena buchanani. Bluish gray, Aug., 1" \$ *sanguisorbae. Bright green foliage, 2"	.25	\$ .20
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.25	.20
filipendulina. Yellow, June, July, 3'	.25	.20
*millefolium Cerise Queen. Rose, July 2'	.25	.20
*nana. White, June, July, 6"	.25	.20
*nitida. White, June, July, 1'	.25	.20
*ptarmica The Pearl. White, July, 2' *ptarmica Boule de Neige. White, June,	.25	.20
July, 2'	.25	.20
*ptarmica Perry White. June, July, 2'	.25	.20
*tomentosa. Yellow, June, 1'	.25	.20
Aconitum autumnale. Blue, July, August, 4'	.35	
fischeri. Blue, September, 3'	.35	.30
fischeri wilsoni. Violet blue, Sept., 5' napellus. Light blue, July, Aug., 4'	.40	<b>.3</b> 0
napellus Spark's. Violet blue, July,	.00	.00
Aug., 5'	.35	.30
*Actinea herbacea. Yellow, May, 6"	.30	
*Actaea alba. White, May, June, 3-4'	.25	.20
rubra. Red, May, June, 3-4'	.25	.20
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.25	.20
Adonis amurensis. Yellow, March, 18"	.75	
*Aegopodium podograria variegatum. Variegated foliage, 1'	.25	.20

	5-24	257
	each	25 lip each
*Aethionema cordifolium. Rosy lilac, June, 6"	.30	.25
grandiflorum. Pink, June, 12"	.30	.25
*kotschyi. Rose, July, 4"	.30	.25
*persicum. Pink, June, July, 9"	.30	.25
*pulchellum. Pink, June, 8"	.30	.25
*schistosum. Rose, June, 4"	.30	.25
*Ajuga brockbanki. Purple, June, 6"	.25	.20
*genevensis. Bright blue, May, 6"	.25	.20
*genevensis rosea. Pink, May, 6"	.25	.20
*reptans. Blue, May, 6"	.25	.20
*reptans alba. White, May, 6"		
willte, May, 0	.25	.20
*Allium carinatum. Rose, June, July, 2'	.25	.20
*karataviense. White, June, July, 8"	.25	.20
*narcissiflorum. Rose, June, July, 1'	.25	.20
*pulchellum. Violet, June, July, 9"	.25	.20
schoenoprasum. Rose purple June,		
July, 2'	.25	.20
stellatum. Rose, June, July, 18"	.25	.20
*thibetica. Lilac mauve, June, July, 8"	.25	.20
Althea rosea. Hollyhock		
*Double. Separate colors, July, Aug., 5'	.25	.18
*Double. Chaters' strain, separate colors	.25	.18
Fringed Allegheny. July, Aug., 5'	.25	.18
Single. Mixed colors, July, Aug., 5'	.25	.18
Single. Separate colors, July, Aug., 5'	.25	.18
*Alyssum argenteum. Yellow, July, Aug., 6"	.25	.20
*creticum. Yellow, June, July, 1'	.25	.20
*montanum. Yellow, June, July, 8"	.30	.25
*rostratum. Yellow, June, July, 12"	.25	.20
saxatile compactum. Yellow, May, 1'	.25	.20
*saxatile sulphureum. Yellow, May, 1'	.30	.25
*serpyllifolium. Yellow, June, July, 4"	.25	.20
*spinosum. Pink and white, June, 3"	.30	.25
*Amsonia tabernaemontana. Blue, May,		
June, 3'	.25	.20
Anghuan hamaliani Diva Pr	0.5	
Anchusa barrelieri. Blue, May, 2'	.25	0.0
	.25	.20
italica Dropmorei. Blue, June, 4-5'		.20
*myosotidiflora. Bright blue, May, 1'	.30	.25

	5-24 each	25 up
Anemone hupehensis. Mauve, Aug., Sept., 1'	.30	.25
*japonica alba. White, fall, 3'	.30	.25
*japonica Alice. Rose pink, fall, 3'	.30	.25
japonica Louise Uhink. White, fall, 3'	.30	
japonica Marie Manchard. White, fall, 3'	.30	
japonica Prince Heinrich. Deep pink,	.00	
fall, 3'	.30	.25
japonica Queen Charlotte. Rose, fall, 3'	.30	.25
japonica Richard Ahrends. Shell pink,	.00	.20
fall, 2'	.30	.25
japonica rubra. Red, fall, 2'	.30	.25
japonica September Charm. Silvery	.00	.20
pink, fall, 2'	.30	
japonica September Sprite. Pink, fall, 2'	.30	.25
*japonica Whirlwind. Pure white, fall, 3'	.30	.25
*pennsylvanica. White, July, 18"	.25	.20
*pulsatilla. Blue, April, 15"	.30	.25
*pulsatilla alba. White, April, 1'	.35	.30
*pulsatilla rubra. Dark red, April, 12"	.35	.30
pulsurizu zuszu. Durk reu, riprii, 12	.00	.00
*Antonomic dicisa White May 6"	95	20
*Antennaria dioica. White, May, 6"	.20	.20
*Anthemis cinerea. White, Aug. 1'	.25	.20
*montana. White, July, 10"	.25	.20
Moonlight. Pale yellow, summer, 2'	.35	.30
nobilis. White, summer, 1'	.25	.20
tinctoria. Yellow, July, Aug., 3'	.25	.20
tinctoria E. C. Buxton. White, yellow	.40	,20
	.25	.20
eye, July, Aug., 3'		
tinctoria kelwayi. Yellow, July, Aug., 3' tinctoria kelwayi. White, July, 3'		.20
microna kerwayi. Winte, July, J	.40	.20
Anthoniaum liliago White May Tune 2'	.40	
Anthericum liliago. White, May, June, 3'	.40	
Anthellic vulnoviaria dilloni Rod cummor 1'	.30	
Anthyllis vulneriaria dilleni. Red, summer, 1'	.50	
*Aquilegia alpina. Blue, May, June, 1'	.25	.20
*coerulea. Blue, May, June, 1½'	.30	.25
coerulea hybrida. Various, June, 2'		
	.25	.20
*chrysantha. Yellow, June, July, 3'		.20
zing zamining z zino it, o onio, o onig, o '		

	5-24 each	25 up each
Aquilegia	Cacii	equit
chrysantha alba. White, June, July, 3'	.30	.25
Crimson Star. Crimson, May, June, 2'	.35	.30
*flabellata nana-alba. White, June, 10"	.25	.20
*hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.25	.20
longissima. Yellow, June, 2'	.40	.35
rosea. Long spurred pink, June, 2'	.30	.25
*siberica fl. pl. Blue and white, June, 18"	.25	.20
*skinneri. Red and yellow, May, 2	.25	.20
*vulgaris. Purple, May, June, 2'	.25	.20
vulgaris nivea. White, May, 2'	.25	.20
, , ,		
*Arabis albida. White, May, 6"	.25	.20
*alpina. White, April, May 6"	.25	.20
'alpina fl. pl. Dbl. White, April, May, 6"	.30	
*alpina Rosabella. Pink, April, May, 6"	.35	.25 .30
*alpina rosea. Pink, April, May, 6"		
*aubretioides. Pink, May, 8"	.30 .30	.25
*cockilis White April May 6"		.25
*cockilis. White, April, May, 6"	.25	.20
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.25	.20
*grandiflora. White, May, 4"	.25	.20
*montana. White, June, 4"		
	.25	.20
*verna. White, June, July, 3"	.25	.20
Arisaema triphyllum. Purple, May, 1'	25	20
Alisaema Iriphynum. Purpie, may, 1	.40	.20
*Armeria alpina. Pink, summer, 6"	.25	
*Bee's Ruby. Red, summer, 10"	.30	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,	.50	.40
	.25	.20
*laucheana. Crimson, May, June, 8"	.25	.20
*maritima. Pink, May, June, 6"		.20
*maritima alba. White, May, June, 6"	.25	
	.25	.20
*robusta. Crimson, May, June, 10"	.25	.20
Artemesia absinthium. Wormwood, 4'	.25	.20
dracunculus. White, August, 2'	.30	.25

Artemesia	5-24 each	25 up each
	0.0	0.5
frigida. Silver foliage. 18"	.30	.25
lactiflora. White, Aug., 4'	.25	.20
pontica. Gray foliage. 12"	.25	.20
purshiana. Gray foliage, 3'	.25	.20
Silver King. White foliage, 3'	.25	.20
*Arundo-donax. Giant Reed, 12'	.40	.35
*Asarum canadense. Chocolate, May, 6"	.25	.20
Asclepias incarnata. Red, Aug., 4'	.30	.25
tuberosa. Orange, July, Aug., 2'	.25	.18
2000101010101000, 0000, 2000, 2000,		
*Asperula cynanchica. Pink, summer, 10"	.25	
hexaphylla. White, June, 1'	.25	.20
*hirta. Pink, July, Aug., 6"	.25	.20
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.25	.20
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.35	
*Asplenium felix faemina. Lady Fern.	.25	.20
*Aster alpinus. Blue, June, July, 8" *alpinus Goliath. Bluish purple, May,	.25	.20
June, 8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amellus Mrs. R. Wood. Rose, July, 18"	.30	
Abendrothe. Rose pink, Oct., 3'	.25	.20
Acme. Light lavender, Oct., 5'	.25	.20
Adorable. Pink, fall, 3'	.40	
Ballard's Crimson. Fall, 3'	.25	.20
Beechwood Challenger. Crimson, fall,		
18"	.30	.25
Blue Gem. Blue, Sept., 3'	.25	.20
Blue Gown. Blue, fall, 4'	.30	.25
Blue Lagoon. Blue, fall, 4'	.40	.35
Climax. Blue, Sept., Oct., 3'	.25	.20
dracunculoides. Light blue, July, 2'	.30	.25
frikarti Wonder of Staefa. Lavender,		
fall, 2'	.45	.40

Harrington's Pink. Fall, 3'		5-24 each	25 up each
laevis. Lavender, Sept., 4'	Aster		
Mauve Cushion. Mauve, Oct., 12"			
Mauve Queen. Mauve, Sept. 3'       .25         Mrs. Raynor. Crimson, Sept., 3'       .25         Mt. Everest. White, fall, 3'       .30       .25         novae-angliae. Purple, Sept., Oct., 4'       .25       .18         novae-angliae roseus. Rose, Sept., 4'       .25       .20         Palmyra. Pink, fall, 3'       .35       .30         Queen Mary. Blue, Sept., 3'       .25       .20         Red Cloud. Deep pink, fall, 3'       .35       .30         Red Rover. Red, fall, 3'       .30       .30         Rebt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         Sunset. Pink, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .50         Sept., 9"       .2			.18
Mrs. Raynor. Crimson, Sept., 3'       .25         Mt. Everest. White, fall, 3'       .30       .25         novae-angliae. Purple, Sept., Oct., 4'       .25       .18         novae-angliae roseus. Rose, Sept., 4'       .25       .20         Palmyra. Pink, fall, 3'       .35       .30         Queen Mary. Blue, Sept., 3'       .25       .20         Red Cloud. Deep pink, fall, 3'       .35       .30         Red Rover. Red, fall, 3'       .30       .30         Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         startaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept., 1'       .25       .20         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20		.25	.18
Mt. Everest. White, fall, 3'       .30       .25         novae-angliae. Purple, Sept., Oct., 4'       .25       .18         novae-angliae roseus. Rose, Sept., 4'       .25       .20         Palmyra. Pink, fall, 3'       .35       .30         Queen Mary. Blue, Sept., 3'       .25       .20         Red Cloud. Deep pink, fall, 3'       .35       .30         Red Rover. Red, fall, 3'       .30       .30         Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         startaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept., 1'       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25 <td< td=""><td>Mauve Queen. Mauve, Sept. 3'</td><td>.25</td><td>.18</td></td<>	Mauve Queen. Mauve, Sept. 3'	.25	.18
novae-angliae. Purple, Sept., Oct., 4'       .25       .18         novae-angliae roseus. Rose, Sept., 4'       .25       .20         Palmyra. Pink, fall, 3'       .35       .30         Queen Mary. Blue, Sept., 3'       .25       .20         Red Cloud. Deep pink, fall, 3'       .35       .30         Red Rover. Red, fall, 3'       .30       .30         Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         startaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept., 1'       .25       .20         Lady Henry Maddocks. Pink, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1' <td>Mrs. Raynor. Crimson, Sept., 3'</td> <td>.25</td> <td></td>	Mrs. Raynor. Crimson, Sept., 3'	.25	
novae-angliae roseus.       Rose, Sept., 4'       .25       .20         Palmyra.       Pink, fall, 3'       .35       .30         Queen Mary.       Blue, Sept., 3'       .25       .20         Red Cloud.       Deep pink, fall, 3'       .35       .30         Red Rover.       Red, fall, 3'       .30       .30         Robt.       Parker.       Lavender, Sept., Oct., 5'       .25       .18         Royal Blue.       Blue, fall, 4'       .30       .25         Skylands       Queen.       Light blue, fall, 3'       .25         Sunset.       Pink, Sept. 3'       .30       .25         tartaricus.       Purple, Oct. and Nov., 6'       .25       .18         Violetta.       Violet, Sept., 3'       .45         Wartberg Star.       Lilac blue, spring, 1'       .30       .25         White Climax.       White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley.       Clear pink,       .25       .20         Lady Henry Maddocks.       Pink, Sept., 1'       .25       .20         Lady Henry Maddocks.       Pink, Sept., 6"       .25       .20         Marjorie.       Rose pink, Sept., 1'       .25       .20 <td>Mt. Everest. White, fall, 3'</td> <td>.30</td> <td>.25</td>	Mt. Everest. White, fall, 3'	.30	.25
Palmyra. Pink, fall, 3'       35       30         Queen Mary. Blue, Sept., 3'       .25       .20         Red Cloud. Deep pink, fall, 3'       .35       .30         Red Rover. Red, fall, 3'       .30       .30         Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       .25       .20         Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept., 1'       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite.	novae-angliae. Purple, Sept., Oct., 4'	.25	.18
Queen Mary. Blue, Sept., 3'       .25       .20         Red Cloud. Deep pink, fall, 3'       .35       .30         Red Rover. Red, fall, 3'       .30         Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept., 1'       .25       .20         Lady Henry Maddocks. Pink, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20	novae-angliae roseus. Rose, Sept., 4'	.25	.20
Red Cloud. Deep pink, fall, 3'       .35       .30         Red Rover. Red, fall, 3'       .30         Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30       .25         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept., 1'       .25       .20         Lady Henry Maddocks. Pink, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 18"       .45 <td>Palmyra. Pink, fall, 3'</td> <td>35</td> <td>.30</td>	Palmyra. Pink, fall, 3'	35	.30
Red Rover. Red, fall, 3'       .30         Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept.,       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 18"       .45       .40         arendsi Gladstone. White, July, 18"       .45       .40     <	Queen Mary. Blue, Sept., 3'	.25	.20
Robt. Parker. Lavender, Sept., Oct., 5'       .25       .18         Royal Blue. Blue, fall, 4'       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept., 1'       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 18"       .45         arendsi Granat. Crimson, June, 2'       .50         arendsi Grandis rosea magnifica. Pink,	Red Cloud. Deep pink, fall, 3'	.35	.30
Royal Blue. Blue, fall, 4'       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept.,       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 2'       .45       .40         arendsi Granat. Crimson, June, 2'       .50         arendsi Grandis rosea magnifica. Pink,	Red Rover. Red, fall, 3'	.30	
Royal Blue. Blue, fall, 4'       .30         Skylands Queen. Light blue, fall, 3'       .25         Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept.,       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 2'       .45       .40         arendsi Granat. Crimson, June, 2'       .50         arendsi Grandis rosea magnifica. Pink,	Robt. Parker. Lavender, Sept., Oct., 5'	.25	.18
Skylands Queen. Light blue, fall, 3'		.30	
Sunset. Pink, Sept. 3'       .30       .25         tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       .25       .18         Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept.,       .25       .20         Lady Henry Maddocks. Pink, Sept.,       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 2'       .45       .40         arendsi Gladstone. White, July, 18"       .45         arendsi Granat. Crimson, June, 2'       .50         arendsi Grandis rosea magnifica. Pink,		.25	
tartaricus. Purple, Oct. and Nov., 6'       .25       .18         Violetta. Violet, Sept., 3'       .45         Wartberg Star. Lilac blue, spring, 1'       .30       .25         White Climax. White, fall, 4'       .25       .18         dwarf varieties.       .25       .18         Countess of Dudley. Clear pink,       .25       .20         Lady Henry Maddocks. Pink, Sept.,       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 2'       .45       .40         arendsi Gladstone. White, July, 18"       .45         arendsi Grandis rosea magnifica. Pink,			.25
Violetta. Violet, Sept., 3'		.25	
Wartberg Star. Lilac blue, spring, 1'3025 White Climax. White, fall, 4'2518 dwarf varieties.  Countess of Dudley. Clear pink,2520 Lady Henry Maddocks. Pink, Sept.,2520 Lavenda. Lavender blue, Sept., 6"3025 Marjorie. Rose pink, Sept., 1'2520 Nancy. Flesh pink, Sept., 1'2520 Niobe. White, Sept., 6"2520 Ronald. Lilac pink, Sept., 1'2520 Snowsprite. White, Sept., 1'2520 Victor. Lavender blue, Sept., 8"			
White Climax. White, fall, 4'			.25
Countess of Dudley. Clear pink, Sept., 9"			
Sept., 9"       .25       .20         Lady Henry Maddocks. Pink, Sept.,       1'       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 2'       .45       .40         arendsi Gladstone. White, July, 18"       .45         arendsi Granat. Crimson, June, 2'       .50         arendsi Grandis rosea magnifica. Pink,			·
Sept., 9"       .25       .20         Lady Henry Maddocks. Pink, Sept.,       1'       .25       .20         Lavenda. Lavender blue, Sept., 6"       .30       .25         Marjorie. Rose pink, Sept., 1'       .25       .20         Nancy. Flesh pink, Sept., 1'       .25       .20         Niobe. White, Sept., 6"       .25       .20         Ronald. Lilac pink, Sept., 1'       .25       .20         Snowsprite. White, Sept., 1'       .25       .20         Victor. Lavender blue, Sept., 8"       .25       .20         Astilbe arendsi Ceres. Rosy lilac, July, 2'       .45       .40         arendsi Gladstone. White, July, 18"       .45         arendsi Granat. Crimson, June, 2'       .50         arendsi Grandis rosea magnifica. Pink,	Countess of Dudley. Clear pink,		
Lady Henry Maddocks. Pink, Sept.,  1'		.25	.20
Lavenda. Lavender blue, Sept., 6"30 .25 Marjorie. Rose pink, Sept., 1'25 .20 Nancy. Flesh pink, Sept., 1'25 .20 Niobe. White, Sept., 6"25 .20 Ronald. Lilac pink, Sept., 1'25 .20 Snowsprite. White, Sept., 1'25 .20 Victor. Lavender blue, Sept., 8"25 .20 Astilbe arendsi Ceres. Rosy lilac, July, 2'45 .40 arendsi Gladstone. White, July, 18"45 arendsi Granat. Crimson, June, 2'50 arendsi Grandis rosea magnifica. Pink,			
Lavenda. Lavender blue, Sept., 6"3025  Marjorie. Rose pink, Sept., 1'		.25	.20
Marjorie. Rose pink, Sept., 1'2520 Nancy. Flesh pink, Sept., 1'2520 Niobe. White, Sept., 6"2520 Ronald. Lilac pink, Sept., 1'2520 Snowsprite. White, Sept., 1'2520 Victor. Lavender blue, Sept., 8"2520 Astilbe arendsi Ceres. Rosy lilac, July, 2'45 arendsi Gladstone. White, July, 18"45 arendsi Granat. Crimson, June, 2'50 arendsi Grandis rosea magnifica. Pink,			
Nancy. Flesh pink, Sept., 1'			
Niobe. White, Sept., 6"			
Ronald. Lilac pink, Sept., 1'			
Snowsprite. White, Sept., 1'			
Victor. Lavender blue, Sept., 8"			
Astilbe arendsi Ceres. Rosy lilac, July, 2'45 .40 arendsi Gladstone. White, July, 18"45 arendsi Granat. Crimson, June, 2'50 arendsi Grandis rosea magnifica. Pink,			
arendsi Gladstone. White, July, 18"			
arendsi Grandis rosea magnifica. Pink,			.40
arendsi Grandis rosea magnifica. Pink,		.45	
		.50	
	·		
	July, 4'	.45	
arendsi Juno. Purplish pink, July, 3'	arendsi Juno. Purplish pink, July, 3'	.45	.40
arendsi Kreimhilde. Rose, June, July, 2' .45 .40	arendsi Kreimhilde. Rose, June, July, 2'	.45	.40
arendsi Marguerite Van Rechteren. Red,	arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	tinged lilac, Aug., 4'	.45	.40

	5-24 each	25 up each
Astilbe		
arendsi Moerheimi. White, July, 3'	.45	
arendsi. Philadelphia. Lavender rose,	4.5	
July, 2'	.45	
arendsi Rhineland. Crimson, shaded sal-	4.5	4.0
mon, June, 2'	.45	.40
arendsi Rose Pearl. Shell pink, July, 3'.	.45	.40
arendsi Salland. Red, July, 5'	.45	.40
biternata. Cream, June, 4'	.45	.40
rosea Queen Alexandra. Deep pink,	4.5	4.0
July, 3'	.45	.40
rosea Queen of Holland. Rose pink,	4 =	4.0
July, 3'	.45	.40
rubella Vesta. Lilac rose, July, 3'	.45	.40
Astrantia major. Silvery pink, May, 2'	.25	.20
*Aubrietia deltoidea. Purple, April, May, 4"	.25	.20
*deltoidea bougainvillei. Dark blue,		
April, 5"	.30	.25
*deltoidea eyrei. Rosy lilac, April, 5"	.30	.25
*deltoidea Fire King, Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.30	.25
*deltoidea leichtlini. Pink, April, 5"	.30	.25
*deltoidea purpurea. Purple, April, 5"	.30	
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.25	.20
tinctoria. Yellow, June, 3'	.25	.20
Belamcanda chinensis. Orange, summer, 3'	.25	.20
*Bellis perennis alba. White, April, May, 3".	.25	.20
*perennis rosea. Pink, April, May, 3"	.25	.20
*rotundifolia caerulescens. Blue, May		
2"	.30	
*Bellium bellidioeides. Bluish, summer, 4"	.25	
Bocconia cordata. Creamy white, Aug., 6'	.25	.20
Boltonia asteroides. White, Sept., 5'	.25	.18
latisquama. Lavender, Aug., 5'	.25	.18
latisquama nana. Lavender, Aug., 2'	.30	.25
Boykinia rotundiflolia. White, June, 2'	.25	.20
Buphthalmum speciosum. Yellow, June, 3'	.25	.18
salicifolium. Yellow ,summer, 2'	.25	.20
*Calamintha alpina. Purple, summer, 6"	.25	.20
*Calandrinia umbellata. Crimson, summer, 6"	.30	.25

Calimeris incisa. Pink, summer, 2'	5-24 each .25	25 up each .20
*Callirhoe involucrata. Red, all summer, 6"	.25	.20
*Caltha palustris. Yellow, April, May, 12"	.25	.20
Camassia leichtlini. Blue, May, 2'	.25 .25	.20 .20
*Campanula alliariaefolia. White, June, July,		
2'	.25	.20
*bononiensis. Blue, June, 2'	.25	.20
*carpatica. Blue, July, August, 9"	.30	.25
*carpatica alba. White, July, Aug., 9"	.30	.25
*cullinmore. Blue, summer, 9"	.35	.30
*elatinoides. Blue, summer, 6"	.35	
*garganica. Light blue, June, 6"	.35	.30
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.25	.20
glomerata acaulis. Purple, June, 6"	.25	.20
glomerata superba. Violet, June, July, 2'	.25	.20
*grosseki. Blue, summer, 2'	.25	.20
lactiflora. Light blue, Aug., 4'	.25	.20
latifolia alba. White, July, 3'	.30	.25
latifolia macrantha. Purplish blue, July,		
3'	.30	.25
medium. Mixed, June, July, 3'	.25	.20
medium. Separate colors, June, July, 3'	.25	.20
medium calycanthema. Mixed, July, 3'	.25	.20
medium calycanthema. Separate colors,	0.5	0.0
July, 3'	.25	.20
*muralis. Blue-purple, June, 6"	.35	
persicifolia. Blue, June, July, 2'	.30	.25 .25
*persicifolia alba. White, June, 2' persicifolia alba. fl. pl. White, summer,	.50	.20
2'	.40	
persicifolia dbl. blue. Blue, summer, 2'	.40	
persicifolia Telham Beauty. Blue, sum-		
mer, 2'	.30	.25
*poscharskyana. Blue, summer, 5"	.35 .30	.25
pyramidalis. Blue, July, 4-5'	.30	.25
*raineri. Dark blue, July, 6"	.30	.25

*raineri alba. White, July, 6"	Campanula	5-24 each	25 up each
*riverslea. Dark blue, July, 9"	*raineri alba. White, July, 6"	.30	.25
*riverlea alba. White, July, 9"	*rhomboidalis. Blue, July, 1'	.30	.25
*rotundifolia. Blue, June, July, 12"	*riverslea. Dark blue, July, 9"	.30	.25
*rotundifolia. Blue, June, July, 12"	*riverlea alba. White, July, 9"	.30	.25
*sarmatica. Pale blue, summer, 12"		.25	.20
*turbinata. Blue, June, July, 6"		.35	.30
*turbinata alba. White, June, July, 6" .25 .20 *trachelium. Blue, July, 2-3' .25 .20 *Carex morrowi. White-edged foliage, 1' .40 Cassia marilandica. Yellow, July, 3-4' .25 .20 Catananche caerulea. Blue, June, July, 18" .25 .20 Caulophyllum thalictroides .25 .20 Centaurea babylonica. Yellow, July, 5' .25 .20 *dealbata. Red, July, 1½' .25 .20 macrocephala. Yellow, July, 3-4' .25 .20 *montana. Blue, June, July, 2' .25 .20 *montana. Blue, June, July, 4' .35  Centranthus angustifolius. Rose, summer, 18" .25 ruber. Red, summer, 3' .25 .20 ruber albus. White, all summer, 3' .25 .20 cephalaria alpina. Yellow, July, 5' .25 .20 *Cephalaria alpina. Yellow, July, 5' .25 .20 *Cerastium biebersteini. White, June, 6" .25 .20 *Ceratostigma plumbaginoides. Blue, fall, 6" .30 .25 *Chieranthus allioni. Orange, July, 1' .25 .20 *Chelone glabra. White, rosy tinged, July, 2' .25 .20 Chelone glabra. White, rosy tinged, July, 2' .25 .20 Chrysanthemum anemone-flowered .25 .20 Chrysanthemum anemone-flowered .25 .20 Chrysanthemum anemone-flowered .25 .20 Chrysanthemum anemone-flowered .25 .20 *arcticum Astrid. Pink, fall, 18" .30 .25 balsamita. Yellow, Aug., Sept., 2' .25 .20 coreanum. Blush, fall, 3' .25 .20 Cushion varieties. Fall, 1' .25 .20	,	.25	.20
*trachelium. Blue, July, 2-3'			
Cassia marilandica. Yellow, July, 3-4'			
Catananche caerulea. Blue, June, July, 18" .25 .20 Caulophyllum thalictroides	*Carex morrowi. White-edged foliage, 1'	.40	
Caulophyllum thalictroides       .25       .20         Centaurea babylonica. Yellow, July, 5'       .25       .20         *dealbata. Red, July, 1½'       .25       .20         macrocephala. Yellow, July, 3-4'       .25       .20         *montana. Blue, June, July, 2'       .25       .20         ruthenica. Straw color, July, 4'       .35         Centranthus angustifolius. Rose, summer,       .25         18"       .25       .20         ruber. Red, summer, 3'       .25       .20         ruber albus. White, all summer, 3'       .25       .20         ruber albus. White, all summer, 3'       .25       .20         cephalaria alpina. Yellow, July, 5'       .25       .20         *Cerastium biebersteini. White, June, 6"       .25       .20         *tomentosum. White, June, 6"       .25       .20         *Ceratostigma plumbaginoides. Blue, fall, 6"       .30       .25         *Chieranthus allioni. Orange, July, 1'       .25       .20         *Chelone glabra. White, rosy tinged, July, 2'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen — White.       *arcticum. White, fall, 2'       .25       .20         *arcticum Astrid. Pink, fall,	Cassia marilandica. Yellow, July, 3-4'	.25	.20
Centaurea babylonica. Yellow, July, 5'       .25       .20         *dealbata. Red, July, 1½'       .25       .20         macrocephala. Yellow, July, 3-4'       .25       .20         *montana. Blue, June, July, 2'       .25       .20         ruthenica. Straw color, July, 4'       .35         Centranthus angustifolius. Rose, summer, 18"       .25       .20         ruber. Red, summer, 3'       .25       .20         ruber albus. White, all summer, 3'       .25       .20         ruber albus. White, all summer, 3'       .25       .20         cephalaria alpina. Yellow, July, 5'       .25       .20         *Cerastium biebersteini. White, June, 6"       .25       .20         *Cerastium biebersteini. White, June, 6"       .25       .20         *Ceratostigma plumbaginoides. Blue, fall, 6"       .30       .25         *Chieranthus allioni. Orange, July, 1'       .25       .20         *Golden Bedder. June, 1'       .25       .20         Chelone glabra. White, rosy tinged, July, 2'       .25       .20         Snow Queen — White.       *arcticum. White, fall, 2'       .25       .20         Snow Queen — White.       *arcticum Astrid. Pink, fall, 18"       .30       .25         balsamita. Yellow, Aug., Sept., 2'<	Catananche caerulea. Blue, June, July, 18"	.25	.20
Centaurea babylonica.       Yellow, July, 5'       .25       .20         *dealbata.       Red, July, 1½'       .25       .20         macrocephala.       Yellow, July, 3-4'       .25       .20         *montana.       Blue, June, July, 2'       .25       .20         ruthenica.       Straw color, July, 4'       .35         Centranthus angustifolius.       Rose, summer,       .35         Centranthus angustifolius.       Rose, summer,       .25         ruber.       Red, summer, 3'       .25       .20         ruber albus.       White, all summer, 3'       .25       .20         ruber albus.       White, all summer, 3'       .25       .20         Cephalaria alpina.       Yellow, July, 5'       .25       .20         *cerastium biebersteini.       White, June, 6"       .25       .20         *Cerastium biebersteini.       White, June, 6"       .25       .20         *Ceratostigma plumbaginoides.       Blue, fall, 6"       .30       .25         *Chieranthus allioni.       Orange, July, 1'       .25       .20         *Golden Bedder.       June, 1'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen <td>Caulophyllum thalictroides</td> <td>.25</td> <td>.20</td>	Caulophyllum thalictroides	.25	.20
*dealbata. Red, July, 1½'		25	.20
macrocephala.       Yellow, July, 3-4'       .25       .20         *montana.       Blue, June, July, 2'       .25       .20         ruthenica.       Straw color, July, 4'       .35         Centranthus angustifolius.       Rose, summer,       .25         18"       .25       .20         ruber.       Red, summer, 3'       .25       .20         ruber albus.       White, all summer, 3'       .25       .20         Cephalaria alpina.       Yellow, July, 5'       .25       .20         *Cephalaria alpina.       Yellow, July, 5'       .25       .20         *Cerastium biebersteini.       White, June, 6"       .25       .20         *tomentosum.       White, June, 6"       .25       .20         *Ceratostigma plumbaginoides.       Blue, fall, 6"       .30       .25         *Chieranthus allioni.       Orange, July, 1'       .25       .20         *Golden Bedder.       June, 1'       .25       .20         *Chelone glabra.       White, rosy tinged, July, 2'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen       White.       *arcticum.       White, fall, 2'       .25       .20			
*montana. Blue, June, July, 2'25 .20 ruthenica. Straw color, July, 4'35  Centranthus angustifolius. Rose, summer, 18"25 ruber. Red, summer, 3'25 .20 ruber albus. White, all summer, 3'25 .20 Cephalaria alpina. Yellow, July, 5'25 .20 tatarica. Cream, summer, 6'25 .20 *Cerastium biebersteini. White, June, 6"25 .20 *tomentosum. White, June, 6"25 .20 *Ceratostigma plumbaginoides. Blue, fall, 6" .3025 *Chieranthus allioni. Orange, July, 1'25 .20 *Golden Bedder. June, 1'25 .20 Lyoni. Deep rose, August, 2'25 .20 Chrysanthemum anemone-flowered25 .20 Snow Queen — White. *arcticum. White, fall, 2'25 .20 *arcticum Astrid. Pink, fall, 18"30 .25 balsamita. Yellow, Aug., Sept., 2'25 .20 Cushion varieties. Fall, 1'25 .20	,		
ruthenica. Straw color, July, 4'       .35         Centranthus angustifolius. Rose, summer,         18"       .25         ruber. Red, summer, 3'       .25       .20         ruber albus. White, all summer, 3'       .25       .20         Cephalaria alpina. Yellow, July, 5'       .25       .20         *Cephalaria alpina. Yellow, July, 5'       .25       .20         *tatarica. Cream, summer, 6'       .25       .20         *tomentosum. White, June, 6"       .25       .20         *tomentosum. White, June, 6"       .25       .20         *tomentosum. White, June, 6"       .25       .20         *Ceratostigma plumbaginoides. Blue, fall, 6"       .30       .25         *Chieranthus allioni. Orange, July, 1'       .25       .20         *Golden Bedder. June, 1'       .25       .20         *Chelone glabra. White, rosy tinged, July, 2'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen — White.         *arcticum. White, fall, 2'       .25       .20         *arcticum Astrid. Pink, fall, 18"       .30       .25			
Centranthus angustifolius.       Rose, summer,         18"       .25         ruber.       Red, summer, 3'       .25       .20         ruber albus.       White, all summer, 3'       .25       .20         Cephalaria alpina.       Yellow, July, 5'       .25       .20         tatarica.       Cream, summer, 6'       .25       .20         *Cerastium biebersteini.       White, June, 6"       .25       .20         *tomentosum.       White, June, 6"       .25       .20         *Ceratostigma plumbaginoides.       Blue, fall, 6"       .30       .25         *Chieranthus allioni.       Orange, July, 1'       .25       .20         *Golden Bedder.       June, 1'       .25       .20         Chelone glabra.       White, rosy tinged, July, 2'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen       White.       *arcticum.       White, fall, 2'       .25       .20         *arcticum Astrid.       Pink, fall, 18"       .30       .25         balsamita.       Yellow, Aug., Sept., 2'       .25       .20         Cushion varieties.       Fall, 1'       .25       .20			.20
18"       .25         ruber. Red, summer, 3'       .25       .20         ruber albus. White, all summer, 3'       .25       .20         Cephalaria alpina. Yellow, July, 5'       .25       .20         tatarica. Cream, summer, 6'       .25       .20         *Cerastium biebersteini. White, June, 6"       .25       .20         *tomentosum. White, June, 6"       .25       .20         *Ceratostigma plumbaginoides. Blue, fall, 6"       .30       .25         *Chieranthus allioni. Orange, July, 1'       .25       .20         *Golden Bedder. June, 1'       .25       .20         *Golden Bedder. June, 1'       .25       .20         Chelone glabra. White, rosy tinged, July, 2'       .25       .20         Lyoni. Deep rose, August, 2'       .25       .20         Snow Queen — White.       *arcticum. White, fall, 2'       .25       .20         *arcticum Astrid. Pink, fall, 18"       .30       .25         balsamita. Yellow, Aug., Sept., 2'       .25       .20         coreanum. Blush, fall, 3'       .25       .20         Cushion varieties. Fall, 1'       .25       .20		.00	
ruber. Red, summer, 3'       .25       .20         ruber albus. White, all summer, 3'       .25       .20         Cephalaria alpina. Yellow, July, 5'       .25       .20         tatarica. Cream, summer, 6'       .25       .20         *Cerastium biebersteini. White, June, 6"       .25       .20         *tomentosum. White, June, 6"       .25       .20         *Ceratostigma plumbaginoides. Blue, fall, 6"       .30       .25         *Chieranthus allioni. Orange, July, 1'       .25       .20         *Golden Bedder. June, 1'       .25       .20         Lyoni. Deep rose, August, 2'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen — White.       *arcticum. White, fall, 2'       .25       .20         *arcticum Astrid. Pink, fall, 18"       .30       .25         balsamita. Yellow, Aug., Sept., 2'       .25       .20         coreanum. Blush, fall, 3'       .25       .20         Cushion varieties. Fall, 1'       .25       .20		0.5	
ruber albus.       White, all summer, 3'       .25       .20         Cephalaria alpina.       Yellow, July, 5'       .25       .20         tatarica.       Cream, summer, 6'       .25       .20         *Cerastium biebersteini.       White, June, 6"       .25       .20         *tomentosum.       White, June, 6"       .25       .20         *Ceratostigma plumbaginoides.       Blue, fall, 6"       .30       .25         *Chieranthus allioni.       Orange, July, 1'       .25       .20         *Golden Bedder.       June, 1'       .25       .20         Chelone glabra.       White, rosy tinged, July, 2'       .25       .20         Lyoni.       Deep rose, August, 2'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen — White.       *arcticum.       White, fall, 2'       .25       .20         *arcticum Astrid.       Pink, fall, 18"       .30       .25         balsamita.       Yellow, Aug., Sept., 2'       .25       .20         Cushion varieties.       Fall, 1'       .25       .20			20
Cephalaria alpina. Yellow, July, 5'			
*Cerastium biebersteini. White, June, 6" .25 .20 *tomentosum. White, June, 6" .25 .20 *Ceratostigma plumbaginoides. Blue, fall, 6" .30 .25 *Chieranthus allioni. Orange, July, 1' .25 .20 *Golden Bedder. June, 1' .25  Chelone glabra. White, rosy tinged, July, 2' .25 .20 lyoni. Deep rose, August, 2' .25 .20 Chrysanthemum anemone-flowered .25 .20 Snow Queen — White. *arcticum. White, fall, 2' .25 .20 *arcticum Astrid. Pink, fall, 18" .30 .25 balsamita. Yellow, Aug., Sept., 2' .25 .20 coreanum. Blush, fall, 3' .25 .20 Cushion varieties. Fall, 1' .25 .20	ruber albus. White, all summer, 3'		
*Cerastium biebersteini. White, June, 6"	Cephalaria alpina. Yellow, July, 5'	.25	-
*tomentosum. White, June, 6"	tatarica. Cream, summer, 6'	.25	.20
*tomentosum. White, June, 6"	*Cerastium biebersteini. White, June, 6"	.25	.20
*Ceratostigma plumbaginoides. Blue, fall, 6" .30 .25  *Chieranthus allioni. Orange, July, 1' .25 .20  *Golden Bedder. June, 1' .25  Chelone glabra. White, rosy tinged, July, 2' .25 .20  lyoni. Deep rose, August, 2' .25 .20  Chrysanthemum anemone-flowered .25 .20  Snow Queen — White.  *arcticum. White, fall, 2' .25 .20  *arcticum Astrid. Pink, fall, 18" .30 .25  balsamita. Yellow, Aug., Sept., 2' .25 .20  coreanum. Blush, fall, 3' .25 .20  Cushion varieties. Fall, 1' .25 .20		.25	.20
*Golden Bedder. June, 1'		.30	.25
*Golden Bedder. June, 1'	*Chieranthus allieni Orango July 1/	25	20
Chelone glabra. White, rosy tinged, July, 2' .25 .20 lyoni. Deep rose, August, 2' .25 .20 Chrysanthemum anemone-flowered .25 .20 Snow Queen — White.  *arcticum. White, fall, 2' .25 .20 *arcticum Astrid. Pink, fall, 18" .30 .25 balsamita. Yellow, Aug., Sept., 2' .25 .20 coreanum. Blush, fall, 3' .25 .20 Cushion varieties. Fall, 1' .25 .20			.20
lyoni. Deep rose, August, 2'       .25       .20         Chrysanthemum anemone-flowered       .25       .20         Snow Queen — White.       *arcticum. White, fall, 2'       .25       .20         *arcticum Astrid. Pink, fall, 18"       .30       .25         balsamita. Yellow, Aug., Sept., 2'       .25       .20         coreanum. Blush, fall, 3'       .25       .20         Cushion varieties. Fall, 1'       .25       .20			
Chrysanthemum anemone-flowered .25 .20 Snow Queen — White.  *arcticum. White, fall, 2' .25 .20  *arcticum Astrid. Pink, fall, 18" .30 .25 balsamita. Yellow, Aug., Sept., 2' .25 .20 coreanum. Blush, fall, 3' .25 .20 Cushion varieties. Fall, 1' .25 .20	Chelone glabra. White, rosy tinged, July, 2'	.25	.20
Snow Queen — White.         *arcticum. White, fall, 2'       .25       .20         *arcticum Astrid. Pink, fall, 18"       .30       .25         balsamita. Yellow, Aug., Sept., 2'       .25       .20         coreanum. Blush, fall, 3'       .25       .20         Cushion varieties. Fall, 1'       .25       .20	lyoni. Deep rose, August, 2'	.25	.20
*arcticum. White, fall, 2'       .25       .20         *arcticum Astrid. Pink, fall, 18"       .30       .25         balsamita. Yellow, Aug., Sept., 2'       .25       .20         coreanum. Blush, fall, 3'       .25       .20         Cushion varieties. Fall, 1'       .25       .20	Chrysanthemum anemone-flowered	.25	.20
*arcticum Astrid. Pink, fall, 18"30 .25 balsamita. Yellow, Aug., Sept., 2'2520 coreanum. Blush, fall, 3'2520 Cushion varieties. Fall, 1'2520	Snow Queen — White.		
balsamita.       Yellow, Aug., Sept., 2'       .25       .20         coreanum.       Blush, fall, 3'       .25       .20         Cushion varieties.       Fall, 1'       .25       .20	*arcticum. White, fall, 2'	.25	.20
coreanum.         Blush, fall, 3'         .25         .20           Cushion varieties.         Fall, 1'         .25         .20	*arcticum Astrid. Pink, fall, 18"	.30	.25
Cushion varieties. Fall, 1'	balsamita. Yellow, Aug., Sept., 2'	.25	.20
·	coreanum. Blush, fall, 3'	.25	.20
(white, vellow, pink, red, bronze)	Cushion varieties. Fall, 1'	.25	.20
tville, Jellett, Pilli, 1ea, Diellet	(white, yellow, pink, red, bronze)		

	5-24	25 up
Chrysanthemum	each	each
*erubescens. Pink, Aug., Sept., 18"	.25	
hardy button varieties	.25	.20
Baby Marguerite — pink.		
Bronze Button — bronze.		
Irene — blush white.		
Lillian Doty — pink.		
Mitzi — yellow.		
Mrs. H. Harrison — pink.		
Niza — delicate pink.		
Pygmy Gold — golden yellow.		
September Bronze — bronze.		
September Cloud — white.		
September Gold — gold.		
White Doty — white. White Gull — white.		
white Gun — white.		
hardy large flowering, double, fall, 4'	.25	.20
Algonquin — yellow.		
Angelo — pink.		
Boston — orange.		
Brune Poitevine — deep velvety redd	ish b	ronze.
Caliph — oxblood red.		
Canariense — yellow.		
Comoleta — yellow.		
Harvest Home — yellow.		
L'Argentuillais — deep chestnut.		
Lavender Lady — clear lavender.		
Mrs. F. H. Bergen — pale pink.		
Marie Antoinette — deep pink, Mrs. H. Craig — yellow, overlaid or	ando	orim_
son.	ange	CI IIII-
Murillo — pink.		
Oconto — white.		
Ohio Gold — yellow.		
Old Homestead — pink.		
Pacific Supreme — pink.		
R. Marion Hatton — canary yellow.		
Snowclad — white.		
Vesuve — red.		
Dazzler. Cardinal red, fall, 2'	.25	.20
Daybreak. Shell pink, fall, 2'	.25	

	5-24 each	25 up each
Chrysanthemum, hardy, large-flowering.		
Dean Kay. Rose pink, Sept., Oct., 2' Dean Ladd. Reddish bronze, Sept.,	.35	.30
Oct. 2'	.45	
Eden. Bright rose, fall, 2'	.25	.20
Emma Marie. Lemon yellow, fall, 2' Glory of Seven Oaks. Yellow,	.25	.20
Sept., 2'	.25	.20
Jean Cumming. White, fall, 2'	.25	.20
Judith Anderson. Yellow, fall, 18" Mrs. Willis J. Martin. Strawberry,	.25	.20
fall, 2'	.25	.20
Pale Moon. Yellow, fall, 2'	.30	.25
fall, 2'	.25	.20
Tassiva. White, Sept., 18"	.25	
,	.25	
Yellow Spoon. Yellow, Oct., 18"	25	.20
hardy large flowering. Single, fall, 4'  California — yellow.  Country Girl — lavender.  Excelsior — golden yellow.  Gypsy Girl — crimson, shading chestr  Lady Smith — bright pink.  Mrs. Calvin Coolidge — cardinal red.  Mrs. W. E. Buckingham — salmon pi  Silver Moon — white.  Korean hybrids. October 2-2½'	nut. nk.	.20
Aphrodite — pale pink.  Apollo — bronze, red and gold.  Ceres — chamois yellow.  Clara Curtis — salmon pink.  Daphne — daphne pink.  Diana — rose pink, blended lilac ros  Indian Summer — double orange.  Kristina — deep rose pink.  Mars — amaranth red.  Mercury — bronze red.  Nancy Copeland — spectrum red.  Profusion — rich, coppery old gold.  Saladin — oriental red, shading to con	se.	.20

		25 up each
Chrysanthemum, Korean hybrids.	eucn	each
Sappho — pure yellow.		
Saturn — orange and bronze.		
Siegfried — rich yellow.		
The Moor — port wine red.		
Viking — burnt orange.		
maximum. White, all summer, 2'	.25	.20
maximum Alaska. White, July, Aug., 2'	.25	.20
maximum Chiffon. Double White, sum-		
mer, 18"	.30	
maximum Esther Reed. Double, white,		
summer, 18"	.45	
maximum Giant Single. White, sum-		
mer, 30"	.25	.20
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.25	.20
maximum White Swan. Double White,		
summer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.30	.25
Cimicifuga racemosa. White, July, 5'	.25	.20
Clematis davidiana. Blue, Aug., 3'	.35	
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.30	.25
recta. White, July, 3'	.35	.30
recta mandschurica. White, July, 4'	.35	.30
Codonopsis clematidea. White, June, 3'	.30	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.40	
autumnale roseum plenum. Rosy lilac,	,	
Sept., 1'	,50	
*Convallaria majalis. Clumps, white, May, 6"		.35
Coptis trifolia. White, summer, 6"	.30	.25
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.25	.20
lanceolata. Yellow, summer, 2'	.25	.20
*rosea. Rose, Aug., Sept., 1'	.25	.20
verticillata. Yellow, July, Aug., 2'	.25	.20
*Coronilla cappadocica. Yellow, June, 6"	.35	.30
*varia. Pink, summer, 18"	.25	.20
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.30	.25
*Crucianella stylosa. Crimson pink, July, 8"	.25	

t Company along a grown in a tifaliana	5-24 each	
*Cynanchum acuminatifolium.  White, summer, 18"	.25	.20
Cypripedium acaule. Rose-purple, May	AE	
June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
Delphinium belladonna.		
Sky blue, all summer, 4'	.25	.20
bellamosum. Dark blue, all summer, 4'	.25	.20
*chinense. Blue, July, 2'	.25	.20
*chinense album. White, July, 2'	.25	.20
elatum. Blue, July, 4'	.25	.20
formosum. Indigo, July, 4'	.25	.20
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue, July, 4'	.25	.20
hybridum Wrexham's. Various, June, 5'	.35	.30
Pacific Hybrids. Various, summer, 4'	.40	.35
Pacific Hybrids. Separate colors, sum-		
mer, 4'	.50	
Black Knight — dark violet		
Blue Jay — blue		
Cameliard — soft lavender		
Galahad — white		
Guinevere — light pink lavender		
King Arthur — royal violet		
Lancelot — soft lavender		
siberica hybrids. Shades of blue, July, 3'	25	.20
Dennstedtia punctilobula. Hay-scented Fern	.25	.20
Dianthus allwoodi. Pink, July, 1'	.25	.20
*alpinus. Rose, summer, 4"	.35	.30
*arenarius. White, July, 10"	.25	.20
*arvernensis. Pink, June, 4"	.25	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.25	.20
barbatus alba. White, June, July, 1'	.25	.20
barbatus atrococcineus. Crimson, June,		
1′	.25	.20
*barbatus Dwarf Giants. Various, June,		
8"	.25	.20
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.25	2.0

Dianthus	5-24 each	25 up each
barbatus Giant White. June, 1'	.25	.20
barbatus nigricans.		
Dark velvety red, June, 1'	.25	.20
barbatus Pink Beauty. Pink, June, 1'	.25	.20
barbatus Salamoni. Salmon, June, 1'	.25	.20
barbatus Sutton's Scarlet.		
Crimson, June, 1'	.25	.20
*caesius. Rose pink, June, July, 9"	.25	.20
*chinensis heddewigi.		
Mixed, June, July, 8"	.25	.20
*deltoides. Pink, June, 9"	.25	.20
*deltoides albus. White, June, 9"	.25	.20
*deltoides Brilliant. Red, June, 9"	.25	.20
giganteus. Red, July, 2'	.25	.20
*grisebachi. Purple, June, 1'	.25	.20
hardy pinks.	.20	.20
Single, mixed, all summer, 9"	.25	.20
knappi. Yellow, summer, 1'	.35	
*latifolius atrococcineus.		
Crimson, summer, 1'	.25	.20
*plumarius. Mixed, summer, 8"	.25	.20
*plumarius fl. pl. Mixed, summer, 8" *plumarius semperflorens.	.25	.20
Pink, June, 9"	.25	.20
*Beatrix. Salmon pink, June, 18"	.30	.25
*Bristol Jewel. White&crimson, June 18"	.30	0
*Bristol Purity. White, June, 18"	.30	.25
*Cyclops. Dark rose, June, July, 9"	.25	.20
*Elizabeth Peters. Pink, June, July, 9"	.30	
*Furst Bismarck. Rose, summer, 1'	.30	.25
*Gladys Cranfield. Pink, summer, 1'	.30	
*Grenadin. Mixed, summer, 1'	.25	.20
*Grenadin. Red, summer, 1'	.25	.20
*Hardy Harvard. Red, summer, 1' *Her Majesty. Dbl. white, June, July, 9"	.35	.25
*Little Joe. Crimson, summer, 6"	.30	.20
*Pheasant's Eye. Pink, white eye, June, 1'	.25	.20
*Robert. Pink, summer, 1'	.35	.30
*Rose Cushion. Pink, June, 3"	.25	

Dianthus.	5-24 each	25 up each
*Silver Mine. White, summer, 1'	.35	.30
*Souv. de Sales. Dbl. pink, June, 9"	.25	.20
*Uncle Sam. White, red eye, June, 12"	.25	,=0
*White Reserve. White, June, July, 9"	.25	.20
*seguieri. Carmine, summer, 1'	.25	, 20
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.30	.25
spectabilis. Rose, May, June, 2'	.55	.50
Dictamnus albus. White, June, 2'	.40	.35
albus ruber. Red, June, 2'	.40	.35
cauacsicus. Red, June, 3'	.40	<b>.3</b> 5
Digitalis ambigua. Yellow, June, July, 3'	.25	.20
gloxinaeflora. Mixed, June, July, 3'	.25	.20
lanata. Creamy yellow, July, 3'	.25	.20
lutea. Yellow, June, July, 18"	.25	.20
Lutzii hybrids. Salmon, June, July, 3'	.25	.20
purpurea Mixed, June, July, 3' purpurea maculata. Spotted, June, July,	.25	.20
18"	.25	.20
purpurea, rose, June, July, 3'	.25	.20
purpurea, white, June, July, 3'	.25	.20
Shirley Hybrids, mixed. June, July, 3'	.25	.20
*Dodecatheon meadia. Rose, May, 1'	.25	.20
*latilobum. White, May, June, 1'	.25	.20
Doronicum caucasicum. Yellow, April,		
May, 18" Yellow,	.35	.30
April, May, 3'	.35	.30
Dorycnium hirsutum. Pink, summer, 2'	.30	.25
*Draba aizoides. Yellow, March, 4"	.30	
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*repens. Yellow, April, 6"	.30	.25
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.25	.20
mer, 2'	.30	.25

	5-24 each	25 up
Dryopteris spinulosum. Wood Fern	.25	.20
thelypteris. Shield Fern	.25	.20
Echinacea purpurea. Purple, July, Aug., 3'	.25	.20
Echinops humilis. Blue, July, 2'	.25	.20
ritro. Deep steel blue, July, 3'	.25	.20
sphaerocephalus. Pale blue, July, 5'	.25	.20
*Edraianthus dinaricus. Lilac, July, 3"	.30	
Elymus glaucus. Blue Lime Grass, 3'	.25	.20
*Epigaea repens. Pink, April, May, 4"	.45	
Epilobium angustifolium. Rose, Aug., 4'	.25	.20
*Epimedium niveum. White, May, June, 1'	.35	
macranthum lilacina. Lilac, May,		
June, 1'	.35	.30
sulphureum. Yellow, May, 1'	.35	.30
Eremurus himalaicus. White, June, 6'	1.25	1.00
Erianthus ravennae. Plume Grass, 10'	.35	.30
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.25	.20
*glabratus roseus. Pink, June, 1'	.25	.20
macranthus. Violet, June, 2'	.25	.20
*speciosus. Rich purple, June, July, 2'	.25	.20
*Erinus alpinus albus. White, May, 4"	.35	.30
*alpinus roseus. Rosy purple, May, 4"	.35	.30
*Erodium corsicum. Pink, summer, 2"	.35	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.25	.20
bourgati. Blue, summer, 18"	.40	
*planum. Blue, July, Aug., 3'	.25	.20
*Erysimum kotchyanum. Orange, May,		
June, 5"	.25	.20
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.25	.20
Eulalia gracillima. Japan Rush, 4-6'	.30	.25
japonica variegata, 4-6'	.30	.25
zebrina. Zebra Grass, 4-6'	.30	.25
*Eupatorium ageroides. White, Aug., 3'	.25	.20
*coelestinum. Blue, Sept., Oct., 18"	.25	.20
purpureum. Purple, Aug., Sept., 5	.25	.20
Euphorbia corollata. White, July, Aug., 2'	.25	.20
*cyparissias. Yellow, May, 10"		.20
	.25	0.0
*myrsinites. Yellow, May, June, 6"	.25	.20

	5-24 each	25 up each
Festuca glauca. Fescue Grass, June, 10"	.25	.20
Foeniculum atrosanguineum. Summer, 6'	.25	.20
*Fragaria indica. White, May, 6"	.25	.20
*Fuchsia magellanica. Red, summer, 3'	.40	
Funkia. (See Hosta).		
*Gaillardia grandiflora. Yellow and Crim-		
son, all summer, 2'	.25	.20
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.30	.25
*Galax aphylla. White, June, 10"	.30	.25
Galega officinalis. Blue, June, July, 3'	.25	.20
officinalis hartlandi. Bluish white,		
July, 3'	.25	.20
Galium boreale. White, July, 11/2'	.25	.20
*purpureum. Dark brown, Aug., 1'	.25	.20
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
andrewsi. Blue, August, 2'	.25	.20
*cruciata. Deep blue, June, July, 1'	.30	.25
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	
*Geranium endressi. Rose, summer, 18" *grandiflorum. Lilac, June, July, 15"	.35 .25	
*grevilleanum. Mauve, June, July, 6"	.25	.20
*ibericum. Purple, May, June, 2'	.25	.20
*maculatum. Pink, May, June, 1'	.25	.20
*pratense album. White, July, Aug., 2'	.25	.20
*sanguineum. Red, June, July, 2'	.25	.20
*Geum atrosanguineum. Dark red, sum-	0.5	
mer, 1½'	.25	.20
Lady Strathedon. Orange, summer, 15".	.30	.25
*montana. Yellow, July, 1'	.25	.20
*Orange Queen. Orange, summer, 15"	.30	.25
*sibericum. Scarlet, June, July, 1'	.30	
*urbanum. Yellow, July, 15"	.25	.20
*Gillenia trifoliata. White, July, 4'	.25	.20

	5-24 each	25 up each
*Globularia cordifolia. Pale blue, June, 4"	.25	,20
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.25	.20
and the state of t	,20	.20
Gypsophila acutifolia. Pink, July, 2-3'	.25	.20
*cerastoides. White, summer, 4"	.30	.25
paniculata. White, July, Aug., 2-3'	.25	.20
paniculata Bristol Fairy. Double white,	.20	.20
summer, 3'	.45	.40
paniculata fl. pl. Double white, July,		.10
Aug., 3'	.45	.40
*repens. Bluish white, all summer, 6"	.25	.20
*repens bodgeri. Dbl. white, summer, 2'	.40	.35
*repens rosea. Pink, summer, 6"	.40	.35
Rosy Veil. Pink, summer. 2'	.40	.35
• • • • • • • • • • • • • • • • • • • •		.00
Helenium autumnale. Yellow, Aug., Sept., 5'	.25	.20
autumnale superbum. Yellow, Sept., 5'	.25	.20
bigelovi. Yellow, Sept., 4'	.25	.20
Gartensonne. Yellow, Aug., Sept., 3'	.30	.25
hoopesi. Orange, June, July, 3'	.30	.25
*pumilum. Yellow, Aug., 15"	.30	
Riverton Beauty. Lemon, Aug., Sept., 5'	.30	.25
Riverton Gem. Old Gold, Sept., Oct., 4'	.30	.25
rubrum. Brick red, Sept., 4'	.25	.20
Awa		
*Helianthemum citrinum. Yellow, summer, 6"	.25	.20
*croceum. Saffron, June, July, 9"	.25	.20
*cupreum. Copper, June, July, 6"	.25	.20
*Fire Ball. Red, July, Aug., 12"	.25	.20
*mutabile. Flesh, May, June, 12"	.25	.20
*perfoliatum roseum. Salmon, sum-		
mer, 6"	.25	.20
*purpureum. Bright pink, June, 6"		
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.25	.20
maximiliana. Yellow, Sept., 6'	.25	.20
Miss Mellish. Yellow, Aug., Sept., 6'	.25	.20
mollis grandiflorus. Yellow, Aug.,	.20	.20
Sept., 4'	.25	.20
multiflorus fl. pl. Yellow, summer, 4'	.30	.25
orgyalis. Bright yellow, Sept., 6-8'	.25	.20
rigidus. Yellow, Aug., 3'	.25	.20
Wolly Dod. Deep yellow, Sept., 7'		.20
The state of the s	1000	140

Heliopsis excelsa. Double yellow, Aug., 3'	5-24 each .25	25 up each .20
incomparabilis. Gold, summer, 30" pitcheriana. Orange, July, Aug., 3'	.30	.25 .20
*Helleborus niger. White, Feb., Mar., 1'	.75	
Hemerocallis Apricot. Apricot color, June, 2'	.25	.20
aurantiaca. Orange, June, July, 2½'	.25	.20
Dr. Regal. Orange yellow, May, 18"	.30	.25
dumortieri. Orange, June, 2'	.25	.20
flava. Lemon yellow, June, 3'	.25	.20
florham. Golden yellow, June, 3'	.30	.25
fulva. Bronze, Aug., 3'	.25	.20
Gold Dust. Indian yellow, June, 2½'	.25	.20
gracilis. Yellow, June, 2'	.25	.20
Hyperion. Lemon, July, 4'	.65	
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso fl. pl. Reddish orange, June, 2½'	.25	.20
luteola. Orange, June, 2'	.25	.20
Leonian hybrids. Various, summer, 3'	.60	
Mikado. Red orange, June, July, 3'	.40	
May Queen. Orange, May, 4'	.25	
middendorffi. Orange, June, 3'	.25	.20
minor. Yellow, June, 2'	.25	.20
Ophir. Orange, July, 3'	.40	
Orange Man. Deep orange, June, 2'	.25	.20
Sovereign. Rich orange, June, 1½'	.25	.20
thunbergi. Lemon yellow, June, 2-3'	.25	.20
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, Aug.		
Gypsy. Deep orange, July.  Harvest Moon. Orange, July.		
Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Aug	r	
The Gem. Deep orange, June, July.	•	
	25	.20
	.25	.20
*Herniaria glabra. Green, summer, 4"	.25	9.0
*Hesperis matronalis. Purple, June, July, 3'	.25	.20
	.25	.20
*brizoides. Pink, June, July, 2'	.25 .25	.20
	.35	.20
*Fire King. Red, May, June, 15" *Grenadier. Red, summer, 15"	.35	
*Perry's White. White, summer, 15"	.35	.30
*Pleu de Feu. Red, May, June, 2'		.25
*Red Pimpernell. June, 1'		,20

Heuchera	5-24 each	25 up each
*rosamundi. Coral, summer, 18"	.30	.25
*sanguinea. Coral red, June, 1'	.30	.25
*sanguinea hybrids. Various, summer, 18"	.30	.25
•villosa. White, summer, 12"	.25	
Hibiscus Mallow Marvels. Mixed, July,		
Aug., 5'	.25	.20
Mallow Marvels. Separate colors,		
Aug., 5'	.30	.25
Mallow Marvels. Giant Red, Aug., 5'	.30	.25
moscheutos. Rose, June, July, 5'	.25	.20
moscheutos crimson eye. White, red		
eye, Aug., 5'	.25	.20
*Hieracium aurantiacum. Orange, summer, 6"	.25	.20
*alpinum. Yellow, May, June, 9"	.25	.20
Hosta caerulea. Blue, July, 1½'	.25	.20
fortunei. Pale lilac, July, 2'	.25	.20
lancifolia. Blue, July, 2'	.25	.20
sieboldiana. Silvery foliage	.30	.25
sub-cordata grandiflora. White, Aug.,		
18"	.45	.40
Thos. Hogg. Blue, summer, 18"	.40	
undulata variegata. White foliage, 2'	.25	.20
*Houstonia serpyllifolia. Blue, April, 2"	.30	.25
Hyacinthus candicans. White, Aug., 3'	.25	.20
*Hypericum calycinum. Yellow, July, Aug., 1'	.30	.25
*Coris. Yellow, summer, 4"	.30	.25
*fragile. Yellow, July, Aug., 1'	.30	.25
moserianum. (See Shrubs).		
*polyphyllum. Yellow, summer, 8"	.25	.20
*repens. Yellow, July, 4"	.30	.25
*rhodopaeum. Yellow, July, 4"		.20
*Hyssopus officinalis. Purple, Aug., 18"	.25	.20
*Iberis gibraltarica. Delicate lilac, May, 11/2'	.25	.20
*jordani. Bose, May, June, 6"	.30	.25
*sempervirens. White, May, June, 8"	.25	.20
*sempervirens Climax. White, May, 6"	.30	.25
*sempervirens Little Cushion. White,		
May, June, 4"	.40	.35
*sempervirens Little Gem. White,		
April, 6"	.30	.25
*sempervirens Snowflake. White, May, 9"	.30	.25
*tenoreana. Purplish white, June, 6"	.30	

	5-24 each	25 up each
*Incarvillea delavayi. Rosy purple, June,	each	each
July, 2'	.50	
*Inula ensifolia. Yellow, July, Aug., 8"	.25	.20
*Iris cristata. Light blue, May, June, 6"	.30	.25
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"	.30	.25
fall blooming. Spring and fall, 1½-2'	.30	.25
Autumn King — Blue-purple	•	
Autumn Queen — snow white		
Jean Siret — yellow		
Lt. Chavagnac — violet		
Olive White — cream		
<b>Ultra</b> — ultramarine-blue		
germanica. May, June, 1½-2'		
Afterglow. Soft lavender shading		
yellow	.20	.15
Ambassadeur. Bronze, purple ma-		
roon falls	.20	.15
Anjelus. Pink, shaded lavender	.40	
Aphrodite. Lilac pink	.20	.15
Archiveque. Purple	.20	1.5
Asia. Smoky blue	,20	.15
Ballerine. Violet with deeper falls	.20	.15
Blue Peter. Dark blue purple	.30	
Blue Triumph. Pale blue	.40	15
Bruno. Bronze, red purple falls  Cecil Minturn. Pink	.20	.15
Chasseur. Yellow, red veining	.20	.15 .18
China Maid. Pink	.60	.10
China Rose. Orchid pink	.55	
Cinnebar. Violet, maroon falls	.25	.18
Cluny. Lilac blue	.20	.15
Coppersmith. Coppery red	.20	.15
Crystal Beauty. Tall white	.30	.10
Depute Nomblot. Coppery red,	.00	
flushed bronze	.25	
Dorothea. Pearl gray.	.20	.15
Dream. Light pink	.20	,10
E. B. Williamson. Coppery red.	.50	
Fairy. White, bordered blue	.20	.15
Florentina. Pale blue	.20	.15
Florentina alba. White		.15

Iris germanica.	5-24	25 up
Germaine Perthius. Violet purple	each .25	each .20
Gold Imperial. Golden yellow	.20	
Golden Majesty. Golden yellow	.60	***
Golden Treasure. Cream	.60	
Indian Chief. Velvety red	.30	
Kochi. Rich deep claret purple	.20	.15
Labor. Electric blue	.25	•
Leonidas. Lavender, mauve falls.	.25	.20
Lent A. Williamson. Violet, rich	.20	•==0
purple falls with yellow beard.	.20	.15
Lord of June. Lavender blue, violet		***
falls	.20	.15
Lucrezia Bori. Soft yellow	.60	
Mad. Henri Cayeau. Dark purple	.20	.15
Mary Barnet. Lavender blue	.20	.15
Mary Geddes. Pink, overlaid		
Pomeranian red	.40	
Midnight. Dark blue	.20	.15
Missouri. Deep blue.	.50	
Mme. Chobaut. Buff and wine,		
dotted	.25	
Moonlight. Silvery white	.20	.15
Monsignor. Violet purple, crimson		
falls	.20	.15
Mt. Royal. Pansy purple	.20	
Opera. Violet red, purple falls	.25	.20
Pallida Dalmatica. Lavender	.25	.20
Pallida speciosa. Light blue		.15
Pink Opal. Pink lilac		
Pluie d'Or. Yellow		
Pocahontas. White, edged blue	.25	.20
Prairie Gold. Yellow	.20	.15
Prospero. Lavender and purple	.20	.15
Queen Caterina. Lavender violet,	9.0	15
orange beard	.20	.15
Rhea. Violet	.20	.15
Robt. W. Wallace. Violet purple Shekinah. Pale yellow, shading to	.20	.15
buff	.25	.20
Snowking. Large white	.40	. m. V
Snow White. White.		

		25 up each
*Iris germanica		
Souv. de Mad. Gaudichau. Deep velvety purple Taj Mahal. White True Delight. Pure pink Victorine. White, mottled blue Wedgewood. Blue	.20 .20 .25 .20	.15 .15
intermedia hybrids. May, 18"		.20
kaempferi. Japanese Iris. July, 2-3'	.30	.25
Awaji. Large white overlaid lavend	er bl	ue.
<b>Bandai-San.</b> White standards and dered lavender.	falls,	bor-
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
Florence. Amaranth purple.	1 11	
Fukushima. Reddish purple, veined v		
Gold Bound. White, yellow shadings. Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white halo		
Mahogany. Double rich dark red.	•	
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet p	urple	
Purple & Gold. Violet purple, golden throat.		
Pyramid. Double violet purple, veined white.		
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety she	en.	
Uchiu. Crimson purple, white veins. Warei-hotei. Lavender blue, light bl	ua ha	lo
prismatica. Violet, May, June, 2'	.25	.20
pseudacorus. Yellow, June, 3'		.20
*pumila alba. Dwarf, white, April, 9"		.20
*pumila atroviolacea. Wine, April, 6"		.20
*pumila Bride. White, April, 6"	.25	.20

Iris	5-24 each	25 up each
pumila Cyanea. Crimson purple, April		
6"	.25	.20
*pumila Curiosa. Yellow, April, May, 9"	.30	.25
*pumila Fairy. Pale blue, April, 6"	.30	.25
*pumila lutea. Pale yellow, April, 6"	.25	.20
*pumila Midget. Purplish red, April, 6" *pumila Schneecuppe. White, April, 6"	.25 .25	.20
*pumila Sambo. Violet, April, 9"	.25	.20
sibirica. Purplish blue, June, 3'	.25	.20
sib'rica alba. White, June, 3'	.25	.20
sibirica Emperor. Clear blue, May, 2'	.25	.20
sibirica Snow Queen. White, May, 2'	.25	.20
spuria Dorothy Foster. Violet standards		
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.25	.20
*tectorum. Blue, June, 1'	.30	.25
*tectorum alba. White, June, 10"	.35	
*verna. Blue, May, June, 6"	.25	.20
versicolor, Blue, June, 2'	.25	.20
Isatis tinctoria. Yellow, May, June, 6'	.25	.20
*Jasione humilis. Blue, July, Aug., 6"	.25	.20
*perennis. Blue, June, July, 6"	.25	.20
*Jeffersonia diphylla. White, May, 8"	.30	.25
*Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.30	.25
*Lactuca perennis. Blue, June, 15"	.25	.20
*Lamium maculatum. Purple red, summer, 8"	.50	.45
*maculatum album. White, summer, 8"	.50	
Lathyrus latifolius. Pink to red, July, 6'	.25	.20
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.25	.20
officinalis alba. White, July, 2'	.25	.20
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.30	.25
Liatris pycnostachya. Purple, Aug., Sept., 4'	25	.20
spicata. Purple, Aug., 3'	.25 .25	.20
Ligularia clivorum. Yellow, Aug., Sept., 3' Lilium auratum. White, gold band, summer	.40	,20
3'	1.50	
batemanniae. Salmon red, July, 3'	.45	
canadense. Yellow to red, June, July, 3'	.25	.20
candidum. White, June, 3'	.60	.50
carolinianum. Orange, July, Aug., 3'	.50	
elegans. Orange, July, 1'	1.00	

Lilium	5-24 each	25 up each
concolor. Scarlet, July, 1'	.50 1.00 .75 .35	.30
June, July, 2'  philadelphicum. Orange red, June, July 3'	.50	.40
regale. White, July, 4' speciosum album. White, Aug., 2' speciosum rubrum. Pink carmine,	.35 1.00	.30
Aug. 2' superbum. Orange, July, Aug., 5' *tenuifolium. Scarlet, June, 18"	1.00 .30 .40	.90 .25 .35
testaceum. Apricot, June, July, 5' tigrinum. Orange, spotted, Aug., 4' tigrinum fl. pl. Orange, spotted, Aug., 4'	2.50 .50 .50	
umbellatum. Scarlet red, July, 2' willmottiae. Orange, July, 4'	.45 1.00	.40
*Limonium auriculaefolium. Blue, June, July, 6"	.25 .25 .25	.20 .20
*Linaria aequitriloba. Pale mauve, June, 1"     *alpina. Blue, summer, 6"     *alpina rosea. Rose, summer, 6"	.25 .25 .25	.20 .20
*cymbalaria. Lavender, summer, 4"  *origanifolia. Purple, June, 10"  *purpurea. Purple, summer, 3'	.25 .35 .25	.20
*Linum austriacum. Blue, summer, 3' *alpinum. Blue, June, 10"	.25	.20
*flavum. Yellow, June, July, 1'	.25 .30 .25	.20 .25 .20
*Lithospermum purpureo-caeruleum. Blue May, 10"	.60	
Lobelia cardinalis. Scarlet, Aug., Sept., 3' siphilitica. Blue, Sept., 3'	.25 .25	.20 .20

	5-24 each	25 up each
Lupinus polyphyllus. Blue, June, July, 3'	.30	.25
polyphyllus albus. White, June, July, 3'	.30	.25
polyphyllus roseus. Pink, June, July, 3'	.30	.25
Russell hybrids. Various, June, July, 3'	.30	.25
*Lychnis alpina. Rose color, June, 1'	.25	.20
arkwrighti. Scarlet, summer, 15"	.25	.20
chalcedonica. Scarlet, July, 3'	.25	.20
coronaria. Crimson, July, 2'	.25	.20
coronaria alba. White, July, 2'	.25	.20
flos jovis. Pink, June, 18"	.25	.20
*haageana. Scarlet, June, July, 1'	.25	.20
*viscaria splendens fl. pl. Red, June, 1'	.30	.25
Lysimachia clethroides. White, July, Aug., 3'	.25	.20
*nummularia. Yellow, June, July, 6"	.25	.20
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.25	.20
Lythrum alatum. Magenta, July, Aug., 3'	.25	.20
salicaria roseum. Rose, July, 4'	.25	.20
superbum The Beacon. Rose, July, 3'	.30	.25
virgatum. Deep rose, July, Aug., 1½'	.25	.20
Malva alcea. Rosy purple, July, Aug., 3'	.25	.20
moschata. Rose, July, Aug., 2'	.25	.20
moschata alba. White, July, Aug., 2'	.25	.20
Marrubium vulgare. White, summer, 3'	.30	
Matricaria Golden Ball. Yellow, summer, 1'	.25	.20
*parthenoides. White, May, 1'	.25	.20
Silver Ball. Dbl. white, summer, 1'	.25	
*Mazus reptans. Lilac, April, 4"	.25	.20
Melissa officinalis. White, Aug., 2"	.25	.20
Mentha anisatus. Lavender, July, Aug., 15".	.25	
crispa. Curly mint. 12"	.25	
piperita. Peppermint. Purple, 2'	.25	.20
*requieni. Mauve, July, Aug., 2"	.25	.20
rotundifolia. Apple mint. 30"	.25	
*Mertensia virginica. Purplish blue, March,		
April, 2'	.25	.18
*Micromeria rupestris. White, fall, 10"	.25	.20
Mimulus luteus. Yellow, summer, 1'	.25	.20
Mitchella repens. White shaded pink, Mar.	٠,	
4"	.30	.25

Monarda didyma. Red, July, Aug., 3'	5-24 each .25	25 up each .20
didyma alba. White, summer, 3' didyma Cambridge. Scarlet, July, Aug.,	.25	.20
3′	.25	.20
didyma Salmonea. Salmon, July, Aug., 3'	.30	.25
didyma Sunset. Mahogany. July, Aug., 3'	.25	.20
didyma splendens. Scarlet, July, Aug., 3'	.25	.20
didyma violacea. Violet, July, Aug., 3'	.25	.20
fistulosa. Lilac, July, 3'	.25	.20
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.25	.20
*alpestris alba. White, May, June, 8"	.25	.20
*alpestris pink. May, June, 8"	.25	.20
*palustris. Blue, all summer, 6"	.25	.20
*palustris Pink Beauty. All summer, 6"	.25	.20
Narcissus poeticus. White, May, 1'	.15	.12
*Nepeta hederacea. Blue, May, 2"	.25	.20
macrantha. Lavender, summer, 2'	.25	.20
*mussini. Blue, June, July, 1'	.25	.20
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-	20	9.5
mer, 1'	.30	.25
*Nierembergia rivularis. Creamy white, sum-	0.0	0.5
mer, 4"	.30	.25
Oenothera fraseri. Yellow, summer, 1'	.25	.20
fruiticosa youngi. Lemon, June, July, 2'	.25	.20
lamarckiana. Yellow, July, Aug., 4'	.25	.20
missouriensis. Yellow, July, Aug., 6"		.25
rosea. Rose, summer, 15"	.30	.25
speciosa. White, July, Aug., 1½'		.20
Onoclea sensibilis. Sensitive Fern	.25	.20
struthiopteris. Ostrich Fern	.25	.20
Onopordon bracteatum. Pink, July, 5'	.25	.20
*Opuntia fragilis. Yellow, June, 4"	.30	.25
*humifusa. Yellow, June, 10"	.30	.25
megacantha. Yellow, June, 3'	.30	.25
Origanum vulgare. Pink, summer, 2'	.30	
*Orobus vernus. Rose purple, May, 1'	.35	

For less than five, add five cents per plant to the 5-24 rate.

	5-24 each	up
Osmunda cinnamonea. Cinnamon Fern	.25	.20
regalis. Royal Fern	.25	.20
Pachysandra terminalis. White, May, 3"		
2 year from pots	.25	.18
Paeonia officinalis rosea. Rose pink	.60	.50
officinalis rubra. Red		.50
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.75	
August Dessert. Velvety rose	1.00	
Beauty of France. Pale rose	.60	.50
Claire Dubois. Satiny pink	.65	
Dr. Vandertak, Crimson	.65	
Duc de Wellington. White	.60	.55
Duchess de Nemours. Creamy white	.60	.55
Edulis. Deep rose	.50	.45
Felix Crousse. Brilliant red		.75
Festiva maxima. Finest early white		.75
Karl Rosenfield. Early red		
Lady Alexandra Duff. Pale Pink		
Longfellow. Red		
Marie Crousse. Salmon pink		
Marie Lemoine. Creamy white		.60
Marquise of Lansdowne. Large, pink	.75	
Mons. Martin Cahuzac. Dark pur-	1.05	
ple garnet	1.25	
Mons. Jules Elie. Pink with dark-	0.5	-
er guard petals		.75
Mrs. Van Leeuwen. Light crimson		AE
Roem von Boskoop. Deep rose	.50	.45
Solange. White petals, golden brown center	1 95	
Souv. de Louis Bigot. Bengal rose		
Therese. Violet rose		
Triumph de Paris. Light pink, yel-	1.00	
	.50	.45
	.50	.45
Walter Faxon. Pure pink		*10
Wm. Mesman. White		.50
		,00
single Japanese. Named varieties	1.25	
Alba Grandiflora. White		
Cleopatra. Red		
Eva. Bright lilac-crimson.  Jacqueline. Pure white.		
Jacqueime, Full Wille.		

		25 up each
Paeonia single Japanese		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to wi		
Shi-pen-kue. Nearest to blue in Peo	nies.	
suffruticosa. Tree Peony. (See Page 91	)	
*Papaver alpinum. Various, summer, 6"	.25	.20
*nudicaule. All colors, summer, 8"	.25	.20
*orientale bracteatum. Red, June, 2'	.25	.20
oriental. Orange scarlet, June, 2'	.25	.20
Beauty of Livermore. Crimson,		
June, 3'	.35	
Fairy. Pale pink, June, 2'	.35	.30
Giant Mulberry. Mulberry, June, 2'	.60	.50
Helen Elizabeth. Pink, June, 2'	.40	.35
Indian Chief. Mahogany, June, 2'	.50	.45
Lulu A. Neeley. Ox-blood red,		
June, 3'	.40	
May Sadler. Salmon, June, 2'	.40	
Mrs. Perry. Salmon pink, June, 3'	.40	.35
Olympia. Scarlet, June, 3'	.35	.30
Perry's White. White, June, 3'	.40	
Wurtembergia. Rose-red, June, 2'	.40	.35
pilosum. Brick red, June, 3'	.30	.25
Pardanthus. (See Belamcanda).	•	0.0
*Paronychia serpyllifolia. White, July, 2"	.30	.25
*Pennisetum japonicum. Fountain Grass		25
*Pentstemon alpinus. Bluish purple, June, 1'		.20
*arizonicus. Purple, June, July, 8"	.25	.20
barbatus. Scarlet, July, 3'	.25	.20
barbatus coccineus. Scarlet, July, Aug., 4'		.20
barbatus Pink Beauty. Pink, summer, 2'	.30	.25
digitalis. White, Aug., 3'	.30	.25
Garnet. Red, summer, 18"	.30	.25
glaber. Blue, summer, 2'	.25	
grandiflora. Blue, summer, 3'	.35	
hirsutus. Rosy purple, July, Aug., 2'	.25	.20
ovatus. Blue, July, Aug., 3'	.25	.20
*pygmaeus. Purplish blue, summer, 6"	.25	.20
unilateralis. Blue, June, 2'	.30	.25
Phalaris arundinacea variegata. Ribbon Grass	.25	.20

	5-24 each	25 up each
*Phlox amoena. Pink, May, 4"	.25	.20
*divaricata. Lavender, May, June, 1'	.25	.20
*divaricata laphami. Violet, June, 1'	.35	.20
glaberrima. Pink, June, 18"	.25	.20
maculata. Purplish red, May, June, 4'	.25	.20
*ovata. Red, May, June, 1'	.25	
paniculata. 2-3'		
Africa. Carmine, red eye	.25	.20
Antonin Mercie. Lilac, white center	.25	.20
America. Rose pink	.25	.20
B. Compte. Rich French purple	.25	.20
Baron von Dedem. Salmon red	.25	.20
Border Queen. Dwarf pink	.30	.25
Caroline Vandenburg. Lavender blue	.30	
Champs Elysees. Rich purple		
crimson	.25	.20
Chas. Curtis. Red.	.40	.30
Colonial. Light blue	.25	.20
Commander. Crimson	.25	.20
Count Zeppelin. White, red eye	.30	
Daily Sketch. Salmon pink, car-		
mine eye	.30	.25
Enchantress. Salmon pink, dark eye	.25	.20
Elizabeth Campbell. Salmon pink.	.25	.20
Ethel Pritchard. Mauve	.25	.20
Evelyn. Salmon rose	.25	.20
Feuerbrand. Orange scarlet	.25	.20
Fiancee. White	.25	.20
	.30	.25
Gustave Lind. Deep salmon		
Johnson's Favorite. Salmon rose	.25	.20
Jules Sandeau. Large pink	.30	.25
Karl Foerster. Orange scarlet	.30	
Lavender Beauty. Lavender	.25	.20
Louis Abbema. Dwarf white	.25	.20
Leo Shlageter. Bright scarlet	.30	.25
Lilian. Fine light pink	.30	
Mad. Paul Dutrie. Soft pink	.30	.25
Maid Marian. Soft lavender	.30	.25
Mary Louise. Pure waxy white	.30	.25
Mia Ruys. White	.30	
Mrs. Jenkins. Pure white	.25	.20
Mrs. Milly van Hoboken. Soft pink	.25	.20

	5-24	25 up
Phlox paniculata	each	each
Mrs. W. Van Bueningen. Salmon red	.30	.25
Miss Lingard. White	.30	.25
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D .Williams. Apple blossom pink	.30	
Peachblossom. Shell pink	.25	.20
Rheinlander. Salmon pink, claret		
eye	.25	.20
R. P. Struthers. Carmine, claret eye	.25	.20
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.25	.20
Splendour. Pink	.30	.25
Thor. Deep salmon pink	.25	.20
Von Hockberg. Velvety red	.30	.25
Widar. Light reddish violet, white		
eye	.25	.20
*pilosa. Lavender, May, 1'	.25	.20
*reptans. Lilac, May, 6-12"	.25	.20
*stellaria. Creeping, May, 4"	.25	.20
*subulata alba. White, April, May, 4	.25	.20
*subulata atropurpurea. Purple, Apr., 4"	.25	.20
*subulata Blue Hills. Light blue, April, 4"	.30	
*subulata Camla. Pink, May, 4"	.50	٥٥
*subulata Dixie Brilliant. Red, May 4"	.30	.25
*subulata Fairy. Blue, purple eye, April	0.5	9.0
4"	.25	.20
*subulata G. F. Wilson, Lilac, May, 6"	.25	.20
*subulata lilacina. Light blue, April	9.5	.20
May, 4"	.25	.20
*subulata Little Dot. Lilac, April, 4"	.25 .25	.20
*subulata nelsoni. White, May, 4"	.20	.20
*subulata Perfection. Rose, pink eye,	.25	.20
April, 4"	.25	.20
*subulata rosea. Pink, May, 4"	,20	
*subulata The Bride. White, pink eye,	.25	.20
May, 5" April 4"	.30	.25
*subulata Vivid. Pink, red eye, April, 4"	.00	,,,,
Phygelius capensis. Red, Aug., Sept., 3'	.35	
'Physalis francheti. Red pods, Oct., 2'	.25	.20
*Physostegia virginiana. Rose, Aug., 3'	.25	.20
virginiana alba. White, Aug., 3'	.25	.20
virginiana Vivid. Deep pink, Aug., 2'	.30	.25

*Phyteuma orbiculare. Purple, June, July, 2' *scheuchzeri. Violet, June. 1'	5-24 each .30	25 up each
Platycoden grandiflorum. Blue, summer, 2' grandiflorum album. White, summer, 2' mariesi. Deep blue, summer, 1'	.25 .25 .30 .30	.20 .20 .25 .25
*Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.25	.20
*Polemonium caeruleum. Deep blue, June		
July, 1½'	.25	.20
1½	.25	
*reptans. Blue, May, June, 6"	.25	.20
richardsoni. Sky blue, May, June, 6"	.25	.20
*Polygonum compactum. White, Aug., Sept.,	0.5	0.0
cuspidatum. White, Aug., Sept., 5'	.25 .25	.20
oxyphyllum. Creamy white, Sept., 3'	.30	.25
reynoutria. Pink, Sept., 1'	.50	.20
spaethi. Pink, Sept., 6'	.50	
Polystichum acrostichoides. Christmas Fern	.25	.20
*Potentilla atrosanguinea. Red, summer, 18"	.25	.20
*argentea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.25	.20
*nepalensis. Showy red, May, June, 2'	.25	.20
*nepalensis Miss Willmott. Salmon pink,	0.0	0.00
summer, 12"	.30	.25
*pyrenaica. Yellow, summer, 18"  *tridentata. White, summer, 1'	.25	.20
*Primula acaulis. Yellow, May, 9"		.20
*auricula alpina. Various, May, 6"		.25
*beesiana. Purple, May, 18"	.35	.30
*bulleyana. Apricot, June, 18"		.30
*bulleyana hybrids. Various, May, 18"	.35	.30
*cashmiriana. Light lilac, May, 8"	.35	.30
*cortusoides. Deep rose, June, 10"	.35	.30
*denticulata. Purple, yellow eye, May, 6"	.35	.30
*denticulata alba. White, May, 6"		.35
*elatior. Yellow, May, 8"	.35	
*elatior atrocoerulea. Dark blue, May, 8"	.45	0.5
florindae. Yellow, May, 4'	.40	.35

	5-24 each	25 up each
*Primula	04011	000.1
*japonica atrosanguinea. Red, May,		
June, 1'	.35	.30
*japonica pink. May, June, 1'	.35	.30
*polyanthus. White, or yellow, May, 10"	.30	.25
*saxatilis. Rose, May, 10"	.35	.30
*veris. Yellow, April, May, 9"	.30	.25
*veris Giant Munstead. Various, May, 1'	.30	.25
*veris Gold Laced. Various, May, 9"	.35	.30
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May,8"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.25	.20
*incisa rubra. Red, summer, 6"	.25	.20
Pyrethrum James Kelway. Sgl. red, June, 1'	.30	
Princess Margaret. Crested pink,		
June, 1'	.30	
Rose Glory. Dbl. rose, June, 1'	.30	
roseum. Various, May, June, 1'	.25	.20
roseum double. Various, May, June, 2'	.35	0 =
roseum Rosy Morn. Pink, June, 2'	.30	.25
roseum single scarlet. Summer, 1'	.35	9.0
uliginosum. White, Sept., 5'	.25	.20
Ranunculus acris fl. pl. Yellow, June, 3'	.25	.20
*repens. Yellow, June, 4"	.25	.20
repens fl. pl. Yellow, June, 1'	.25	.20
Rosmarinus officinalis. Light blue, April, 4"	.30	.25
Rudbeckia Autumn Glory. Yellow, Aug.,	0.5	0.0
Sept., 6'	.25	.20
hirta. Yellow, Aug., Sept., 3'		.20
laciniata. (Golden Glow). Yellow, Aug.,6'	.25 .25	.18
nitida. Single yellow, Aug., Sept., 6'	.25	.20
speciosa. Yellow, July, Aug., 2'	.25	.20
subtomentosa. Lemon yellow, Aug.,	.20	.20
Sept., 4'	.25	.20
*Ruta graveolens. Yellow, summer, 2½'	.25	.20
*Sagina subulata. White, July, Aug., 3"	.25	.20
Salvia argentea. Pinkish white, June, 3'	.25	.20
azurea. Blue, Aug., 4'	.25	.20
azurea grandiflora. Blue, Aug., 4'	.30	.25
farinacea. Blue, July, 2-3'	.25	.20
glutinosa. Yellow, June, July, 3'	.25	.20

Salvia	5-24 each	25 up each
officinalis. Blue, summer, 18"  pitcheri. (See azurea grandiflora).	.25	.20
pratensis. Deep blue, June, 3'	.25 .30 .30 .25	.20
*Sanguinaria canadensis. White, April, 8"	.25	.20
*Santolina chamaecyparissus. Gray foliage, 1'	.25	.20
*Saponaria ocymoides. Pink, summer, 9" officinalis rosea pl. Pink, summer, 18"	.25 .25	.20 .20
*Saxifraga aizoides. Yellow, Aug., 4"  *altissima. White, May, June, 2'  *borisi. Yellow, May, June, 3"  *caespitosa. Various, June, July, 6"  *cochlearis. White, May, June, 9"  *cordifolia. Rose pink, May, June, 1'  *cotyledon. White, May, June, 18"  *crassifolia. Rosy pink, April, 1'  *decipiens. White, May, June, 4"  *haussmani. Yellow, May, June, 8"  *lantoscana. White, May, June, 1'  *lingulata rosea. Pink, April, 1'  *lingulata leichtlini. Rose, April, 1'	.25 .25 .25 .25 .30 .30 .30 .30 .30 .30 .30	.20 .25 .25 .25 .25 .25
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.30 .35 .25 .30	.30 .20 .25
Scabiosa caucasica. Lavender, all sum-		
mer, 1' *caucasica alba. White, summer, 1' caucasica House's Hybrids. Various,	.30 .35	
summer, 1'	.35	
fischeri. Blue purple, summer, 2'	.25	.20
japonica. Lavender, Aug., Sept., 18"	.25	.20
*Schivereckia bornmulleri. White, summer, 4"	.30	.25
*Scutellaria alpina. Purple and white, sum-		
mer, 6"	.25	
*coelestina. Blue, summer, 1'	.25	.20

*Scutellaria	5-24 each	25 up each
*orientalis. Yellow, June, July, 8"	.25	.20
*Sedum acre. Yellow, June, July, 4"	.25	.20
*aizoon. Yellow, July, Aug., 1'	.25	
*album. White, July, 4"	.25	.20
*altissimum. Yellow, July, Aug., 9"	.25	.20
*douglasi. Yellow, July, 2"	.25	.20
*ewersi. Pink, Aug., Sept., 6"	.25	.20
*glaucum. Blue foliage, 2"	.25	.20
*kamtschaticum. Yellow, July, 6"	.25	.20
*maximowiczi. Yellow, July, 1"	.25	.20
*maximum. Pink, Sept., Oct., 18"	.25	.20
*middendorffianum. Yellow, June, July,		
4"	.25	.20
*murale. Pink, July, 1'	.25	.20
*obtusatum, Yellow, July, Aug., 3"	.25	.20
*reflexum. Yellow, July, Aug., 8"	.25	.20
*sarmentosum. Yellow, July, 3"	.25	.20
*sexangulare. Yellow, June, July, 6"	.25	.20
*sieboldi. Pink, July, Aug., 1'	.30	.25
*spectabile. Pink, Aug., Sept., 1½' spectabile Brilliant. Crimson, Sept., 1½'	.25	.20
*spurium album. White, July, Aug., 6"	.25	.20
*spurium splendens. Rosy crimson,	.40	.20
Aug., 6"	.25	.20
*stoloniferum. Pink, July, Aug., 6"	.25	.20
*stoloniferum coccineum. Crimson,	.20	.20
Aug., 6"	.25	.20
*ternatum. White, May, June, 4"	.25	.20
*Sempervivum arachnoideum. Red, June, 4"	25	.20
*arenarium. Yellow, July, 6"		.20
*alberti. White, July, 8"	.25	.20
*atroviolaceum. Reddish purple, 8"	.25	•=
*brauni. Bronze, July, 6"	.25	
*doellianum. Red, June, July, 6"	.25	.20
*funcki. Brown, June, July, 6"	.25	.20
*fauconetti. Pink, June, 6"	.25	.20
*fimbriatum. Pink, July, 8"	.25	.20
*glaucum. Pink, July, Aug., 6"	.25	.20
*globiferum. Yellow, June, 12"	.25	.20
*tectorum violaceum. Violet red, June, 4"	.25	.20
*Shortia galacifolia. White, June, 8"	.35	.30

	5-24 each	25 up each
Sidalcea Rose Queen. Rose pink, July,		
Aug., 4'	.25	.20
*Silene alpestris. White, May, June, 6"	.25	.20
*maritima. White, summer, 1'	.25	.20
*maritima rosea. Pink, summer, 1'	.25	.20
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.25	.20
*roemeri. White, July, Aug., 1'	.25	
*saxifraga. White, summer, 6"	.25	.20
*schafta. Bright pink, July, 6"	.25	.20
Silphium perfoliatum. Yellow, July, 6'	.25	.20
*Sisyrinchium angustifolium. Blue, June,		
July, 6"	.30	.25
Smilacina racemosa. White, April, 2-3'	.25	.20
Solidago canadensis. Yellow, fall, 4-5'	.25	.20
rigida. Yellow, fall, 3-4'	.25	.20
shorti. Yellow, fall, 4'	.25	.20
Spigelia marilandica. Red, June, July, 2'	.35	
*Spirea aruncus. White, June, July, 3-5'	.25	.20
camtschatica. White, July, 6'	.25	.20
chinensis. Silvery pink, June, July, 2'	.25	.20
eximea. Pink, June, July, 2'	.25	.20
filipendula. Single, White, June, July, 1'	.25	.20
filipendula fl. pl. White, summer, 15"	.30	
lobata. Pink, July, 4'	.25	.20
palmata. Rosy crimson, June, July, 2'	.25	.20
ulmaria fl. pl. White, June, 3-4'	.25	.20
venusta magnifica. Deep pink, July, 3'	.25	.20
Stachys lanata. Purple, June, July, 18" Statice. (See Limonium).	.25	.20
*Stellaria holostea. White, May, June, 1½'	.25	.20
Stokesia laevis. Lavender, Aug., Sept., 1'	.25	.20
laevis alba. White, Aug., Sept., 1'	.25	.20
laevis Blue Moon. Blue, Aug., Sept., 1'	.35	.30
Tanacetum vulgare. Yellow, summer, 3'	.25	.20
Teucrium chamaedrys. Rose, Aug., 1'	.30	.25
orientale. Blue, Aug., 10"	.30	.25
Thalictrum adiantifolium. Yellow, June, 4'	.25	.20
aquilegifolium. White, June, 5'	.30	.25
aquilegifolium purpureum. Purple,		+20
June, 3'	.30	.25
dipterocarpum. Lilac, Aug., 3'		.30

Thalictrum.	5-24 each	25 up each
glaucum. Golden-yellow, June, 4'	.30	.25
minus. Greenish yellow, June, July, 2'	.25	.20
Thermopsis caroliniana. Yellow, June, 6'	.30	.25
Thymus odoratissimus. Lilac, summer, 6"	.25	.20
*nitidus. Rose, June, July, 3"	.25	.20
*serpyllum. White, June, 4"*serpyllum citriodorus. Purple, June,	.25	.20
July, 3-5"	.25	.20
*serpyllum coccineus. Scarlet, June, 4" *serpyllum lanuginosus. Rosy purple,	.25	.20
June, July, 5"	.25	.20
*serpyllum roseus. Rose, summer, 8"	.25	.20
vulgaris. Lilac, June, July, 8"	.25	.20
*Tiarella cordifolia. Creamy white, June, 8"	.25	.20
Tradescantia virginiana. Blue, all summer, 2'	.25	.20
James Stratton. Deep blue, summer, 1'	.40	.35
Purple Dome. Purple, summer, 1'	.40	.35
Pauline. Cattleya mauve, summer, 1'	.40	.35
James C. Weguelin. Blue, summer, 1'	.35	.30
*Trillium erectum. Purple, May, 1'	.25 .25	.20 .20
Tritoma. (See Kniphofia).		
Trollius asiaticus. Rich orange, July, Aug.,		
2'	.40	
*europeus. Citron yellow, July, Aug., 1' europeus Orange Globe. Orange, sum-	.40	
mer, 18"	.40	
*ledebouri. Orange, summer, 18" *ledebouri Golden Queen. Orange, sum-	.40	
mer, 18"	.40	
*Tunica saxifraga. Light pink, June, July, 6"	.25	.20
*saxifraga alba. White, summer, 6"	.25	
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.25	.20
Verbascum chaixi. White, summer, 3'	.25	.20
*Cotswold Gem. Amber, June, 4'	.30	.25
olympicum. Yellow, July, Aug., 5'		.20
phoeniceum. Various, May, June, 3'		.20
willmottiae. White, summer, 5'	.25	.20

	5-24 each	25 up each
*Verbena canadensis. Purple, Aug., 18"	.30	.25
hastata. Blue, Aug., Sept., 3'	.25	.20
Vernonia noveboracensis. Purple, Aug.,		
Sept., 5'	.25	.20
*Veronica allioni. Violet, June, 2"	.25	.20
*alpestris. Pale blue, June, 18"	.25	.20
amethystina Royal Blue. June, July, 12"	.25	.20
*Blue Spires. Blue, summer, 18"	.35	.30
caucasica. White, July, 6"	.25	.20
*chamaedrys. Blue, May, June, 18"	.25	.20
*elegantissima. Blue, July, Aug., 2'	.25	.20
*erica. Pink, summer, 10"	.25	.20
*filiformis. Blue, May, 2"	.30	.25
*incana. Pale blue, July, Aug., 1½'	.25	.20
*longifolia subsessilis. Blue, Aug., Sept., 2'	.35	.30
*orchidea. Blue, July, 18"	.25	.20
*pectinata rosea. Pink, May, June, 6"	.25	.20
*peduncularis. White, June, 6"	.25	.20
*pulchella. Blue, May, 1'	.25	.20
*repens. Pale blue, May, June, 2"	.25	.20
*rupestris. Blue, June, 6"	.25	.20
*rupestris alba. White, June, 4"	.30	.25
*rupestris nana. Dark blue, June, 2"	.30	.25
*rupestris pink. June. 4"	.30	.25
*spicata. Blue, July, Aug., 2'	.25	.20
*spicata alba. White, Aug., 18"	.25	
*spicata nana. Blue, June, 6"	.25	
*spuria. Blue, June, 18"	.25	.20
	.25	.20
*True Blue. June, July, 12"		.20
virginica. Pale blue, Aug., 4'	.25	.20
*Vesicaria utriculata. Yellow, April, May, 8"	.25	.20
Vinca minor. Blue, all summer, 6"	.20	.15
minor alba. White, all summer, 6"	.30	.25
minor Bowles. Blue, summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.25	.20
*cornuta Admiration. Purple, all sum-		
mer, 6"		
*cornuta alba, type. White, all summer, 6"		
*cornuta Apricot. Apricot, summer, 6"	.30	.25

*Viola	5-24	25 up
*cornuta Arkwright Beauty. Red, sum-	each	each
mer, 6"	.25	
*cornuta atropurpurea type. Purple, 6"	.25	.20
*cornuta Blue Perfection. Blue, all		
summer, 6"	.25	.20
*cornuta Catherine Sharp. Blue, sum-		
mer, 6"	.35	.30
*cornuta Chantryland. Apricot, sum-		
mer, 6"	.35	
*cornuta florariensis. Pale blue, sum-		
mer, 6"	.35	
cornuta G. Wermig. Violet, all sum-		
mer, 6"	.25	.20
*cornuta White Wermig. White, sum-		
mer, 8"	.30	.25
*cornuta Lutea Splendens. Yellow, all		
summer, 6"	.25	.20
*cornuta Mauve Queen. Mauve, all		
summer, 6"	.25	.20
*cornuta Papilio. Violet, all summer, 6"	.25	.20
*cornuta Primrose Dame. Yellow, sum- mer, 6"	.35	
*cornuta White Perfection. White, all	.00	
summer, 6"	.25	.20
*Double Russian. Blue, June, 4"	.35	.30
*gracilis. Deep violet, summer, 1'	.35	
*Jersey Gem. Rich violet, summer, 6"	.30	.25
*odorata. Blue, April, May, 6"		.20
*odorata Gov. Herrick. Blue, May, 6"	.25	.20
*odorata Princess of Wales. Violet, May,	.25	.20
*odorata Rosina, Pink, May, 4"	.30	.25
*odorata Royal Robe. Violet, summer, 8"	.30	.25
*pedata. Violet, May, June, 6"	.25	.20
*primulifolia. Pale blue, summer, 6"	.30	.25
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*wellsiana. Various, all summer, 6"	.25	.20
Yucca filamentosa. White, June, July, 7'		
2 year	.25	.20
3 year	.30	.25
*glauca. White, June, July, 3'	.30	.25

For less than five, add five cents per plant to the 5-24 rate.

# FRUIT GARDEN MATERIAL

## We are able to supply all the leading varieties

Apples, Crab Standard,	5 to 7 ft	1-4 Each 1.50 1.50	5-24 Each 1.35 1.35	25 & up Each
Cherry, Sour, Sweet,	5 to 7 ft	2.25 3.00	2.00 2.75	
Peaches,	5 to 7 ft	2.00	1.75	
	5 to 6 ft	2.25	2.00	
Standard,	5 to 7 ft	2.25	2.00	
Plums,	5 to 7 ft	2.25	2.00	
Quinces,	4 to 5 ft	2.50		
			.15	.12
			.20	.18
		.75	.60	
		.90	.75	
	ng	.50	.45	
			.20	.18
			.25	.22
Strawberries			.30	.25

#### CONIFEROUS EVERGREENS

Abies alba A. alba pyramidalis A. balsamea A. concolor A. c. violocea A. firma
A. fraseri
A. homolepis A. nordmanniana A. pinsapo A. procera glauca A. veitchi Cedrus deodara C. libani Chamaecyparis lawsonlana C. I. alumi C. I. Triomphe de Boskoop C. nootkatensis C. n. pendula C. obtusa compacta C. o. nana C. pisifera C. p. aurea C. p. filifera C. p. filifera aurea C. p. filifera aurea variegata C. p. plumosa C. p. plumosa aurea C. p. plumosa argentea C. p. plumosa sulphurea C. p. squarrosa Cryptomeria japonica lobbi Juniperus chinensis J. c. albovariegata
J. c. columnaris J. c. globosa J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti c. smithi communis c. depressa J. c. depressa aureo-spica J. c. hibernica J. c. suecica J. c. suecica nana J. c. suecica dayi J. conferta excelsa J. e. stricta horizontalis J. h. alpina J. h. glauca J. h. plumosa iaponica J. j. aurea J. recurva J. rigida J. Sabina J. s. tamariscifolia J. s. von ehron J. scopulorum sphaerica J. squamata s. meyeri virginiana J. v. canaerti J. v. elegantissima J. v. glauca

J. v. globosa J. v. keteleeri

J. v. kosteri J. v. pendula J. v. plumosa J. v. schotti J. v. tripartita J. v. venusta Libocedrus decurrens Picea abies P. a. aurea P. a. clanbrasiliana P. a. maxwelli P. a. parviformis P. a. pendula P. a. pygmaea
P. a. nana
P. a. remonti P. bicolor P. engelmanni P. glauca P. g. aurea P. g. conica P. g. densata P. mariana P. m. doumeti P. omorika P. orientalis P. polita
P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi Pinus banksiana P. cembra P. densiflora P. flexilis P. mugo
P. m. mughus
P. nigra
P. parviflora
P. peuce P P. ponderosa P. resinosa P. strobus P P P. sylvestris P. thunbergi Pseudotsuga taxifolia Sciadopitys verticillata Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washin T. canadensis T. cuspidata T. c. aurescens T. c. nana T. c. nana compacta T. c. capitata T. hunnewelliana media T. m. andersoni
T. m. browni
T. m. hatfieldi
T. m. hatfieldi
T. m. browni Thuia occidentalis T. o. aurea douglasi T. o. columbia
T. o. compacta T. o. cristata T. o. elegantissima T. o. ellwangeriana T. o. ericoides
T. o. globosa

## Coniferous Evergreens continued

T. o. hoveyi T. o. pumila

T. o. pyramidalis

T. o. douglasi pyramidalis T. o. reevesi

T. o. reidi
T. o. riversi
T. o. rosenthali
T. o. spiralis

T. o. umbraculifera T. o. vervaeneana

T. o. wareana

T. o. woodwardi T. orientalis

T. o. conspicua

T. o. elegantissima T. o. nana aurea

T. o. sieboldi

T. plicata T. standishi

Tsuga canadensis

T. caroliniana T. sieboldi

### BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi Azalea obtusa amoena A. o. j. hinodegiri

A. rosmarinifolia A. r. sekidera

A. r. sekidera Berberis sargentiana

B. triacanthophora B. verruculosa

Bruckenthalia spiculifolia Buxus microphylla B. m. koreana

sempervirens handsworthi

Calluna vulgaris

Calluna Vulgaris
C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. compacta
C. v. rubra
C. v. searlei
C. v. searlei

C. v. searlei Chamaedaphne calyculata

Erica carnea E. darleyensis E. vagans

Euonymus fortunei

E. f. argenteo-marginatus E. f. carrieri E. f. colorata

E. f. kewensis

E. f. minima
E. f. radicans
E. f. vegetus
E. kiautschovicus

llex cornuta

1. crenata

I. c. bullata
I. c. latifolia
I. c. microphylla
I. glabra
I. opaca

Kalmia latifolia

Leucothoe catesbaei Lonicera nitida

L. pileata

Mahonia aquifolium

Pachistima canbyi

Pieris floribunda

P. japonica Pyracantha lalandi

P. coccinea P. yunnanensis

Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytidophyllum

## DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicum

A. negundo

A. nigrum

A. platonoides

A. p. columnare
A. p. schwedleri
A. pseudoplatanus

A. pseudopiaran A. rubrum A. saccharinum A. s. pyramidale A. s. wieri A. saccharum

Aesculus carnea

A. glabra
A. hippocastanum
A. h. baumanni

A. octandra A. turbinata

Ailanthus altissima

 A. vilmoriniana Alnus cordata

A. glutinosa

A. g. laciniata A. hirsuta A. incana

A. japonica

Betula maximowicziana

B. lenta

B. lutea

B. nigra B. papyrifera

B. p. cordifolia
B. p. cordifolia
B. p. fastigiata
B. p. laciniata
B. populifolia
C. caroliniana
Carpinus betulus

C. cordata C. tschonoski

#### **Deciduous Shade Trees Continued**

Carya ovata Castanea mollissima Catalpa speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. i. sinense Eucommia ulmoides Fagus grandifloro F. sylvatica F. s. fastigiata F. s. heterophylla F. s. pendula F. s. purpurea F. s. riversi Fraxinus americana F. excelsion F. mandshurica F. nigra F. pennsylvanica F. p. lanceolata quadrangulata Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica G. triacanthos t. inermis Gymnocladus dioica Juglans cineria J. nigra J. sieboldiana Larix decidua L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron tulipifera L. t. fastigiatum Magnolia acuminata M. denudata M. fraseri M. obovata M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense lavallei Platanus occidentalis P. orientalis Populus alba P. a. bolleana P. a. nivea P. berolinensis
P. candicans
P. maximowiczi P. nigra italica P. nigra betulifolla P. simoni P. suaveolens P. tremuloides P. trichocarpa Prunus serotina Ptelia trifoliata

Quercus alba

Q. bicolor Q. borealis Q. cerris Q. cerris
Q. coccinea
Q. imbricaria
Q. lyrata
Q. macrocarpa
Q. palustris
Q. phellos
Q. prinus
Q. rubra
Q. stellata
Q. texana
Q. variabilis
Q. yelutina
Robinia pseudo Robinia pseudoacacia R. p. bessoniana R. p. decaisneana Salix alba chermesina
S. a. vitellina
S. a. pendula
S. b. crispa
S. blanda S. elegantissima S. fragilis
S. mandshurica
S. niobe S. pentandra S. sepulcralis S. sieboldiana S. wentworthi Sassafras albidum Sorbus aria latifolia S. aucuparia S. a. fastigiata S. thuringiaca S. torminalis Taxodium distichum Tilia americana T. cordata T. euchlora T. europea T. henryana T. heterophylla T. oliveri T. platyphyllos T. p. pyramidalis T. tomentosa Ulmus americana U. a. moline
U. a. urni
U. carpinifolia sarniensis
U. hollandica belgica
U. h. klemmeri
U. h. vegata U. procera U. p. monumentalis U. p. pur U. fulva U. glabra purpurea U. g. camperdowni U. a. nana U. japonica U. parvifolia U. pumila U. thomasi

Zelkova serrata

#### DECIDUOUS SMALL TREES

Acer buergerianum A. ginnala A. griseum A. japonicum aureum A. nikoense A. palmatum
A. p. atropurpureum A. p. filicifolium
A. p. elegans
A. pennsylvanicum A. platanoides globosum A. sieboldianum A. spicatum A. tartaricum Albizzia julibrissin rosea Alnus pendula Aralia spinosa Asimina triloba Broussonetia papyrifera Cercis canadensis C. c. alba Cladrastis lutea Cornus florida Cornus florida
C. f. plena
C. f. rubra
C. f. welchi
C. kousa
C. k. chinensis
C. mas
C. officinalis
Cotinus coggygria Crataegus aprica C. arkansana
C. arnoldiana
C. coccinioides
C. crusgalli
C. cuneata
C. hupehensis C. intricata C. lavallei C. lavallel
C. macracantha
C. mollis
C. monogyna
C. m. stricta
C. nitida
C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea C. o. punicea
C. o. rosea plena
C. peregrina
C. persistens C. phaenopyrum C. pinnatifida major C. pruinosa C. prunifolia C. punctata C. punctata
C. succulenta
C. tomentosa
C. viridis Diospyros virginiana Franklinia alatamaha Halesia tetraptera H. monticola Idesia polycarpa Kalopanax pictus K. p. maximowiczi Koelreuteria paniculata Laburnum alpinum

L. anagyroides L. watereri

Maackia amurensis

Magnolia kobus M. soulangeana M. s. nigra M. s. lennei M. virginiana Malus angustifolia M. arnoldiana M. adstringens M. atrosanguinea M. baccata M. b. mandshurica
M. b. mandshurica
M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina
M. floribunda M. floribunda M. fusca M. glaucescens M. halliana M h. pa M. hopa h. parkmani M. hupehensis M. h. rosea M. ioensis M. ioensis
M. i. plena
M. micromalus
M. niedzwetzkyana
M. Oekonemurat Echtermeyer
M. purpurea
M. p. aldenhamensis
M. p. eleyi
M. p. lemoinei
M. prunifolia rinki
M. robusta M. prunifolia rinki
M. robusta
M. r. erecta
M. r. persicifolia
M. sargenti
M. scheideckeri
M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata
M. toringoides
M. tschonoski
M. yunnanensis veitchi
M. zumi
M. z. calocarpa
Morus alba pendula
Nyssa aquatica
N. sylvatica N. sylvatica Oxydendrum arboreum Prunus americana P. a. Newport P. armeniaca sibirica P. avium plena P. cerasifera pissardi P. cistena
P. davidiana
P. d. alba
P. hortulana
P. incisa
P. maacki
P. moseri fl. pl.
P. mume
P. mume fl. pl.
P. padus
P. pennsylvanicum
P. persica P. cistena P. persica P. p. alboplena

### **Deciduous Small Trees Continued**

P. p. Clara Meyer P. p. rubroplena P. sargenti P. serrulata P. s. Amanogawa P. s. Gioiko P. s. Hata-zakura P. s. Horaisan P. s. Hosokawanioi P. s. Higantakura

P. s. Hisakura
P. s. Jas. H. Veitch
P. s. Jonioi s. Kuramayami

Kwanson P. s. lannesiana s. Miyako s. Shirofugen P. S. P. s. Shogetsu P s. sirotae s. Sumizome

P. sieboldi syn. Naden

P. spinosa subhirtella P. P. s. ascendens P. s. autumnalis P. s. pendula P

P. virginiana P. yedoensis P. y. taizanfukun Pterostyrax corymbosa Pyrus calleryana P. betulaefolia P. salicifolia P. serrulata Rhus chinensis Robinia fertillis R. globosa R. hispida R. holdti R. Margaretta Salix amygdaloides S. caprea S. matsudana S. m. tortuosa S. regalis Sophora japonica Sorbus americana S. commixta S. spuria Styrax japonica

S. obassia Syringa amurensis japonica S. pekinensis

### **DECIDUOUS SHRUBS**

Abelia chinensis A. grandiflora A. schumanni

sieboldianus Acanthopanax

Aesculus parviflora Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica A. canadensis A. laevis

A. grandiflora rubescens A. oblongifolia A. ovalis A. sanguinea stolonifera

Amorpha brachycarpa

A. canescens A. fruticosa Aronia arbutifolia A. melanocarpa A. m. elata A. prunifolia

Artemisia abrotanum Azalea calendulacea

A. canescens A. kaempferi A. lutea A. mollis A. nudiflora A. viscosa A. yedoensis A. y. poukhanensis Baccharis halimifolia Berberis koreana B. circumserrata

B. thunbergi
B. t. atropurpurea
B. t. minor
B. t. pluriflora
B. t. erecta

Berchemia racemosa Bischoffia javanica Buddleia Charming

B. alternifolia

B. davidi

B. d. superba B. d. veitchiana В. farquhari B. Ile de France intermedia

B. intermedia B. lindleyana B. paniculata

Callicarpa americana

C. dichotoma C. giraldiana C. japonica

Calycanthus floridus

C. occidentalis
Caragana arborescens

C. a. lorbergi
C. boisi
C. frutex
C. sophoraefolia

Caryopteris incana Ceanothus americanus Cephalanthus occidentalis Cercis chinensis

Chaenomeles japonica

C. j. alpina C. lagenaria

C. I. alba
C. I. cathayensis
C. I. Columbia

C. I. Falconet Charlet
C. I. kermesina semiplena
C. I. pygmaea
C. I. rosea grandiflora

C. I. rosea grandiflora C. I. rosea plena C. I. rubra

C. I. rubra
C. I. semperflorens
C. I. umbilicata
C. I. Vermilion
Chionanthus virginicus
Clerodendron trichotomum

Clethra alnifolia C. a. paniculata C. barbinervis

Colutea arborescens C. cilicica C. media Comptonia asplenifolia Cornus alba C. a. elegantissima
C. a. sibirica
C. a. spaethi
C. alternifolia
C. amomum
C. baileyi
C. paucinervis
C. pubescens
C. racemosa
C. rugosa
C. sanguinea
C. s. viridissima
C. stolonifera
C. s. flaviramea
Corylus americana
C. avellana
C. a. atropurpurea
C. heterophylla setchuenensis
C. rostrata
Cotoneaster acutifolia C. a. elegantissima Cotoneaster acutifolia C. a. villosula C. adpressa C. ambigua C. apiculato C. dammeri . apiculata dielsiana divaricata foveolata francheti himalaicus horizontalis C. h. perpusilla
C. h. wilsoni
C. hupehensis hupehensis CCC integerrima lucida melanocarpa microphylla moupinensis . multiflora C. nitens C. obscur C. racem obscura . racemiflora soongarica C. rotundifolia rosea s. floccosa simonsi tenuipes zabeli Cytisus nigricans C. scoparius C. s. andrea s. andreanus supinus Daphne mezereum D. m. alba Deutzia gracilis D. lemoinei D. l. compacta

D. myriantha Boule Rose

D. ningpoense D. parviflora D. rosea D. rosea companulata D. r. carminea D. r. venusta D. scabra D. scapra
D. s. Pride of Rochester
D. s. rosea plena
D. s. watereri
D. s. wellsi
D. schneideriana laxiflora D. vilmorinae Diervilla sessilifolia D. lonicera Dirca palustris Eleagnus angustifolia E. commutata E. multiflora E. umbellata E. u. parvifolia Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus E. europaeus E. e. fructue. fructu-coccineus E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli E. hupehensis Exochorda racemosa E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia F. i. primulina F. i. spectabilis F. ovata
F. suspensa
F. s. atrocaulis
F. s. fortunei F. s. sieboldi F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis G. tinctoria Hamamelis japonica H. j. rubra H. mollis H. vernalis H. v. tomentella H. virginiana Helwingia japonica

Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa H. a. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. bucklei H. densiflorum H. frondosum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p. henryi H. prolificum Ilex geniculata laevigata 1. montana l. serrata syn. sieboldi l. verticillata 1. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jasminum nudiflorum J. stephanense Kerria japonica K. j. pleniflora Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. thunbergi L. japonica japonica Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. obtusifolium L. o. nanum L. o. regelianum L. ovalifolium L. o. variegatum vulgare L. v. foliosum L. v. leucocarpum L. v. nanum Lindera benzoin Lonicera bella albida L. bella atrorosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. orientalis longifolia L. kohneana L. korolkowi floribunda

L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. syringantha
L. s. wolfi
L. tatarica
L. t. alba
L. t. lutea
L. t. rosea
L. t. sibirica
L. t. virginalis
L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina L. mariana Magnolia sieboldi M. stellata M. s. rosea Myrica pennsylvanica M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronata Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus coronarius P. c. aureus
P. c. multiflorus plenus
P. c. nanus
P. cymosus Banniere
P. c. Norma P. c. Norma
P. c. Voie Lactee
P. falconeri
P. gordonianus
P. grandiflorus grandiflorus P. incanus P. inodorus P. lemoinei Avalanche P. I. erectus
P. I. Dame Blanche
P. I. Pyramidale P. lewisi P. maad magdalenae P. nepalensis P. nivalis P. polyanthus Favorite Gerhe de Neige P. p. Gerbe de Neige P. p. Pavillon Blanc P. purpureo mac. Opt purpureo mac. Ophelia P. p. Sybille P sericanthus P. splendens virginalis Albatre P. v. Argentine
P. v. Boquet Blanc
P. v. Glacier
P. v. Virginal P. zeyheri

Photinia villosa r. v. laevis

Physocarpus intermedius

P. i. parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus

Potentilla fruticosa Prinsepia sinensis

Prunus besseyi P. dunbari g. glandulosa

g. albiplena P. g. sinensis
P. japonica
P. maritima P. pumila

P. tenella P. tomentosa P. triloba P. t. plena P. v. demissa

Rhamnus caroliniana R. cathartica R. dahurica R. frangula R. f. asplenifolia R. koraiensis R. purshiana R. spathulaefolia R. utilis

R. wilsoni

Rhodotypos scandens

Rhus aromatica R. capallina R. glabra R. trilobata R. typhina R. t. laciniata Ribes alpinum R. aureum

R. fasciculatum R. gordonianum sanguineum Robinia Ellioti

R. kelseyi R. viscosa Rosa acicularis R. blanda

R. carolina

R. canina R. coriifolia froebeli

R. davurica R. ecae R. eglanteria R. e. hybrids R. foetida R. f. persiana R. fujisanensis R. helenae

R hugonis R. humilis R. laevigata R. marreti

R. maximowicziana jacki

R. moyesi R. multiflora R. m. cathayensis

R. palustris R. pendulina

R. rouletti R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens

R. sericea K. setigera R. spinosissima altaica

R. s. hispida R. s. hybrids R. virginiana R. watsoniana K. wichurajana k. w. hybrids

R. hybrid perpetuals R. hybrid tea

R. climbing

R. polyantha hybrids

R. woodsi R. xanthina allard x. spontanea Rubus deliciosus R. nemorosus R. odoratus R. phoenicolasius

Salix discolor S. doniana S. elaeagnos S. irrorata S. jessoensis S. lucida S. mutabilis

S. myricoides rigida nigricans cotinifolia

S. patula

S. purpurea nana S. purpurea S. purpurea gracilis

Sambucus canadensis S. c. acutiloba

S. nigra

S. n. aurea S. n. albo-variegata S. pubens

S. p. xanthocarpa racemosus

Shepherdia argentea S. canadensis Smilax rotundifolia Sorbaria aitchisoni

S. arborea glabrata S. tomentosa S. sorbifolia Spirea arguta

S. billiardi S. bumalda

S. b. Anthony Waterer S. b. walluffi S. cantoniensis S. c. lanceata

chamaedryfolia ulmifolia

S. douglasi S. froebeli iaponica

S. japonica fortunei

i. ovalitolia i. ruberrima S latifolia

S. margaritae S. nipponica rotundifolia

S. prunifolia 5. pubescens 5. salicifolia 5. superba 5. syringiflora tnunbergi
 tomentosa 5. trichocarpa S. van houttei S. veitchi 5. wilsoni

Staphylea bumalda

S. colchica S. pinnata trifolia

Stephanandra incisa Stewartia ovata S. o. grandiflora S. serrata

Symphoricarpos chenaulti

S. albus S. mollis S. occidentalis S. o. heyeri S. orbiculatus

Symplocos paniculata Syringa amurensis japonica

S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla

S. oblata S. o. dilatata S. o. giraldi S. persica S. p. alba S. villosa S. vulgaris S. vulgaris alba

S. v. hybrids S. yunnanensis Tamarix africana T. gallica T. g. indica T. juniperina odessana T. pentandra tetandra

Ulex europeus

Vaccinium corymbosum Viburnum acerifolium

V. bitchuiense V. betulifolium V. burejaeticum V. burkwoodi V. carlesi V. cassinoides V. dentatum V. dilatatum

V. d. xanthocarpum

fragrans V. hupehense V. lantana 1. rugosum V. lentago V. molle V. nudum V. opulus V. o. nanum V. o. sterile

V. o. xanthocarpum V. ovatifolium V. prunifolium V. pubescens V. p. canbyi V. rufidulum V. sargenti V. sieboldi V. setigerum V. tomentosum V. t. sterile V. trilobum

V. veitchi V. wrighti Vitex agnus castus V. a. c. alba V. a. c. latifolia V. negundo incisa Weigela floribunda

W. florida
W. f. nana variegata
W. hortensis rubra W. japonica W. w. Abel Carriere W. w. candida

W. w. desboisi
W. w. Eva Rathke
W. w. Groenewegeni
W. w. Gustav Mallot
W. w. sieboldi argenteomarginata
W. w. styriaca
W. w. vanhauttei
Zanthorbiza simplicissima

Zanthorhiza simplicissima Zanthoxylum americanum

### VINES

Actinidia arguta Akebia trifoliata A. quinata Ampelopsis acontifolia A. brevipedunculata
A. b. elegans

A. b. maximowiczi Aristolochia durior A. tomentosa Campsis grandiflora C. radicans C. r. Mme. Galen

### Vines Continued



C. r. specioșa Celastrus orbiculatus C. scandens Clematis apiifolia C. chrysocoma sericea

C. crispa C. fargesi C. hybrids C. ligusticifolia C. montana rubens C. m. undulata C. m. wilsoni C. paniculata C. serratifolia C. tangutica

C. texensis syn. coccinea
C. viorna
C. virginiana vitalba viticella Decumaria barbara Hedera helix H. h. Albany

H. h. baltica H. h. conglomerata H. h. Emerald Gem

H. h. gracilis H. h. Hahns H. h. lobata

Hydrangea petiolaris L. browni plantierensis
L. caprifolium

L. fuchsoides L. heckrotti L. henryi

L. hirsuta L. japonica L. j. chinensis

L. j. halleana L. j. aurea reticulata L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana thibetica

Parthenocissus henryana

P. quinquefolia P. q. engelmanni P. q. saintpauli P. tricuspidata lowi P. t. veitchi Perpiloca graeca Polygonum auberti Pueraria thunbergiana

Schizophragma hydrangoides Solanum dulcamara Tripterygium regeli

Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. labrusca V. rotundifolia V. vulpina Wistaria frutescens

W. floribunda macrobotrys W. macrostachya W. sinensis W. s. alba

#### LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

### PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

#### WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Eaccharis halimifolia Buddleia in variety Campsis grandiflora Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix pentandra Vitex agnus castus Vitex agnus castus latifolia

## Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Aronia arbutifolia Aronia prunifolia

\*Betula populifolia
\*Betula lenta
\*Betula lutea

Cornus in variety
\*Crataegus in variety
Euonymus in variety \*Hypericum prolificum

\*Juniperus virginiana \*Juniperus communis

\*Ligustrum in variety Lindera benzoin Lonicera in variety

Morus alba \*Myrica pennsylvanica Nyssa sylvatica

Parthenocissus quinquefolia

P. tricuspidata veitchi \*Pinus in variety Photinia villosa Prunus besseyi Prunus padus

Prunus pennsylvanicum Prunus serotina

\*Rhamnus in variety \*Rhus capallina

\*Rhus glabra \*Rhus typhina Ribes in variety Sambucus in variety

\*Symphoricarpus in variety
Vaccinium corymbosum
Viburnum in variety
Vitis in variety
\*Weigela hybrida in variety

## Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta
Chamaecyparis obtusa nana
Hypericum henryi
Jasminum nudifloi
Cotoneaster adpressa Cotoneaster horizontalis
Cotoneaster horizontalis perpusilla
Cotoneaster rotundifolia
Cotoneaster rotundifolia
Cotoneaster rotundifolia
Lopicera spinosa alberti Daphne cneorum Daphne mezereum Euonymus fortunei minimus

Jasminum nudiflorum Juniperus horizontalis Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

## Woody Plants Enduring Shade

For Dry Soil

Ailanthus altissima Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum obtusifolium

Ligustrum vulgare Rhus aromatica Ribes alpinum Rubus adoratus Symphoricarpus orbiculatus Vinca minor

#### For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus fortunei in variety Fagus grandiflora Hedera helix Kalmia latifolia

Amelanchier in variety Lindera benzoin Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra' terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza simplicissima

## Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus altissima
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Euonymus fortunei
\*Lonicera halleana
\*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

\*Rhus typhina Robinia pseudacacia \*Rosa setigera \*Rcsa wichuraiana \*Rubus odoratus Salix caprea Salix discolor Salix elaeagnos \*Symphoricarpus orbiculatus

Vinca minor Vitis vulpina

#### Plants for the Herb Garden

Achillea millefolium
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamıta
Foeniculum atrosanguineum
Hyssopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanecetum vulgare
Thymus serpyllum
Thymus serpyllum citriodorus
Thymus vulgaris
Valeriana officinalis

### SCHEDULE OF B & B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (\*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

2-3' 3-4' 4-5' 5-6'					• • • • • • • • • • • • • • • • • • • •	1.10 1.50 1.90
6-8' Shrubs 1'' Trees	}				. \$3.00	16"
8-10' Shrubs	j			 ,-	4.25	18"
11/2" Trees					5.50	20"
13/4" "					7.50 9.00	22'' 24''
2½" "					13.50	30"
31/2" "					22.50 32.50	36" 42"
41/- "					45.00 65.00	48" 54"
4½" "					90.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

## MEMORANDA

## **MEMORANDA**

## **MEMORANDA**



